

## About this document

In all cases this document can't replace the documentation of Texinfo:  
<https://www.gnu.org/software/texinfo/manual/texinfo/texinfo.pdf>.

You are advised that copyrights laws are sometimes very complex and they can differ from one country to another. Authorship of documents can't be deleted. Modification of text without consentement of the author can alter his/her reputation and constitute a infringement.

You are encouraged to use this document to promote the use of  $\text{T}_{\text{E}}\text{X}$  or derived products as the  $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$  format for example. You are encouraged to use this document to promote the use or the development of Texinfo too. They are lot of manners to promote a product. Some of them are free and others aren't. I don't encourage you to promote products mentioned here just giving a copy of my document. If you are a teacher or a professional instructor, you must provide to learners a writing course. If you make a meetup or a training in a company using this document, you must support people to write professional documentation, not just writing comments in code nor just generate automaticaly documentation. For example, each new software developer recruited must receive a complete and recent updated technical guide about the software is working on ASAP. If the company is not able to do that, this document musn't be used but you can use it for your personal projects. That doesn't mean you must publish for all technical documentation but you must provide technical documentation easily readable for all your colleagues in all technical teams of the company where you work. If you are a subcontractor you musn't delegate your work with others subcontractors if you like to use this document, except if your company (the company where you work) employed much more directly new people in your company than subcontractors for your company and all the companies above your.

I encourage direct recruitments, more particularly in electronic and software development. For accounting, most of companies have their own accountant. For software developer, you can have your own software developer. They are much more advertising in software development than jobless people. One of the reasons is multiple advertisements for the same position. Another reason is so much intermediaries in the process of recruitment: the money you spend to them is money in less to a decent salary: electronic and software developers are not morons. . .

*”Don’t forget customers ! They need much more than you a technical documentation. If you are really professional and competitive they will never leave you !”*

Vincent BRETON

To report an error you can write me using the email [help-texinfo@presentiel.org](mailto:help-texinfo@presentiel.org) with ‘Errata’ as the subject.

T<sub>E</sub>X was originally written by Donald E. Knuth.

L<sup>A</sup>T<sub>E</sub>X was originally written by Leslie B. Lamport.

Texinfo was written by Richard M. Stallman and improved by Robert J. Chassel.

In all cases, you must be agree with respect of copyright and trademarks from different owners.

This document was written using L<sup>A</sup>T<sub>E</sub>X on a Debian Linux System.

© 2021 – Vincent BRETON, Nantes (France)

## Acknowledgements

My thanks to Gavin SMITH for his encouragement and his precious advice to produce this new version of documentation.

# History

<b>Version</b>	<b>Date</b>	<b>Description</b>
0.1	Nov. 14, 2021	First publication
0.2	Nov. 24, 2021	3 new tables (most used commands and commands not used). Most of $\TeX$ 's commands are written in bold. English translation of the column names. Acknowledgements and history sections added.

# List of Commands from Texinfo.tex

Vincent BRETON

November 24, 2021

*”Programmed obsolescence and loss of know-how starts with poor or no technical or professional documentation.”*

Vincent BRETON

## Abstract

In this document you will find tables about commands used in `texinfo.tex` file. You can use them to know more about Texinfo or if you just like to find examples of T<sub>E</sub>X’s commands.

## Contents

<b>1</b>	<b>Most used commands</b>	<b>6</b>
1.1	T <sub>E</sub> X commands . . . . .	6
1.2	Texinfo commands . . . . .	7
<b>2</b>	<b>Commands not used</b>	<b>8</b>
<b>3</b>	<b>Just two others tables.</b>	<b>10</b>
3.1	Commands in order of appearance . . . . .	10
3.2	Commands in alphabetical order . . . . .	72

TeX kernal commands are not identified: in this version of document, only command's from `texplain.tex` file are considered as TeX commands. In other words, some commands are considered as Texinfo's commands instead of kernal TeX's commands.

# 1 Most used commands

## 1.1 TeX commands

The content of *table 1* shows you the top ten most used TeX commands in `texinfo.tex`.

Command	Number of occurences
def	1181
fi	572
let	466
else	406
expandafter	285
ifx	277
catcode	258
global	183
gdef	174
relax	172

Table 1: Top ten most used TeX commands.

## 1.2 Texinfo commands

The content of *table 2* shows you the top ten most used Texinfo commands in `texinfo.tex`.

Command	Number of occurrences
DeclareUnicodeCharacter	603
gdefchar	201
ensuremath	199
setfont	150
other	109
temp	93
definedummyword	71
parseargdef	56
commondummyword	53
dotaccent	45

Table 2: Top ten most used Texinfo commands.

## 2 Commands not used

In `texinfo.tex` file, some commands are never used. They are just inserted inside comments. They are represented in the table below.

Commands
<code>\box255</code>
<code>\boxit</code>
<code>\chapentry</code>
<code>\char95</code>
<code>\cmapOT1IT</code>
<code>\cmapOT1TT</code>
<code>\csnames</code>
<code>\deffn</code>
<code>\deffnx</code>
<code>\dotfill</code>
<code>\doublecolumnsize</code>
<code>\downmacro</code>
<code>\eatinput</code>
<code>\Edeffn</code>
<code>\Efoo</code>
<code>\enablebackslashhack</code>
<code>\endlinechar</code>
<code>\endtemplate</code>
<code>\epsf</code>
<code>\Etex</code>
<code>\exhyphenpenalty</code>
<code>\floatlistFLOATTYPE</code>
<code>\floatlistSAFEFLOATTYPE</code>
<code>\foo</code>
<code>\fooindex</code>
<code>\fooindfile</code>
<code>\foosxx</code>
<code>\get</code>
<code>\indentedblock</code>
<code>\insert27</code>
<code>\IXindex</code>
<code>\IXindfile</code>
<code>\keyrm</code>
<code>\keysy</code>
<code>\lang</code>
<code>\macarg</code>
<code>\macro1</code>
<code>\macro2</code>



<code>\mathcode</code>
<code>\mbodybackslash</code>
<code>\n</code>
<code>\raise0</code>
<code>\scriptfonts</code>
<code>\scriptscriptfont</code>
<code>\scriptscriptstyle</code>
<code>\scriptsize</code>
<code>\setxxx</code>
<code>\STYLE</code>
<code>\STYLEfont</code>
<code>\tracingall</code>
<code>\u8</code>
<code>\UTFviii</code>
<code>\UTFviiTwoOctetsName</code>
<code>\vphantom</code>
<code>\x</code>
<code>\Xfoo</code>
<code>\XRLABEL</code>

### 3 Just two others tables.

As you can see in the first table in §3.1, `expandafter` is the first T<sub>E</sub>X command used in `texinfo.tex` and `ifx` is the second one. The first time the command `expandafter` appears is in line 4; the second time is in line 177 and the third time is in line 269. The last column shows you for example how many times `expandafter` is used in `texinfo.tex` file.

If you try to have an overview of all commands by alphabetical order, you can use the second table in §3.2.

Commands in bold are T<sub>E</sub>X commands and others are Texinfo's commands.

#### 3.1 Commands in order of appearance

This table reveals the T<sub>E</sub>X commands in the file `texinfo.tex` from version 6.8 of Texinfo in order of appearance.

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\expandafter</code>	4	177	269	285
<code>\ifx</code>	4	115	122	277
<code>\csname</code>	4	177	498	167
<code>\endcsname</code>	4	177	498	167
<code>\relax</code>	4	75	163	172
<code>\input</code>	4	839	1510	13
<code>\fi</code>	4	119	122	572
<code>\def</code>	6	69	118	1181
<code>\texinfoversion</code>	6	59	64	4
<code>\message</code>	59	64	1024	36
<code>\everyjob</code>	64			1
<code>\catcode</code>	65	65	106	258
<code>\active</code>	65	65	106	81
<code>\typeout</code>	69	5177	5474	3
<code>\immediate</code>	69	1313	1315	16
<code>\write17</code>	69			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\chardef</code>	71	168	169	17
<code>\other</code>	71	848	849	109
<code>\outer</code>	1021	5966	6146	15
<code>\tabalign</code>	7003			1
<code>\let</code>	75	78	79	466
<code>\ptexb</code>	78	3420	6991	3
<code>\b</code>	78	2826	2827	7
<code>\ptexbullet</code>	79	3477	6992	3
<code>\bullet</code>	79	3477	4182	7
<code>\ptexc</code>	80	3416	6993	4
<code>\c</code>	80	454	455	8
<code>\ptexcomma</code>	81	6994		2
<code>\ptexdot</code>	82	3417	6995	3
<code>\ptexdots</code>	83	6996		2
<code>\dots</code>	83	3488	3507	7
<code>\ptexend</code>	84	1021		2
<code>\end</code>	84	577	3332	6
<code>\ptexequiv</code>	85	3521	6997	3
<code>\equiv</code>	85	3521	4872	6
<code>\ptexexclam</code>	86	6998		2
<code>\ptexfootnote</code>	87			1
<code>\footnote</code>	87	6450	6538	5
<code>\ptexgrtr</code>	88	3303		2
<code>\ptexhat</code>	89	3301		2
<code>\ptexi</code>	90	3435	6999	3
<code>\i</code>	90	2815	4942	7
<code>\ptexindent</code>	91	1000	7000	3
<code>\indent</code>	91	994	994	7
<code>\ptexinsert</code>	92	9302	9324	3
<code>\insert</code>	92	5339	9236	5
<code>\ptexlbrace</code>	93	7002		2
<code>\ptexless</code>	94	3302		2
<code>\ptexnewwrite</code>	95			1
<code>\newwrite</code>	95	4711	5167	6
<code>\ptexnoindent</code>	96	1001	1009	4
<code>\noindent</code>	96	995	995	13

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\ptexplus</code>	97	3304		2
<code>\ptextraggedright</code>	98	3789	6634	3
<code>\raggedright</code>	98	7285		2
<code>\ptextrbrace</code>	99	7004		2
<code>\ptexslash</code>	100	2796	7005	4
<code>\ptexsp</code>	101	3318	3319	4
<code>\sp</code>	101	911	7006	3
<code>\ptexstar</code>	102	7007		2
<code>\ptexsup</code>	103			1
<code>\sup</code>	103	3285	3318	4
<code>\ptext</code>	104	3419	7009	3
<code>\t</code>	104	2858	4947	4
<code>\ptextop</code>	105	7010	11014	3
<code>\top</code>	105	6228		2
<code>\global</code>	106	336	337	183
<code>\ptexquoteright</code>	106	3305		2
<code>\newlinechar</code>	110	7979		2
<code>\inputlineno</code>	115	118		2
<code>\thisisundefined</code>	115	207	1048	27
<code>\linenumber</code>	116	118	9049	5
<code>\empty</code>	116	291	442	65
<code>\else</code>	117	207	277	406
<code>\the</code>	118	275	275	152
<code>\space</code>	118	520	612	37
<code>\putwordAppendix</code>	122	122	6179	8
<code>\undefined</code>	122	123	124	37
<code>\gdef</code>	122	123	124	174
<code>\putwordChapter</code>	123	123	6158	5
<code>\putworderror</code>	124	124	3531	3
<code>\putwordfile</code>	125	125	8658	3
<code>\putwordin</code>	126	126	8916	4
<code>\putwordIndexIsEmpty</code>	127	127	5481	3
<code>\putwordIndexNonexistent</code>	128	128	5473	3
<code>\putwordInfo</code>	129	129	8658	3
<code>\putwordInstanceVariableeof</code>	130	130	7757	4
<code>\putwordMethodon</code>	131	131	7755	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\putwordNoTitle</code>	132	132	4016	3
<code>\putwordof</code>	133	133	7716	5
<code>\putwordon</code>	134	134	7679	6
<code>\putwordpage</code>	135	135	8956	3
<code>\putwordsection</code>	136	136		2
<code>\putwordSection</code>	137	137	6560	11
<code>\putwordsee</code>	138	138	8773	3
<code>\putwordSee</code>	139	139	5203	5
<code>\putwordShortTOC</code>	140	140	6788	3
<code>\putwordTOC</code>	141	141	6771	3
<code>\putwordMJan</code>	143	143	4007	3
<code>\putwordMFeb</code>	144	144	4007	3
<code>\putwordMMar</code>	145	145	4007	3
<code>\putwordMApr</code>	146	146	4007	3
<code>\putwordMMay</code>	147	147	4008	3
<code>\putwordMJun</code>	148	148	4008	3
<code>\putwordMJul</code>	149	149	4008	3
<code>\putwordMAug</code>	150	150	4008	3
<code>\putwordMSep</code>	151	151	4009	3
<code>\putwordMOct</code>	152	152	4009	3
<code>\putwordMNov</code>	153	153	4009	3
<code>\putwordMDec</code>	154	154	4009	3
<code>\putwordDefmac</code>	156	156	7749	3
<code>\putwordDefspec</code>	157	157	7750	3
<code>\putwordDefvar</code>	158	158	7752	4
<code>\putwordDefopt</code>	159	159	7753	3
<code>\putwordDeffunc</code>	160	160	7748	4
<code>\spaceisspace</code>	163	440	4491	4
<code>\endlineisspace</code>	166	8474		2
<code>\catcode13</code>	166			1
<code>\dashChar</code>	168	2908		2
<code>\slashChar</code>	169	3087		2
<code>\underChar</code>	170	2908		2
<code>\gobble</code>	174	1588	1589	19
<code>\edef</code>	839	1120	1121	56
<code>\makecsname</code>	177	4567	4711	9

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\noexpand</code>	177	276	277	80
<code>\hyphenation</code>	180			1
<code>\gloggingall</code>	197			1
<code>\begingroup</code>	197	222	438	63
<code>\globaldefs</code>	197	2537	3328	19
<code>\loggingall</code>	197	198		2
<code>\endgroup</code>	197	447	583	68
<code>\tracingstats2</code>	199			1
<code>\tracingpages1</code>	200			1
<code>\tracinglostchars2</code>	201			1
<code>\tracingparagraphs1</code>	202			1
<code>\tracingoutput1</code>	203			1
<code>\tracingmacros2</code>	204			1
<code>\tracingrestores1</code>	205			1
<code>\showboxbreadth</code>	206			1
<code>\maxdimen</code>	206	206	397	3
<code>\showboxdepth</code>	206			1
<code>\eTeXversion</code>	207	7963	8134	3
<code>\tracingscantokens1</code>	208			1
<code>\tracingifs1</code>	209			1
<code>\tracinggroups1</code>	210			1
<code>\tracingnesting2</code>	211			1
<code>\tracingassigns1</code>	212			1
<code>\tracingcommands3</code>	214			1
<code>\errorcontextlines16</code>	215			1
<code>\errormsg</code>	222			1
<code>\indexnofonts</code>	222	837	1331	17
<code>\doerrormsg</code>	222	223		2
<code>\errmessage</code>	223	564	631	36
<code>\lastpenalty</code>	228	230	232	17
<code>\nobreak</code>	753	787	3101	32
<code>\smallbreak</code>	228	4042	4191	3
<code>\ifnum</code>	228	230	232	98
<code>\par</code>	228	230	232	38
<code>\ifdim</code>	228	230	232	48
<code>\lastskip</code>	228	230	232	8

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\smallskipamount</code>	228	4146	4170	3
<code>\removelastskip</code>	229	231	233	7
<code>\penalty</code>	229	231	233	19
<code>\smallskip</code>	229			1
<code>\medbreak</code>	230	7550	7609	3
<code>\medskipamount</code>	230			1
<code>\medskip</code>	231	7570	9405	4
<code>\bigbreak</code>	232			1
<code>\bigskipamount</code>	232			1
<code>\bigskip</code>	233	6321	6490	3
<code>\finalout</code>	242			1
<code>\overfullrule</code>	242	4387		2
<code>\newdimen</code>	244	244	245	22
<code>\outerhsize</code>	244	11189	11190	3
<code>\outervsize</code>	244	11184	11185	3
<code>\topandbottommargin</code>	245	245	11185	3
<code>\thischapter</code>	291	3970	3980	11
<code>\thissection</code>	6044	6402	6548	5
<code>\thiscolor</code>	1243	1250	1266	6
<code>\botmark</code>	293			1
<code>\topmark</code>	336			1
<code>\firstmark</code>	291			1
<code>\ifcase</code>	1131	4006	6108	6
<code>\domark</code>	268	1244	1636	7
<code>\chapmacro</code>	5979	6162	6182	6
<code>\prevchapterdefs</code>	271	300	6399	4
<code>\currentchapterdefs</code>	269	297	6399	8
<code>\prevsectiondefs</code>	272	301	6400	6
<code>\currentsectiondefs</code>	270	298	6400	10
<code>\toks0</code>	269	275	1007	30
<code>\toks2</code>	270	275		2
<code>\toks4</code>	271	276		2
<code>\toks6</code>	272	276		2
<code>\toks8</code>	273	277		2
<code>\currentcolordefs</code>	273	302	1243	6
<code>\mark</code>	274			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\or</code>	276	4007	4007	23
<code>\gettopheadingmarks</code>	289			1
<code>\getbottomheadingmarks</code>	293			1
<code>\getcolormarks</code>	294	1264	1656	3
<code>\ifcase0</code>	290	291		2
<code>\savedtopmark</code>	290	294	331	5
<code>\ifcase1</code>	293	415		2
<code>\ifcase2</code>	294			1
<code>\currentsection</code>	299	6455	6601	7
<code>\bindingoffset</code>	305	349	350	12
<code>\normaloffset</code>	306	347	11193	4
<code>\txipagewidth</code>	307	361	5841	5
<code>\txipageheight</code>	307	400	694	8
<code>\PAGE</code>	311	313	5776	8
<code>\newtoks</code>	312	331	1028	15
<code>\defaultoutput</code>	312	313	314	4
<code>\savetopmark</code>	313	334	5772	5
<code>\onepageout</code>	313	346	5829	3
<code>\pagecontents</code>	313	402		2
<code>\output</code>	314	5771	5783	5
<code>\newbox</code>	316	317	655	14
<code>\headlinebox</code>	316	364	380	3
<code>\footlinebox</code>	317	366	382	4
<code>\shipout</code>	376			1
<code>\newif</code>	332	412	1038	27
<code>\iftopmarksaved</code>	332	335		2
<code>\topmarksavedtrue</code>	333	337		2
<code>\hoffset</code>	347	349	350	5
<code>\ifodd</code>	349	363	365	9
<code>\pageno</code>	349	363	365	16
<code>\advance</code>	349	350	692	114
<code>\checkchapterpage</code>	352	413		2
<code>\makeheadline</code>	364	1258	1650	3
<code>\makefootline</code>	366	1253	1645	3
<code>\headline</code>	1266	1658	3837	3
<code>\footline</code>	1255	1647	3844	3



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\commonheadfootline</code>	361	364	366	3
<code>\hsize</code>	361	405	797	41
<code>\texinfochars</code>	361	11442		2
<code>\getoddheadingmarks</code>	363	418		2
<code>\getevenheadingmarks</code>	363	418		2
<code>\setbox</code>	364	366	665	24
<code>\vbox</code>	364	366	376	32
<code>\getoddfootingmarks</code>	365			1
<code>\getevenfootingmarks</code>	365			1
<code>\write</code>	5328	6693	7968	5
<code>\atdummies</code>	374	4785	5306	6
<code>\turnoffactive</code>	375	836	1333	15
<code>\ifpdfmakepagedest</code>	378	1039		2
<code>\pdfdest</code>	378	1104	1396	5
<code>\unvbox</code>	380	387	402	10
<code>\pagebody</code>	381	400		2
<code>\ht</code>	382	692	725	6
<code>\vsize</code>	3883	5768	5809	14
<code>\oddfootingyyy</code>	3876	3877		2
<code>\baselineskip</code>	790	911	1915	28
<code>\vskip</code>	386	407	904	34
<code>\topmarksavedfalse</code>	392			1
<code>\advancepageno</code>	393	1180	1181	3
<code>\outputpenalty</code>	394	5831		2
<code>\dosupereject</code>	394			1
<code>\newinsert</code>	397			1
<code>\margin</code>	397	397	404	6
<code>\dimen</code>	397	406	408	43
<code>\boxmaxdepth</code>	400			1
<code>\maxdepth</code>	400	5822		2
<code>\ifvoid</code>	402	404	407	4
<code>\topins</code>	402	402		2
<code>\rlap</code>	405	797	3859	6
<code>\kern</code>	405	408	750	27
<code>\z</code>	405	9250	9251	5
<code>\kern1pt</code>	405			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\box</code>	405	702	5890	6
<code>\vss</code>	405	791	1268	5
<code>\dp</code>	406	692	726	5
<code>\footins</code>	407	407	407	5
<code>\skip</code>	407	5659	5661	4
<code>\footnoterule</code>	407			1
<code>\ifr</code>	408			1
<code>\vfil</code>	408	732		2
<code>\ifchapterpage</code>	412	3838		2
<code>\prevchaptername</code>	416	421		2
<code>\thischaptername</code>	416	419	6043	10
<code>\curchaptername</code>	419	421		2
<code>\chapterpagefalse</code>	422			1
<code>\chapterpagetrue</code>	424			1
<code>\parsearg</code>	435	501	3856	27
<code>\parseargusing</code>	435	436	830	7
<code>\argtorun</code>	437	488		2
<code>\obeylines</code>	439	445	3327	10
<code>\parseargline</code>	442	446		2
<code>\finishparsearg</code>	470	488		2
<code>\argremovecomment</code>	448	454		2
<code>\comment</code>	448	454	672	9
<code>\ArgTerm</code>	448	454	454	8
<code>\argcheckspaces</code>	455	464	472	3
<code>\argremovec</code>	454	455		2
<code>\argcheckspacesX</code>	464	465		2
<code>\argcheckspacesY</code>	465	466		2
<code>\temp</code>	467	468	470	93
<code>\next</code>	524	524	524	71
<code>\parseargdef</code>	497	550	577	56
<code>\doparseargdef</code>	498	500		2
<code>\string</code>	498	571	4622	28
<code>\obeyspaces</code>	507	515	7179	4
<code>\obeyedspace</code>	508	8641		2
<code>\sepspaces</code>	515	7158	7411	4
<code>\tie</code>	515	599	4973	10

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\leavevmode</code>	599	638	1554	23
<code>\unsepspaces</code>	520	3011	3141	6
<code>\flushcr</code>	524	4211	4301	3
<code>\lisppar</code>	524	7029	7159	3
<code>\envdef</code>	549	658	3329	20
<code>\thisenv</code>	544	546	555	9
<code>\checkenv</code>	553	581	3798	13
<code>\startenvironment</code>	544	549	550	3
<code>\long</code>	549	3350	3351	20
<code>\envparseargdef</code>	550	4223	9452	3
<code>\badenverr</code>	557	562		2
<code>\errhelp</code>	563	630	660	21
<code>\EMsimple</code>	563	587	630	18
<code>\inenvironment</code>	564	565	567	4
<code>\if</code>	578	5495	6086	13
<code>\newhelp</code>	587	709	1220	5
<code>\tiepenalty</code>	598	599		2
<code>\spacefactor</code>	603	612	615	10
<code>\unskip</code>	606	886	3226	21
<code>\hfil</code>	606	773	773	54
<code>\break</code>	606	773	773	7
<code>\hbox</code>	606	638	773	76
<code>\ignorespaces</code>	606	795	797	38
<code>\allowbreak</code>	609			1
<code>\endofsentencespacefactor</code>	612	615	618	7
<code>\onword</code>	622	627	2742	6
<code>\offword</code>	623	628	2745	6
<code>\frenchspacing</code>	625	7011		2
<code>\plainfrenchspacing</code>	627	2844	2859	7
<code>\plainnonfrenchspacing</code>	628	2849		2
<code>\w</code>	638	4979		2
<code>\vtop</code>	665	732	789	6
<code>\topskip</code>	5777	5822	5917	7
<code>\vfill</code>	763	5768	5947	7
<code>\vfilllimit</code>	656	698		2
<code>\groupbox</code>	655	665	692	6

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\group</code>	658			1
<code>\groupinvalidhelp</code>	660	709		2
<code>\startsavinginserts</code>	663	4375	7107	5
<code>\bgroup</code>	665	1875	4414	32
<code>\lineskip</code>	7116	7124	7133	3
<code>\Egroup</code>	679			1
<code>\prevdepth</code>	683	686		2
<code>\endgraf</code>	682	3001	3001	14
<code>\dimen1</code>	683	686		2
<code>\egroup</code>	684	1889	4438	32
<code>\addgroupbox</code>	685	690	7147	3
<code>\checkinserts</code>	687	4396	7148	8
<code>\dimen0</code>	692	692	697	25
<code>\dimen2</code>	694	694	697	18
<code>\pagetotal</code>	694	698	5768	4
<code>\page</code>	699	763	3733	8
<code>\escapechar</code>	5285			1
<code>\mil</code>	716	716	724	8
<code>\need</code>	718			1
<code>\strutbox</code>	725	726	784	6
<code>\strut</code>	732	786	4416	4
<code>\penalty9999</code>	747			1
<code>\br</code>	759			1
<code>\supereject</code>	763	6347	9205	3
<code>\exdent</code>	773	7175		2
<code>\newskip</code>	770	783	3713	20
<code>\exdentamount</code>	770	773	776	9
<code>\rm</code>	773	777	2364	26
<code>\nofillexdent</code>	776	7175		2
<code>\leftskip</code>	776	777	891	33
<code>\leftline</code>	777	3820	5592	4
<code>\hskip</code>	777	795	797	24
<code>\inmarginspacing</code>	783	783	795	4
<code>\strutdepth</code>	784	788	789	4
<code>\doinmargin</code>	786	802	803	3
<code>\vadjust</code>	786	4206	7837	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\llap</code>	795			1
<code>\null</code>	799	2811	2860	14
<code>\inleftmargin</code>	802	823		2
<code>\inrightmargin</code>	803	821		2
<code>\inmargin</code>	809			1
<code>\parseinmargin</code>	809	810		2
<code>\finish</code>	809	810	3009	44
<code>\setbox0</code>	811	1278	1842	32
<code>\wd0</code>	812	1317	1887	21
<code>\lefttext</code>	813	816	823	3
<code>\righttext</code>	814	817	821	3
<code>\include</code>	830			1
<code>\filenamecatcodes</code>	830	847	7502	4
<code>\includezzz</code>	830	831		2
<code>\pushthisfilestack</code>	832	861		2
<code>\thisfile</code>	833	865	868	4
<code>\makevalueexpandable</code>	835	1332	1356	17
<code>\wlog</code>	838	7510		2
<code>\popthisfilestack</code>	845	862	868	5
<code>\pushthisfilestackX</code>	862	864		2
<code>\StackTerm</code>	862	865	867	4
<code>\pushthisfilestackY</code>	865	867		2
<code>\errthisfilestackempty</code>	871	872		2
<code>\center</code>	880			1
<code>\ifhmode</code>	881	5380	7106	7
<code>\centersub</code>	882	884	886	7
<code>\centerH</code>	882	889		2
<code>\centerV</code>	884	898	9398	5
<code>\rightskip</code>	892	906	4046	19
<code>\line</code>	893	906	1255	21
<code>\newcount</code>	897	1026	1027	33
<code>\centerpenalty</code>	897	903	904	5
<code>\startdefun</code>	7548	7589	7628	3
<code>\cartouche</code>	7104			1
<code>\sectionheading</code>	6235	6242	6250	13
<code>\parskip</code>	904	2509	4040	37

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
\cxxx	920	921		2
\asisword	930	935	952	3
\noneword	931	937	954	4
\paragraphindent	933			1
\defaultparindent	938	940	943	7
\parindent	943	996	3738	19
\exampleindent	950			1
\lispnarrowing	955	957	7024	13
\suppressfirstparagraphindent	972	978	980	8
\dosuppressfirstparagraphindent	972	978	993	3
\insertword	973	979		2
\firstparagraphindent	975			1
\everypar	996	1002	1007	7
\restorefirstparagraphindent	994	995	996	5
\imageindent	1006	9420		2
\refill	1015			1
\setfilename	1018			1
\bye	1021	8690	8691	4
\chappager	1021	3954	3984	10
\pagelabels	1021	1151	1173	3
\tracingstats	1021			1
\tempnum	1026	1411	1412	7
\lnkcount	1027			1
\filename	1028	1522	1778	5
\filenamelength	1029	1523	1527	7
\pgn	1030			1
\toksA	1031	1561	1564	12
\toksB	1032	1561	1575	11
\toksC	1033	1563	1581	7
\toksD	1034	1564	1575	5
\boxA	1035	1561	1810	10
\boxB	1036	5650	5651	4
\countA	1037	1563	1572	7
\ifpdf	1038	1140	1150	10
\iftxiuseunicodedestname	1045	1334	1678	3
\txiuseunicodedestnamefalse	1046	1622		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\luatexversion</code>	1048	1102	1369	5
<code>\txiuseunicodedestnametrue</code>	1051	1612		2
<code>\directlua</code>	1055	1080	1083	5
<code>\pdfescapestrutsixteen</code>	1080	1212	1216	3
<code>\luaescapestring</code>	1080	1101		2
<code>\pdfescapestring</code>	1101	1201	1208	3
<code>\pdfextension</code>	1104	1106	1107	8
<code>\pdfoutput</code>	1105	1127	1129	4
<code>\outputmode</code>	1105			1
<code>\pdfliteral</code>	1106	1238		2
<code>\pdfcatalog</code>	1107	1167	1169	4
<code>\pdftexversion</code>	1108	1312	1319	5
<code>\numexpr</code>	1108	1117		2
<code>\pdffeedback</code>	1108	1117		2
<code>\pdfximage</code>	1109	1315		2
<code>\saveimageresource</code>	1109			1
<code>\pdfrefximage</code>	1110	1325		2
<code>\useimageresource</code>	1110			1
<code>\pdflastximage</code>	1111	1325		2
<code>\lastsavedimageresourceindex</code>	1111			1
<code>\pdfendlink</code>	1112	1405	1705	3
<code>\pdfoutline</code>	1113	1432		2
<code>\pdfstartlink</code>	1114	1536		2
<code>\pdffontattr</code>	1115	1930	2013	5
<code>\pdfobj</code>	1116	1933	2019	4
<code>\pdflastobj</code>	1117	2013	2101	4
<code>\pdfpagewidth</code>	1118	11198	11208	3
<code>\pagewidth</code>	1118			1
<code>\pdfpageheight</code>	1119	11197	11207	3
<code>\pageheight</code>	1119			1
<code>\pdfhorigin</code>	1120	11201		2
<code>\pdfvariable</code>	1120	1121		2
<code>\pdfvorigin</code>	1121	11202		2
<code>\pdftrue</code>	1133			1
<code>\ifpdforxetex</code>	1138	3138	5657	4
<code>\pdforxetexfalse</code>	1139			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\pdforxetexttrue</code>	1141	1144		2
<code>\XeTeXrevision</code>	1143	1599	1604	10
<code>\title</code>	1152	1161	1167	5
<code>\roman</code>	1153	1160	1163	5
<code>\romancount</code>	1153	1160	1163	9
<code>\arabic</code>	1154	1167	1169	3
<code>\arabiccount</code>	1154	1161	1163	9
<code>\pagecount</code>	1176	1176	1182	6
<code>\ptxadvancepageno</code>	1180	1182		2
<code>\node</code>	8667	8686	8686	3
<code>\xdef</code>	1204	1208	1216	41
<code>\txiescapepdf</code>	1200	1214	1351	5
<code>\txiescapepdfutfsixteen</code>	1211	1391		2
<code>\nopdfimagehelp</code>	1220	1293		2
<code>\rgbDarkRed</code>	1233	1627		2
<code>\rgbBlack</code>	1234	1248	1403	8
<code>\pdfsetcolor</code>	1238	1245	1249	13
<code>\setcolor</code>	1242	1405	1554	12
<code>\maincolor</code>	1248	1249	1250	13
<code>\baselineskip24pt</code>	1254	1646		2
<b><code>\nointerlineskip</code></b>	1270	1662		2
<code>\dopdfimage</code>	1277	9425		2
<code>\pdfimagewidth</code>	1278	1317		2
<code>\pdfimageheight</code>	1279	1318		2
<code>\setbox2</code>	1279	1843	5827	8
<code>\pdfimgext</code>	1285	1295	1297	9
<code>\openin</code>	1287	1288	1289	19
<code>\ifeof</code>	1287	1288	1289	21
<code>\closein</code>	1307	1870	5486	9
<code>\pdfimage</code>	1313			1
<code>\wd2</code>	1318	1888	5840	6
<code>\setpdfdestname</code>	1328	1395	1427	8
<code>\declaredencoding</code>	1335	1339	1358	12
<code>\latone</code>	1335	1358	9868	4
<code>\utfeight</code>	1339	1368	9870	5
<code>\passthroughcharsfalse</code>	1343	1348	1374	6



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\pdfdestname</code>	1350	1351	1396	20
<code>\setpdfoutlinetext</code>	1354	1426	1688	4
<code>\passthroughcharstrue</code>	1362	1379	8072	3
<code>\pdfoutlinetext</code>	1366	1375	1380	9
<code>\pdfmkdest</code>	1394	1588	1697	4
<code>\safewhatsit</code>	1396	1699	5145	8
<code>\pdfmkpgn</code>	1400	1432	1583	4
<code>\urlcolor</code>	1403	1554	1703	4
<code>\linkcolor</code>	1404	1584	1704	6
<code>\endlink</code>	1405	1584	1590	9
<code>\expnumber</code>	1409	1411	1482	6
<code>\advancenum</code>	1411	1445	1450	4
<code>\dopdfoutline</code>	1421	1482	1484	12
<code>\pdfmakeoutlines</code>	1435	1593	1718	4
<code>\partentry</code>	1438	1729	6790	4
<code>\numchapentry</code>	1439	1462	1466	8
<code>\thischapnum</code>	1440	1445	1456	3
<code>\thissecnum</code>	1441	1446	1450	4
<code>\thissubsecnum</code>	1442	1447	1451	5
<code>\numsecentry</code>	1444	1463	1467	18
<code>\numsubsecentry</code>	1449	1464	1468	10
<code>\numsubsubsecentry</code>	1453	1465	1469	10
<code>\appentry</code>	1462	1739	6792	4
<code>\appsecentry</code>	1463	1740	6802	4
<code>\appsubsecentry</code>	1464	1741	6805	4
<code>\appsubsubsecentry</code>	1465	1742	6808	4
<code>\unnchapentry</code>	1466	1483	1743	5
<code>\unnsecentry</code>	1467	1745	6803	4
<code>\unnsubsecentry</code>	1468	1746	6806	4
<code>\unnsubsubsecentry</code>	1469	1747	6809	4
<code>\readdatafile</code>	1470	9129	9188	3
<code>\setupdatafile</code>	1504	1753	6730	5
<code>\lbracecharliteral</code>	1507	1515	1756	4
<code>\rbracecharliteral</code>	1508	1516	1757	4
<code>\otherbackslash</code>	1509	1758	4794	4
<code>\tocreadfilename</code>	1510	1759	6732	6

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\skipspaces</code>	1519	1521	1531	6
<code>\PP</code>	1519	1520	1522	6
<code>\D</code>	1519	1520	1775	4
<code>\nextsp</code>	1520	1521	1525	6
<code>\addtokens</code>	1522	1562	1563	12
<code>\getfilename</code>	1526	1782	8832	4
<code>\startlink</code>	1534	1536	1555	5
<code>\pdfannotlink</code>	1534			1
<code>\pdfurl</code>	1539	1589	1790	5
<code>\normalturnoffactive</code>	1546	1797	4907	5
<code>\var</code>	1552	1803	2809	5
<code>\pdfgettoks</code>	1561	1810	5658	3
<code>\maketoks</code>	1561	1563	1565	8
<code>\addtoks</code>	1562	1562	1811	4
<code>\adn</code>	1563	1812		2
<code>\poptoks</code>	1564	1566	1813	4
<code>\first</code>	1564	1573	1576	7
<code>\first0</code>	1567	1816		2
<code>\adn0</code>	1567	1816		2
<code>\first1</code>	1568	1817		2
<code>\adn1</code>	1568	1817		2
<code>\first2</code>	1568	1817		2
<code>\adn2</code>	1568	1817		2
<code>\first3</code>	1568	1817		2
<code>\adn3</code>	1568	1817		2
<code>\first4</code>	1569	1818		2
<code>\adn4</code>	1569	1818		2
<code>\first5</code>	1569	1818		2
<code>\adn5</code>	1569	1818		2
<code>\first6</code>	1569	1818		2
<code>\adn6</code>	1569	1818		2
<code>\first7</code>	1570	1819		2
<code>\adn7</code>	1570	1819		2
<code>\first8</code>	1570	1819		2
<code>\adn8</code>	1570	1819		2
<code>\first9</code>	1570	1819		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\adn9</code>	1570	1819		2
<code>\ifnum0</code>	1572	1821		2
<code>\makelink</code>	1572	1580	1821	4
<code>\done</code>	1573	1585	1822	4
<code>\pdflink</code>	1581	1582	1830	4
<code>\st</code>	1585	1585	1835	4
<code>\strcmp</code>	1604			1
<code>\XeTeXversion</code>	1604			1
<code>\special</code>	1609	1630	1669	11
<code>\doxeteximage</code>	1841	9437		2
<code>\xeteximagewidth</code>	1842	1887		2
<code>\xeteximageheight</code>	1843	1888		2
<code>\xeteximgext</code>	1849	1858	1860	12
<code>\xetexpdfext</code>	1876	1877	1880	4
<code>\XeTeXpdffile</code>	1878	1882		2
<code>\XeTeXpicfile</code>	1884			1
<code>\lineskipfactor</code>	1901	1912		2
<code>\strutheightpercent</code>	1902	1915		2
<code>\strutdepthpercent</code>	1903	1916		2
<code>\baselinefactor</code>	1906	1911		2
<code>\textleading</code>	1908	2362	2510	11
<code>\setleading</code>	1909	2647	11213	4
<code>\normalbaselineskip</code>	1911	1912	3795	3
<code>\normallineskip</code>	1912			1
<code>\normalbaselines</code>	1913	3795		2
<code>\vrule</code>	1915	3538	3540	6
<code>\fontprefix</code>	2192	2203	2204	3
<code>\textrm</code>	2229	2377		2
<code>\rmshape</code>	2207	2229	2251	13
<code>\mainmagstep</code>	2228	2229	2230	22
<code>\setfont</code>	2191	2229	2230	150
<code>\font</code>	2192	2237	2238	53
<code>\cmap</code>	2196			1
<code>\rmbshape</code>	2208	2293	2307	9
<code>\bfshape</code>	2209	2231	2242	14
<code>\bxshape</code>	2210			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\ttshape</code>	2211	2230	2243	14
<code>\ttbshape</code>	2212	2296	2310	9
<code>\ttslshape</code>	2213	2236	2245	21
<code>\itshape</code>	2214	2232	2254	11
<code>\itbshape</code>	2215	2294	2308	9
<code>\slshape</code>	2216	2233	2244	14
<code>\slbshape</code>	2217	2295	2309	9
<code>\sfshape</code>	2218	2234	2256	11
<code>\sfbshape</code>	2219	2298	2312	9
<code>\scshape</code>	2220	2235	2257	11
<code>\scbshape</code>	2221	2300	2314	9
<code>\definetextfontsize</code>	2225	2539	2684	3
<code>\textnominalsize</code>	2227	2375	3456	3
<code>\magstephalf</code>	2228	2336	2339	9
<code>\texttt</code>	2230	2378		2
<code>\textbf</code>	2231	2379		2
<code>\textit</code>	2232	2380		2
<code>\textsl</code>	2233	2381		2
<code>\textsf</code>	2234	2382		2
<code>\textsc</code>	2235	2383		2
<code>\textttsl</code>	2236	2384		2
<code>\texti</code>	2237	2385		2
<code>\textsy</code>	2238	2386		2
<code>\textecsize</code>	2239	2387		2
<code>\defbf</code>	2242	2246	2390	4
<code>\magstep1</code>	2242	2243	2244	21
<code>\deftt</code>	2243	2246	2391	4
<code>\defsl</code>	2244	2247	2392	4
<code>\defttsl</code>	2245	2247	2393	4
<code>\df</code>	2246	2394	7831	4
<code>\ttfont</code>	2246	2394	2579	5
<code>\bffont</code>	2246	2394	2578	6
<code>\ttslfont</code>	2247	2395	2616	3
<code>\slfont</code>	2247	2395	2578	4
<code>\bf</code>	2247	2395	2560	13
<code>\smallnominalsize</code>	2250	2398		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\smallrm</code>	2251	2399		2
<code>\smalltt</code>	2252	2400		2
<code>\smallbf</code>	2253	2401		2
<code>\smallit</code>	2254	2402		2
<code>\smallsl</code>	2255	2403		2
<code>\smallsf</code>	2256	2404		2
<code>\smallsc</code>	2257	2405		2
<code>\smallttsl</code>	2258	2406		2
<code>\smalli</code>	2259	2407		2
<code>\smallsy</code>	2260	2408		2
<code>\smallecsize</code>	2261	2409		2
<code>\smallernominalsize</code>	2264	2412		2
<code>\smallerm</code>	2265	2413		2
<code>\smallertt</code>	2266	2414		2
<code>\smallerbf</code>	2267	2415		2
<code>\smallerit</code>	2268	2416		2
<code>\smallersl</code>	2269	2417		2
<code>\smallersf</code>	2270	2418		2
<code>\smallersc</code>	2271	2419		2
<code>\smallerttsl</code>	2272	2420		2
<code>\smalleri</code>	2273	2421		2
<code>\smallersy</code>	2274	2422		2
<code>\smallerecsize</code>	2275	2423		2
<code>\sevensnominalsize</code>	2278	2426		2
<code>\sevenrm</code>	2279	2427	2583	3
<code>\seventt</code>	2280	2428	2585	3
<code>\sevenbf</code>	2281	2429	2585	3
<code>\sevenit</code>	2282	2430	2584	3
<code>\sevensl</code>	2283	2431	2584	3
<code>\sevensf</code>	2284	2432	2586	3
<code>\sevencsc</code>	2285	2433		2
<code>\seventtsl</code>	2286	2434		2
<code>\seveni</code>	2287	2435	2583	3
<code>\sevensy</code>	2288	2436	2583	3
<code>\sevenecsize</code>	2289	2437		2
<code>\titlenominalsize</code>	2292	2440		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\titlrm</code>	2293	2299	2441	4
<code>\magstep3</code>	2293	2296	2301	11
<code>\titleit</code>	2294	2442		2
<b><code>\magstep4</code></b>	2294	2295	2297	10
<code>\titlesl</code>	2295	2443		2
<code>\titlett</code>	2296	2444		2
<code>\titlettsl</code>	2297	2445		2
<code>\titlesf</code>	2298	2446		2
<code>\titlebf</code>	2299	2447		2
<code>\titlesc</code>	2300	2448		2
<code>\titlei</code>	2301	2449		2
<code>\titlesy</code>	2302	2450		2
<code>\titleecsize</code>	2303	2451		2
<code>\chapnominalsize</code>	2306	2454		2
<code>\chaprm</code>	2307	2313	2455	5
<b><code>\magstep2</code></b>	2307	2310	2315	13
<code>\chapid</code>	2308	2456		2
<code>\chapsl</code>	2309	2457		2
<code>\chaptt</code>	2310	2458		2
<code>\chapttsl</code>	2311	2459		2
<code>\chapsf</code>	2312	2460		2
<code>\chapbf</code>	2313	2461	5557	4
<code>\chapsc</code>	2314	2462		2
<code>\chapi</code>	2315	2463		2
<code>\chapsy</code>	2316	2464		2
<code>\chapecsize</code>	2317	2465		2
<code>\secnominalsize</code>	2320	2468		2
<code>\secrm</code>	2321	2328	2469	4
<code>\secrmnotbold</code>	2322	5555		2
<code>\secit</code>	2323	2470		2
<code>\secsl</code>	2324	2471		2
<code>\sectt</code>	2325	2472		2
<code>\secttsl</code>	2326	2473		2
<code>\secsf</code>	2327	2474		2
<code>\secbf</code>	2328	2475	5592	3
<code>\secsc</code>	2329	2476		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\seci</code>	2330	2477		2
<code>\secsy</code>	2331	2478		2
<code>\sececsiz</code>	2332	2479		2
<code>\ssecnominalsize</code>	2335	2482		2
<code>\ssecrm</code>	2336	2342	2483	4
<code>\ssecit</code>	2337	2484		2
<code>\ssecsl</code>	2338	2485		2
<code>\ssectt</code>	2339	2486		2
<code>\ssecttsl</code>	2340	2487		2
<code>\ssecsf</code>	2341	2488		2
<code>\ssecbf</code>	2342	2489		2
<code>\ssecsc</code>	2343	2490		2
<code>\sseci</code>	2344	2491		2
<code>\ssecsy</code>	2345	2492		2
<code>\ssececsiz</code>	2346	2493		2
<code>\reducednominalsize</code>	2349	2496		2
<code>\reducedrm</code>	2350	2497		2
<code>\reducedtt</code>	2351	2498		2
<code>\reducedbf</code>	2352	2499		2
<code>\reducedit</code>	2353	2500		2
<code>\reducedsl</code>	2354	2501		2
<code>\reducedsf</code>	2355	2502	3531	3
<code>\reducedsc</code>	2356	2503		2
<code>\reducedttsl</code>	2357	2504		2
<code>\reducedi</code>	2358	2505		2
<code>\reducedsy</code>	2359	2506		2
<code>\reducedecsize</code>	2360	2507		2
<code>\textfonts</code>	2363	2511	3738	8
<code>\definetextfontsize</code>	2373	2538		2
<code>\divide</code>	2509	5803	5824	6
<code>\shortconrm</code>	2516	6796		2
<code>\shortcontbf</code>	2517	6796		2
<code>\shortcontsl</code>	2518	6797		2
<code>\shortconttt</code>	2519	6797		2
<code>\xiword</code>	2526	2539		2
<code>\xword</code>	2527	2538		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\xwordpt</code>	2528	3456		2
<code>\fonttextsize</code>	2530			1
<code>\textsizearg</code>	2531	2538	2539	4
<code>\curfontstyle</code>	2553	2629	2637	5
<code>\setfontstyle</code>	2552	2557	2558	8
<code>\fam</code>	2557	2558	2559	10
<code>\it</code>	2558	2786	2823	18
<code>\itfam</code>	2558	2578	2584	3
<code>\sl</code>	2559	2785	2806	10
<code>\slfam</code>	2559	2578	2584	4
<code>\bfam</code>	2560	2578	2585	3
<code>\bfstylename</code>	2560	3588	3663	3
<code>\tt</code>	2561	2859	2878	21
<code>\ttfam</code>	2561	2579	2585	4
<code>\ttstylename</code>	2561			1
<code>\sf</code>	2566	2830	4852	4
<code>\newfam</code>	2565			1
<code>\sffam</code>	2565	2566	2579	4
<code>\ttsl</code>	2569	2781	2802	6
<code>\textfont</code>	2578	2578	2578	5
<code>\resetmathfonts</code>	2576	2646		2
<code>\textfont0</code>	2577			1
<code>\rmfont</code>	2577	2607	2627	5
<code>\textfont1</code>	2577			1
<code>\ifont</code>	2577	2614		2
<code>\textfont2</code>	2577			1
<code>\syfont</code>	2577	2615		2
<code>\itfont</code>	2578	2608		2
<code>\sffont</code>	2579	2613		2
<code>\scriptfont0</code>	2583			1
<code>\scriptfont1</code>	2583			1
<code>\scriptfont2</code>	2583			1
<code>\scriptfont</code>	2584	2584	2585	5
<code>\lsize</code>	2633	2643		2
<code>\llsize</code>	2625	2643		2
<code>\assignfonts</code>	2606	2625	2633	4



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\smallcaps</code>	2612	2822		2
<code>\ifrmisbold</code>	2619	2626	2634	3
<code>\switchtollsize</code>	2624	3316	3319	7
<code>\switchtolsize</code>	2632	3223		2
<code>\definefontsetatsize</code>	2640	2650	2651	9
<code>\curfontsize</code>	2642	3586	3657	4
<code>\titlefont</code>	2659			1
<code>\titlefonts</code>	2659	3799	5972	3
<code>\subsecfonts</code>	2660			1
<code>\ssecfonts</code>	2660	2661		2
<code>\subsubsecfonts</code>	2661			1
<code>\angleleft</code>	2664	9045		2
<code>\langle</code>	2664	11047		2
<code>\angleright</code>	2665	9045		2
<code>\rangle</code>	2665	11045		2
<code>\smallexamplefonts</code>	2668	7211	7218	3
<code>\smallfonts</code>	2668	5458	9256	3
<code>\ifmonospace</code>	2692	2709	2725	10
<code>\fontdimen3</code>	2692	11403		2
<code>\setcodequotes</code>	2698	2864	2907	9
<code>\codequoteleft</code>	2698	2724		2
<code>\codequoteright</code>	2698	2708		2
<code>\setregularquotes</code>	2699	3200	6973	5
<code>\lq</code>	2699	2769	2864	4
<code>\rq</code>	2699	2864	2904	3
<code>\char</code>	2713	2714	2731	33
<code>\codequoteundirected</code>	2740			1
<code>\codequotebacktick</code>	2754			1
<code>\noligaturesquoteleft</code>	2769			1
<code>\fontdepth</code>	2772	2772		2
<code>\dosmartslant</code>	2779	2785	2786	3
<code>\ifusingtt</code>	2780	2950	11403	4
<code>\futurelet</code>	2782	2806	2923	8
<code>\smartitaliccorrection</code>	2782	2790	2806	3
<code>\smartslanted</code>	2785	2812	2816	4
<code>\smartitalic</code>	2786	2815	2818	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\comma</code>	2795	3412	4866	4
<code>\aftersmartic</code>	2798	2808	2810	5
<code>\ttslanted</code>	2802	7865		2
<code>\cite</code>	2806	4953	8916	4
<code>\saveaftersmartic</code>	2810	2811		2
<code>\slanted</code>	2816	4946		2
<code>\dfn</code>	2817	4956		2
<code>\emph</code>	2818	4959		2
<code>\r</code>	2821	4943		2
<code>\sc</code>	2822	4945		2
<code>\ii</code>	2823			1
<code>\strong</code>	2827	4972	11448	3
<code>\sansserif</code>	2830	4944		2
<code>\nohyphenation</code>	2836	2884	3201	3
<code>\hyphenchar</code>	2836	2837	7858	4
<code>\aftergroup</code>	2836	5635		2
<code>\restorehyphenation</code>	2836	2837		2
<code>\sfcode</code>	2845	2845	2845	12
<code>\samp</code>	2864	2867	4971	4
<code>\tclose</code>	2864	2872	2943	7
<code>\indicateurl</code>	2867	4963		2
<code>\spaceskip</code>	2875	2881	5725	7
<code>\fontdimen2</code>	2875	5725		2
<code>\codedashfinish</code>	2923	2924		2
<code>\code</code>	2906	2981	2982	21
<code>\ifallowcodebreaks</code>	2909	2962		2
<code>\codedash</code>	2910	2918	2923	5
<code>\codeunder</code>	2911	2945		2
<code>\normaldash</code>	2913	2925	2941	8
<code>\realunder</code>	2914	11427		2
<code>\codedashprev</code>	2918	2933	2938	3
<code>\codex</code>	2920	2943	3068	3
<code>\discretionary</code>	2934	2953		2
<code>\normalunderscore</code>	2952	4600	5047	6
<code>\ifmmode</code>	2950	3269	3315	8
<code>\mathchar</code>	2951	3266		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\allowcodebreakstrue</code>	2962	2970		2
<code>\keywordtrue</code>	2964	2969		2
<code>\keywordfalse</code>	2965	2971		2
<code>\allowcodebreaks</code>	2967			1
<code>\txiarg</code>	2968	2969	2971	14
<code>\allowcodebreaksfalse</code>	2972			1
<code>\command</code>	2981	4955		2
<code>\env</code>	2982	4960		2
<code>\file</code>	2983	4961	8658	3
<code>\option</code>	2984	4968		2
<code>\ifurefurlonlylink</code>	2993	3021	3034	3
<b><code>\pretolerance</code></b>	3000	3001		2
<code>\urefallowbreak</code>	3103	3105	3121	3
<code>\nopretolerance</code>	2999	3006		2
<code>\urefbreak</code>	3006	3007		2
<code>\urefcatcodes</code>	3006	3052	3058	4
<code>\dourefbreak</code>	3006	3009		2
<code>\uref</code>	3007	3132	3148	4
<code>\urefbreakfinish</code>	3009	3010		2
<code>\unhbox0</code>	3015	3023	3027	12
<code>\urefcode</code>	3027	3031	3040	5
<code>\urefcodeamp</code>	3063	3079		2
<code>\urefcodedot</code>	3064	3080		2
<code>\urefcodehash</code>	3065	3081		2
<code>\urefcodequest</code>	3066	3082		2
<code>\urefcodeslash</code>	3067	3083		2
<code>\normalamp</code>	3072			1
<code>\normaldot</code>	3073			1
<code>\normalhash</code>	3074			1
<code>\normalquest</code>	3075			1
<code>\normalslash</code>	3076	5555		2
<code>\urefprebreak</code>	3079	3080	3081	8
<code>\urefpostbreak</code>	3079	3080	3081	8
<code>\urefcodeslashfinish</code>	3083	3086		2
<code>\urefbreakstyle</code>	3098	3128		2
<code>\wordnone</code>	3100	3113		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\wordbefore</code>	3102	3112		2
<code>\wordafter</code>	3104	3111		2
<code>\penalty0</code>	3122	5873		2
<code>\penalty1000</code>	3124			1
<code>\url</code>	3132	4976		2
<code>\email</code>	3139	3148	4958	3
<code>\doemail</code>	3139	3140		2
<code>\kbdinputstyle</code>	3154	3172		2
<code>\worddistinct</code>	3156	3167		2
<code>\kbdexamplefont</code>	3157	3159	3161	4
<code>\kbdfont</code>	3157	3159	3161	6
<code>\wordexample</code>	3158	3168		2
<code>\wordcode</code>	3160	3169		2
<code>\kbd</code>	3176	4965		2
<code>\look</code>	3176	3176	3182	4
<code>\kbdsup</code>	3176	3179		2
<code>\xkey</code>	3178	3181		2
<code>\key</code>	3178	3181	3200	4
<code>\one</code>	3180	3181		2
<code>\three</code>	3180	3181		2
<code>\threex</code>	3180	3181		2
<code>\hrule</code>	3537	3541	3774	8
<code>\clicksequence</code>	3206			1
<code>\clickstyle</code>	3209			1
<code>\click</code>	3209	3210		2
<code>\arrow</code>	3210	3517	4863	4
<code>\dmn</code>	3215	4957		2
<code>\thinspace</code>	3215	10914		2
<code>\acronym</code>	3221	4951		2
<code>\doacronym</code>	3221	3222		2
<code>\abbr</code>	3234	4950		2
<code>\doabbr</code>	3234	3235		2
<code>\asis</code>	3246	3474	5033	3
<code>\mathunderscore</code>	3256	3271		2
<code>\sb</code>	3258	3315	3316	3
<code>\mathbackslash</code>	3266	3272		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\backslash</code>	3266	5544	5549	3
<code>\math</code>	3268	4967	5544	4
<code>\tex</code>	3270	3330	3339	6
<code>\mathactive</code>	3273	3300	6988	3
<code>\ddot</code>	3275	10726	10731	5
<code>\acute</code>	3276	10726	10727	11
<code>\bar</code>	3277			1
<code>\hat</code>	3278	4850		2
<code>\grave</code>	3279			1
<code>\u</code>	3280	4929	10079	17
<code>\breve</code>	3280			1
<code>\v</code>	3281	4930	10066	58
<code>\check</code>	3281			1
<code>\tilde</code>	3282			1
<code>\dotaccent</code>	3283	3417	4932	45
<code>\dot</code>	3283			1
<code>\mathop</code>	3285	4883		2
<code>\finishmath</code>	3286	3288		2
<code>\sub</code>	3315	4897		2
<code>\finishsub</code>	3315	3316		2
<code>\finishsup</code>	3318	3319		2
<code>\frac</code>	3322			1
<code>\over</code>	3322			1
<code>\displaymath</code>	3329	3331		2
<code>\displaymathend</code>	3332	3336		2
<code>\Edisplaymath</code>	3338			1
<code>\outfmtnametex</code>	3348	3353	3361	4
<code>\inlinefmt</code>	3350			1
<code>\doinlinefmt</code>	3350	3351		2
<code>\inlinefmtname</code>	3352	3353	3360	4
<code>\inlinefmtifelse</code>	3358			1
<code>\doinlinefmtifelse</code>	3358	3359		2
<code>\verb</code>	4978	7466		2
<code>\inlineraw</code>	3372			1
<code>\doinlineraw</code>	3372	3373		2
<code>\doinlinerawtwo</code>	3373	3374		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\inlinerawname</code>	3375	3376		2
<code>\inlineifset</code>	3382			1
<code>\doinlineifset</code>	3382	3383		2
<code>\inlinevarname</code>	3384	3385	3393	4
<code>\inlineifclear</code>	3391			1
<code>\doinlineifclear</code>	3391	3392		2
<code>\char64</code>	3402			1
<code>\atchar</code>	3403	4862	5082	4
<code>\lbracechar</code>	3406	3408	4881	8
<code>\char123</code>	3406			1
<code>\ensuremath</code>	3406	3407	3474	199
<code>\lbrace</code>	3406			1
<code>\rbracechar</code>	3407	3409	4895	8
<code>\char125</code>	3407			1
<code>\rbrace</code>	3407			1
<code>\ringaccent</code>	3418	4934	9996	11
<code>\accent23</code>	3418			1
<code>\tieaccent</code>	3419	4935		2
<code>\ubaraccent</code>	3420	4936	10779	19
<code>\udotaccent</code>	3421	4937	10777	39
<code>\d</code>	3421			1
<code>\questiondown</code>	3425	4843	5072	5
<code>\exclamdown</code>	3426	4837	5066	5
<code>\ordf</code>	3427	4841	5069	5
<code>\raiselex</code>	3427	3428		2
<code>\underbar</code>	3427	3428		2
<code>\ordm</code>	3428	4842	5070	5
<code>\imacro</code>	3431	3435		2
<code>\jmacro</code>	3432	3436		2
<code>\dotless</code>	3433	4938	10037	20
<code>\imath</code>	3435			1
<code>\jmath</code>	3436			1
<code>\j</code>	3436			1
<code>\TeX</code>	3444	3444	3468	5
<code>\scriptstyle</code>	3459			1
<code>\LaTeX</code>	3452	4857	5078	3

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\ht0</code>	3455	3633	5910	3
<code>\count255</code>	3459	3459	9840	10
<code>\ensuredmath</code>	3474	3475		2
<code>\geq</code>	3478	4876	5093	4
<code>\ge</code>	3478			1
<code>\leq</code>	3479	4882	5098	4
<code>\le</code>	3479			1
<code>\minus</code>	3480	4884	5100	4
<code>\enddots</code>	3506	4870	5088	4
<code>\point</code>	3516	4887	5101	3
<code>\star</code>	3516	11023		2
<code>\raise</code>	3517	3518	3679	3
<code>\rightarrow</code>	3517			1
<code>\result</code>	3518	4896	5112	4
<code>\Rightarrow</code>	3518			1
<code>\expansion</code>	3519	4875	5092	4
<code>\mapsto</code>	3519	10957		2
<code>\print</code>	3520	4888	5103	3
<code>\lower</code>	3520	3544		2
<code>\dashv</code>	3520	11013		2
<code>\errorbox</code>	3526	3533	3544	3
<code>\kern3pt</code>	3538	3540	7128	6
<code>\kern2</code>	3539	3539		2
<code>\box0</code>	3539	5841	5940	4
<code>\error</code>	3544	4873	5090	3
<code>\copy</code>	3544			1
<code>\pounds</code>	3548	4886	5102	5
<code>\ecfont</code>	3548	3603	3604	19
<code>\euro</code>	3573	4874	5091	5
<code>\eurofont</code>	3573	3574		2
<code>\eurosize</code>	3586	3590	3593	3
<code>\thiseurofont</code>	3590	3593	3595	3
<code>\ifusingit</code>	3590	3593	3665	6
<code>\DH</code>	3603	4829	5058	7
<code>\dh</code>	3604	4836	5065	7
<code>\TH</code>	3605	4833	5062	5

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\th</code>	3606	4845	5074	5
<code>\guillemetleft</code>	3608	3609	4877	6
<code>\guillemotleft</code>	3609			1
<code>\guillemetright</code>	3610	3611	4878	6
<code>\guillemotright</code>	3611			1
<code>\guilsinglleft</code>	3612	4879	5096	4
<code>\guilsinglright</code>	3613	4880	5097	4
<code>\quotedblbase</code>	3614	4889	5104	4
<code>\quotesinglbase</code>	3615	4894	5109	4
<code>\ogonek</code>	3625	4885	4933	17
<code>\macrocharA</code>	3627	3639		2
<code>\Aogonek</code>	3627	3639		2
<code>\macrochara</code>	3628	3640		2
<code>\aogonek</code>	3628	3640		2
<code>\macrocharE</code>	3629	3641		2
<code>\Eogonek</code>	3629	3641		2
<code>\macrochare</code>	3630	3642		2
<code>\eogonek</code>	3630	3642		2
<code>\accent</code>	3633			1
<code>\ooalign</code>	3634	3679		2
<code>\crrr</code>	3634	3680	4360	5
<code>\hidewidth</code>	3634	3634		2
<code>\etcfont</code>	3649	3650	3652	3
<code>\tcfont</code>	3650	9959	9961	9
<code>\ecsize</code>	3657	3661	3665	4
<code>\nominalsize</code>	3658	3661	3665	4
<code>\thisefont</code>	3661	3665	3668	4
<code>\copyright</code>	4867	5086	9966	4
<code>\registeredsymbol</code>	3678	4868	5111	5
<code>\Orb</code>	3680	3692	3693	3
<code>\textdegree</code>	3686	4899	5113	5
<code>\circ</code>	3686	10979		2
<code>\mathhexbox20D</code>	3693			1
<code>\quoteleft</code>	3697	4892	5107	4
<code>\quoteright</code>	3698	4893	5108	4
<code>\quotedblleft</code>	3702	4890	5105	4



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\quotedblright</code>	3706	4891	5106	4
<code>\titlepagetopglue</code>	3713	3713	3740	3
<code>\titlepagebottomglue</code>	3714	3714	3775	3
<code>\ifseenauthor</code>	3717	3819		2
<code>\iffinishedtitlepage</code>	3718	3748	3758	3
<code>\setcontentsaftertitlepage</code>	3722			1
<code>\setshortcontentsaftertitlepage</code>	3726			1
<code>\shorttitlepage</code>	3731			1
<code>\centerline</code>	3732	3859	3865	5
<code>\titlepage</code>	3735	3798	3806	5
<code>\Etitlepage</code>	3757			1
<code>\vglue</code>	3740			1
<code>\finishedtitlepagetrue</code>	3742	3776		2
<code>\oldpage</code>	3746	3751	3765	3
<code>\finishtitlepage</code>	3749	3759	3773	3
<code>\HEADINGSon</code>	3770	3962	6369	5
<code>\vskip4pt</code>	3774	3802	3802	3
<code>\raggedtitlesettings</code>	3784	3799	6320	4
<code>\hyphenpenalty</code>	3786	5728	6634	4
<code>\tolerance</code>	3788	4383	5459	9
<code>\subtitlrm</code>	3794	3795		2
<code>\subtitlesfont</code>	3795	3807		2
<code>\finishedtitlepagefalse</code>	3801			1
<code>\subtitle</code>	3805			1
<code>\rightline</code>	3807			1
<code>\author</code>	3813			1
<code>\quotation</code>	3814			1
<code>\quotationauthor</code>	3816	7327	7329	3
<code>\Equotation</code>	7325	7333		2
<code>\seenauthortrue</code>	3819			1
<code>\secfonts</code>	3820	5592	6795	4
<code>\thispage</code>	3827			1
<code>\folio</code>	3827	3969	3970	14
<code>\evenheadline</code>	3829	3841	3859	9
<code>\oddheadline</code>	3830	3841	3865	9
<code>\evenchapheadline</code>	3831	3839	3860	7

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\oddchapheadline</code>	3832	3839	3866	7
<code>\evenfootline</code>	3833	3845	3873	7
<code>\oddfootline</code>	3834	3844	3878	7
<code>\HEADINGShook</code>	3845	3846	3964	4
<code>\evenheading</code>	3856			1
<code>\evenheadingxxx</code>	3856	3857	3868	3
<code>\evenheadingyyy</code>	3857	3858		2
<code>\oddheading</code>	3862			1
<code>\oddheadingxxx</code>	3862	3863	3868	3
<code>\oddheadingyyy</code>	3863	3864		2
<code>\everyheading</code>	3868			1
<code>\evenfooting</code>	3870			1
<code>\evenfootingxxx</code>	3870	3871	3886	3
<code>\evenfootingyyy</code>	3871	3872		2
<code>\oddfooting</code>	3875			1
<code>\oddfootingxxx</code>	3875	3876	3886	3
<code>\everyfooting</code>	3886			1
<code>\evenheadingmarks</code>	3903			1
<code>\headingmarks</code>	3903	3904	3905	9
<code>\oddheadingmarks</code>	3904			1
<code>\evenfootingmarks</code>	3905			1
<code>\oddfootingmarks</code>	3906			1
<code>\everyheadingmarks</code>	3907	3917		2
<code>\everyfootingmarks</code>	3909	3918		2
<code>\headings</code>	3930			1
<code>\headingsoff</code>	3932	3937	5975	4
<code>\HEADINGSoff</code>	3937	3938		2
<code>\pageone</code>	3941	3951	3959	4
<code>\HEADINGSdouble</code>	3950	3962	6379	3
<code>\HEADINGSdoublex</code>	3952	3964	3966	3
<code>\contentsalignmacro</code>	3954	3973	3984	10
<code>\HEADINGSsingle</code>	3958	6374		2
<code>\HEADINGSsinglex</code>	3960	3976	3977	3
<code>\HEADINGSafter</code>	3964	3965		2
<code>\HEADINGSdoubleafter</code>	3965			1
<code>\thistitle</code>	3969	4016	4017	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\chapoddpag</code>	3973	5968	5980	6
<code>\HEADINGSsingleafter</code>	3976			1
<code>\HEADINGSsinglechapoff</code>	3988	6369		2
<code>\today</code>	4003	4004		2
<code>\number</code>	4005	4011		2
<code>\day</code>	4005			1
<code>\month</code>	4006			1
<code>\year</code>	4011			1
<code>\settitle</code>	4017			1
<code>\tableindent</code>	4024	4024	4047	11
<code>\itemindent</code>	4026	4026	4165	5
<code>\itemmargin</code>	4028	4028	4090	6
<code>\itemmax</code>	4031	4057	4090	7
<code>\itemindex</code>	4049	4103	4107	4
<code>\ifitemxneedsnegativevskip</code>	4038	4040		2
<code>\itemxpar</code>	4040	4043		2
<code>\internalBitem</code>	4042	4148		2
<code>\itemzzz</code>	4042	4043	4045	3
<code>\internalBitemx</code>	4043	4149		2
<code>\itemindicate</code>	4048	4126		2
<code>\aboveenvbreak</code>	4137	4164	7039	5
<code>\itemxneedsnegativevskipfalse</code>	4081			1
<code>\unhbox</code>	5645	5666	5719	3
<code>\itemxneedsnegativevskiptrue</code>	4094			1
<code>\item</code>	4098	4148	4184	4
<code>\itemx</code>	4099	4149		2
<code>\table</code>	4102			1
<code>\tablecheck</code>	4104	4108	4112	4
<code>\ftable</code>	4106			1
<code>\doind</code>	4107	4111	4775	7
<code>\vtable</code>	4110			1
<code>\doignore</code>	4119	4464	4465	19
<code>\tablex</code>	4121	4125		2
<code>\tabley</code>	4127	4129		2
<code>\tablez</code>	4132	4136		2
<code>\endtablez</code>	4134	4136		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\Etable</code>	4151	4152	4153	5
<code>\afterenvbreak</code>	4151	7057	7227	10
<code>\Eftable</code>	4152			1
<code>\Ehtable</code>	4153			1
<code>\Eitemize</code>	4154			1
<code>\Eenumerate</code>	4155			1
<code>\itemno</code>	4159	4190	4265	11
<code>\itemize</code>	4161			1
<code>\doitemize</code>	4161	4163	4301	3
<code>\itemcontents</code>	4178	4179	4182	5
<code>\itemizeitem</code>	4184	4189		2
<code>\hss</code>	4203	6848	6892	4
<code>\ifinner</code>	4205			1
<code>\splitoff</code>	4217	4234		2
<code>\endmark</code>	4217	4234		2
<code>\rest</code>	4217	4235		2
<code>\enumerate</code>	4223			1
<code>\enumeratemy</code>	4223	4224		2
<code>\endenumeratemy</code>	4223	4224		2
<code>\thearg</code>	4226	4227	4227	10
<code>\lccode</code>	4245	4249	4278	3
<code>\numericenumerate</code>	4246	4257	4264	3
<code>\lowercaseenumerate</code>	4250	4270		2
<code>\uppercaseenumerate</code>	4252	4283		2
<code>\startenumeration</code>	4266	4272	4285	4
<code>\uccode</code>	4291	5050	5051	14
<code>\endsetuptable</code>	4309	4310	4408	3
<code>\xendsetuptable</code>	4310	4327		2
<code>\columnfractions</code>	4311	4312		2
<code>\xcolumnfractions</code>	4312	4330		2
<code>\ifsetpercent</code>	4313	4333	4428	3
<code>\pickupwholefraction</code>	4318	4334	4342	4
<code>\colcount</code>	4319	4320	4324	10
<code>\setuptable</code>	4321	4325	4347	4
<code>\firstarg</code>	4326	4327	4330	3
<code>\go</code>	4328	4334	4342	6

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\setpercenttrue</code>	4331			1
<code>\everycr</code>	4390			1
<code>\everytab</code>	4362	4363	4369	5
<code>\headitemfont</code>	4357			1
<code>\headitem</code>	4358			1
<code>\multitable</code>	4359	4369	4373	3
<code>\headitemcrhook</code>	4361	4367	4399	4
<code>\tab</code>	4369			1
<code>\hbadness</code>	4384	7293	7301	5
<code>\noalign</code>	4391			1
<code>\domultitable</code>	4404	4406		2
<code>\halign</code>	4414			1
<code>\cr</code>	4434			1
<code>\Emultitable</code>	4436			1
<code>\setpercentfalse</code>	4439			1
<code>\makecond</code>	4451	4455	4456	11
<code>\direntry</code>	4464			1
<code>\documentdescription</code>	4465			1
<code>\docbook</code>	4466			1
<code>\html</code>	4467			1
<code>\ifdocbook</code>	4468			1
<code>\ifhtml</code>	4469			1
<code>\ifinfo</code>	4470			1
<code>\ifnottex</code>	4471			1
<code>\ifplaintext</code>	4472			1
<code>\ifxml</code>	4473			1
<code>\ignore</code>	4474			1
<code>\menu</code>	4475			1
<code>\xml</code>	4476			1
<code>\doignorecount</code>	4481	4494	4525	5
<code>\doignoretext</code>	4507	4516	4539	3
<code>\dodoignore</code>	4497	4503		2
<code>\doignoretextyyy</code>	4508	4513	4526	3
<code>\doignoreeyyy</code>	4513	4520		2
<code>\doignoretextzzz</code>	4523	4534		2
<code>\enddoignore</code>	4536	4549		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\set</code>	4562	4696	5294	3
<code>\setyyy</code>	4562	4563		2
<code>\endsetyyy</code>	4562	4563		2
<code>\setzzz</code>	4571	4576		2
<code>\endsetzzz</code>	4571	4576		2
<code>\clear</code>	4580			1
<code>\value</code>	4588	4594	4622	9
<code>\valuexxx</code>	4588	4589		2
<code>\expandablevalue</code>	4589	4594	4604	3
<code>\dummyvalue</code>	4620	4905		2
<code>\indexnofontsvalue</code>	4630	5126		2
<code>\ifset</code>	4645			1
<code>\doifset</code>	4645	4646	4666	3
<code>\ifsetfail</code>	4645	4656		2
<code>\ifclearfail</code>	4666	4667		2
<code>\ifclear</code>	4666			1
<code>\ifcommanddefined</code>	4675			1
<code>\doifcmddefined</code>	4675	4677	4691	3
<code>\ifcmddefinedfail</code>	4675	4686		2
<code>\ifcommandnotdefined</code>	4690			1
<code>\ifcmdnotdefinedfail</code>	4691	4692		2
<code>\dircategory</code>	4700			1
<code>\definfoenclose</code>	4703			1
<code>\newindex</code>	4721	4729	4742	3
<code>\doindex</code>	4724	4756	4774	3
<code>\defindex</code>	4729			1
<code>\defcodeindex</code>	4733			1
<code>\newcodeindex</code>	4733	4735	4743	7
<code>\docodeindex</code>	4738	4757	4778	3
<code>\synindex</code>	4756			1
<code>\dosynindex</code>	4756	4757	4761	3
<code>\syncodeindex</code>	4757			1
<code>\requireopenindexfile</code>	4762	5141	5155	4
<code>\indexname</code>	4774	4775	4778	12
<code>\doindexxxx</code>	4774	4775		2
<code>\docodeindexxxx</code>	4778	4779		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\docind</code>	4779	5151		2
<code>\definedummyletter</code>	4786	4787	4788	10
<code>\definedummies</code>	4793	4816		2
<code>\definedummyword</code>	4810	4818	4827	71
<code>\definedummyaccent</code>	4812	4820		2
<code>\commondummyword</code>	4818	4929	4930	53
<code>\commondummyletter</code>	4819	4916	4919	8
<code>\commondummyaccent</code>	4820	4917	4918	10
<code>\commondummiesnofonts</code>	4821	4914	5038	3
<code>\AA</code>	4827	5056	10442	3
<code>\AE</code>	4828	5057	9997	6
<code>\L</code>	4830	5059	10080	4
<code>\O</code>	4831	5061	10016	5
<code>\OE</code>	4832	5060	10070	4
<code>\aa</code>	4834	5063	10476	3
<code>\ae</code>	4835	5064	10031	6
<code>\l</code>	4838	5067	10097	4
<code>\o</code>	4839	5071	10050	5
<code>\oe</code>	4840	5068	10071	4
<code>\ss</code>	4844	5073	10023	5
<code>\gtr</code>	4849	5563	11433	4
<code>\less</code>	4851	5562	11431	4
<code>\ampchar</code>	4861	7893		2
<code>\backslashchar</code>	4864	5250	5251	4
<code>\entrybreak</code>	4871	5623	5629	3
<code>\subentry</code>	4901	5217	5217	6
<code>\macrolist</code>	4904	5125	8008	7
<code>\H</code>	4931	10107	10133	10
<code>\anchor</code>	4952	8713		2
<code>\image</code>	4962	9372		2
<code>\inforef</code>	4964	8656		2
<code>\pxref</code>	4969	8773		2
<code>\ref</code>	4970	8775		2
<code>\U</code>	4974	10263	10571	4
<code>\xref</code>	4980	8774		2
<code>\indexlbrace</code>	4983	5244	5541	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\indexrbrace</code>	4984	5245	5542	3
<code>\indexatchar</code>	4985	5248	5543	3
<code>\indexbackslash</code>	4986	5250	5544	3
<code>\indexnonalnumdisappear</code>	4997	5259		2
<code>\backslashdisappear</code>	5005			1
<code>\indexnonalnumreappear</code>	5019	5186		2
<code>\normalless</code>	5021	11387		2
<code>\uppercase</code>	5050	5051	5251	12
<code>\do</code>	5076	5078	5079	62
<code>\indexnofontsdef</code>	5076	5131		2
<code>\iflinks</code>	5138	5152	6690	7
<code>\writeto</code>	5142	5156	5328	3
<code>\indextext</code>	5144	5158	5319	4
<code>\doindwrite</code>	5145	5300		2
<code>\docindwrite</code>	5159	5301		2
<code>\suffix</code>	5168	5171	5171	5
<code>\indexisfl</code>	5171	5179	5464	3
<code>\openout</code>	5173	6686	7967	4
<code>\jobname</code>	5173	5177	5467	17
<code>\indexwritesortas</code>	5184	5239		2
<code>\indexwritesortasxxx</code>	5187	5188		2
<code>\indexsortkey</code>	5189	5253	5258	7
<code>\indexwriteseealso</code>	5192	5240		2
<code>\pagenumbertext</code>	5193	5196	5254	5
<code>\seealso</code>	5193	5201	5215	4
<code>\indexwriteseeentry</code>	5195	5241		2
<code>\seeentry</code>	5196	5203	5216	4
<code>\sortas</code>	5200	5239		2
<code>\putwordSeeAlso</code>	5201	5202		2
<code>\bracedtext</code>	5213	5234	5234	4
<code>\fullindexsortkey</code>	5212	5267	5268	4
<code>\splitindexentry</code>	5211	5319		2
<code>\sep</code>	5214	5268	5271	3
<code>\doindexsegment</code>	5217	5221	5273	3
<code>\segment</code>	5222	5223	5228	5
<code>\isfinish</code>	5223	5276		2



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\trimmed</code>	5228	5229	5229	10
<code>\eatspaces</code>	5229	5261	7983	6
<code>\ifincodeindex</code>	5230	5299		2
<code>\dummybox</code>	5257	5277	8686	3
<code>\tmp</code>	5267	5269	7511	4
<code>\escapeisbackslash</code>	5285	5309		2
<code>\entry</code>	5329	5609	5754	5
<code>\incodeindexfalse</code>	5300			1
<code>\doindwritex</code>	5300	5301	5303	3
<code>\incodeindextrue</code>	5301			1
<code>\maybemarginindex</code>	5304	5337		2
<code>\SETmarginindex</code>	5338	5342		2
<code>\zeroskipmacro</code>	5373	5393	5400	3
<code>\whatsitskip</code>	5375	5384	5395	4
<code>\whatsitpenalty</code>	5376	5386	5411	4
<code>\lastskipmacro</code>	5385	5393	5400	3
<code>\initial</code>	5567			1
<code>\primary</code>	5746			1
<code>\secondary</code>	5748			1
<code>\tertiary</code>	5749			1
<code>\findex</code>	5443			1
<code>\fnindex</code>	5443			1
<code>\kindex</code>	5444			1
<code>\kyindex</code>	5444			1
<code>\cindex</code>	5445			1
<code>\cpindex</code>	5445			1
<code>\vindex</code>	5446			1
<code>\vrindex</code>	5446			1
<code>\tindex</code>	5447			1
<code>\tpindex</code>	5447			1
<code>\pindex</code>	5448			1
<code>\pgindex</code>	5448			1
<code>\printindex</code>	5455			1
<code>\dobreak</code>	5456	6338	6344	5
<code>\chapheadingskip</code>	5456	6314	6341	5
<code>\enddoublecolumns</code>	5518	5529	5846	4

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\read</code>	5479			1
<code>\thisline</code>	5479	5483		2
<code>\printindexzz</code>	5483	5493		2
<code>\begindoublecolumns</code>	5516	5521	5766	3
<code>\initialglyphs</code>	5539	5569		2
<code>\normalcaret</code>	5557	11389		2
<code>\normaltilde</code>	5558	11392		2
<code>\vert</code>	5561			1
<code>\normalplus</code>	5564	11386		2
<code>\initialx</code>	5570	5573		2
<code>\balancecolumns</code>	5878	5908		2
<code>\entryrightmargin</code>	5602	5603	5681	7
<code>\afterassignment</code>	5626	9314		2
<code>\doentry</code>	5626	5630		2
<code>\finishentry</code>	5635	5641		2
<code>\wd</code>	5643	5651	5665	13
<code>\hfill</code>	5652			1
<code>\indexdotfill</code>	5655	5742		2
<code>\thinshrinkable</code>	5659	5661	5736	4
<code>\parfillskip</code>	5679	5690	6499	5
<code>\parshape</code>	5709	7808		2
<code>\finalhyphendemerits</code>	5722			1
<code>\fontdimen4</code>	5725			1
<code>\linepenalty</code>	5727			1
<code>\cleaders</code>	5742			1
<code>\mathsurround</code>	5743	7014		2
<code>\mkern1</code>	5743	5743		2
<code>\indententry</code>	5748	5749	5751	3
<code>\partialpage</code>	5763	5774	5809	5
<code>\doublecolumnhsize</code>	5764	5801	5802	6
<code>\eject</code>	5768	5780	5880	5
<code>\doublecolumnout</code>	5783	5819	5941	3
<code>\pagesofar</code>	5829	5836	5914	4
<code>\splittopskip</code>	5822	5921	9247	4
<code>\splitmaxdepth</code>	5822	9248		2
<code>\vsplit</code>	5827	5827		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\box2</code>	5841			1
<code>\pagegoal</code>	5896			1
<code>\balancedcolumns</code>	5890	5903	5904	5
<code>\vbadness</code>	5924	11147		2
<code>\loop</code>	5925	9841	9849	3
<code>\setbox3</code>	5926			1
<code>\copy0</code>	5926			1
<code>\setbox1</code>	5927			1
<code>\vsplit3</code>	5927			1
<code>\ht1</code>	5928	5937	5944	7
<code>\ht3</code>	5928	5944		2
<code>\repeat</code>	5930	9844	9852	3
<code>\ifdim2</code>	5937			1
<code>\ifdim4</code>	5944			1
<code>\unvbox3</code>	5947	5951		2
<code>\unvbox1</code>	5948	5952		2
<code>\part</code>	5966			1
<code>\partzzz</code>	5966	5967		2
<code>\lastnode</code>	5973	6693	8672	8
<code>\writetocentry</code>	5974	6476	6619	4
<code>\startcontents</code>	6741	6771	6788	3
<code>\pchapsepmacro</code>	5978	6368	6373	5
<code>\unnumberedno</code>	5989	5989	6193	7
<code>\chapno</code>	5990	6151	6154	13
<code>\secno</code>	5991	5991	6150	25
<code>\subsecno</code>	5992	5992	6150	23
<code>\subsubsecno</code>	5993	5993	6150	21
<code>\appendixno</code>	5996	5996	6004	34
<code>\appendixletter</code>	6003	6175	6180	8
<code>\thischapternum</code>	6042	6406	6409	7
<code>\thissectionnum</code>	6045	6401	6547	7
<code>\thissectionname</code>	6046	6401	6547	8
<code>\abssecllevel</code>	6048	6074	6075	14
<code>\secbase</code>	6049	6049	6052	5
<code>\raisesections</code>	6052			1
<code>\lowersections</code>	6055			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\maxselevel</code>	6058	6062		2
<code>\unnlevel</code>	6062	6087	6088	5
<code>\chapheadtype</code>	6066	6093	6095	3
<code>\genhead</code>	6072	6135	6136	4
<code>\headtype</code>	6085	6086	6093	7
<code>\unnumberedzzz</code>	6109	6191		2
<code>\unnumberedseczzz</code>	6110	6248		2
<code>\unnumberedsubseczzz</code>	6111	6272		2
<code>\unnumberedsubsubseczzz</code>	6112	6298		2
<code>\appendixzzz</code>	6117	6172		2
<code>\appendixsectionzzz</code>	6118	6240		2
<code>\appendixsubseczzz</code>	6119	6264		2
<code>\appendixsubsubseczzz</code>	6120	6290		2
<code>\chapterzzz</code>	6124	6147		2
<code>\seczzz</code>	6125	6233		2
<code>\numberedsubseczzz</code>	6126	6257		2
<code>\numberedsubsubseczzz</code>	6127	6282		2
<code>\numhead</code>	6135			1
<code>\apphead</code>	6136			1
<code>\unmhead</code>	6137			1
<code>\chaplevelprefix</code>	6144	6154	6175	6
<code>\chapter</code>	6146			1
<code>\numhead0</code>	6146			1
<code>\float</code>	9452	9611		2
<code>\resetallfloatnos</code>	6155	6176	6197	6
<code>\section</code>	6165	6184	6215	4
<code>\numberedsec</code>	6165	6232	6307	3
<code>\subsection</code>	6166	6185	6216	4
<code>\numberedsubsec</code>	6166	6256	6308	3
<code>\subsubsection</code>	6167	6186	6217	4
<code>\numberedsubsubsec</code>	6167	6281	6309	3
<code>\appendix</code>	6170			1
<code>\apphead0</code>	6170			1
<code>\appendixsec</code>	6184	6244		2
<code>\appendixsubsec</code>	6185	6263		2
<code>\appendixsubsubsec</code>	6186	6289		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\unnumbered</code>	6190	6228		2
<code>\unnumhead0</code>	6190	6223		2
<code>\unnumberedsec</code>	6215	6247		2
<code>\unnumberedsubsec</code>	6216	6271		2
<code>\unnumberedsubsubsec</code>	6217	6297		2
<code>\centerchap</code>	6221			1
<code>\centerparametersmaybe</code>	6222	6224	6487	4
<code>\centerparameters</code>	6222	6496		2
<code>\numhead1</code>	6232			1
<code>\appendixsection</code>	6239	6244		2
<code>\apphead1</code>	6239			1
<code>\unnumhead1</code>	6247			1
<code>\numhead2</code>	6256			1
<code>\apphead2</code>	6263			1
<code>\unnumhead2</code>	6271			1
<code>\numhead3</code>	6281			1
<code>\apphead3</code>	6289			1
<code>\unnumhead3</code>	6297			1
<code>\majorheading</code>	6313			1
<code>\chapbreak</code>	6314	6318	6344	4
<code>\chapheadingzzz</code>	6315	6318	6319	3
<code>\chapheading</code>	6318			1
<code>\chapfonts</code>	6320	6449		2
<code>\heading</code>	6326			1
<code>\subheading</code>	6328			1
<code>\subsubheading</code>	6330			1
<code>\setchapternewpage</code>	6364			1
<code>\CHAPPAGoff</code>	6366			1
<code>\CHAPPAGon</code>	6371	6381		2
<code>\CHAPPAGodd</code>	6376			1
<code>\Ynothingkeyword</code>	6390	6405	6459	5
<code>\Yappendixkeyword</code>	6391	6411	6465	5
<code>\Yomitfromtokeyword</code>	6392	6408	6462	6
<code>\temptype</code>	6404	6405	6408	15
<code>\errfootnoteheading</code>	6450	6538	9285	3
<code>\donoderef</code>	6483	6623	8700	3

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
\toctype	6461	6464	6467	10
\enspace	6466	6469	6609	4
\hangindent	6487	6635		2
\secheadingskip	6506	6507	11143	3
\secheadingbreak	6507			1
\subseheadingskip	6510	6511	6514	4
\subseheadingbreak	6511	6515		2
\subsubseheadingskip	6514			1
\subsubseheadingbreak	6515			1
\seckeyword	6525	6546	6553	4
\sectionlevel	6529	6546	6553	6
\tocfile	6663	6686	6693	4
\iftocfileopened	6679	6685		2
\omitkeyword	6680	6684		2
\writetotype	6683	6684		2
\tocfileopenedtrue	6687			1
\pdfmakepagedesttrue	6706			1
\activecatcodes	6715	6731		2
\readtocfile	6729	6774	6812	3
\contentsrightmargin	6735	6735	6754	7
\savepageno	6736	6751	6825	3
\lastnegativepageno	6737	6737	6757	4
\closeout	6745	7969		2
\raggedbottom	6753			1
\contents	6770			1
\contentsendroman	6783	6818	6823	3
\summarycontents	6787	6820		2
\shortpartentry	6790	6871		2
\shortchapentry	6791	6792	6874	4
\shortunncchapentry	6793	6898		2
\shortcontents	6820			1
\shortchaplabel	6836	6883		2
\numeralbox	6859	6867	6874	3
\dochapentry	6867	6878	6894	5
\labelspace	6867	6878	6883	7
\tocentry	6883	6898	6930	7

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\doshortpageno</code>	6883	6898	6957	3
<code>\appendixbox</code>	6889	6894		2
<code>\dosecentry</code>	6901	6903	6935	3
<code>\dosubsecentry</code>	6906	6908	6940	3
<code>\dosubsubsecentry</code>	6911	6913	6945	3
<code>\tocindent</code>	6917	6917	6936	6
<code>\vskip1</code>	6925			1
<code>\chapentryfonts</code>	6929	6959		2
<code>\dopageno</code>	6930	6937	6942	5
<code>\secentryfonts</code>	6936	6960		2
<code>\subsecentryfonts</code>	6941	6961		2
<code>\subsubsecentryfonts</code>	6946	6962		2
<code>\hskip1em</code>	6954			1
<code>\endldots</code>	7013	7014	7014	3
<code>\mathinner</code>	7013			1
<code>\ldots</code>	7013	7013	7013	4
<code>\envskipamount</code>	7032	7032	7043	8
<code>\penalty100</code>	7050			1
<code>\nonarrowing</code>	7075	7169	7173	10
<code>\ctl</code>	7081	7086		2
<code>\circle</code>	7081	7082	7083	6
<code>\ctr</code>	7082	7086		2
<code>\cbl</code>	7083	7089		2
<code>\cbr</code>	7084	7089		2
<code>\carttop</code>	7085	7125		2
<code>\cartouter</code>	7085	7088	7100	5
<code>\lskip</code>	7085	7088	7092	6
<code>\leaders</code>	7086	7089		2
<code>\circthick</code>	7086	7089	7097	4
<code>\rskip</code>	7087	7090	7092	6
<code>\cartbot</code>	7088	7145		2
<code>\cartouchefontdefs</code>	7095	7105		2
<code>\fontdimen8</code>	7097			1
<code>\cartinner</code>	7100	7110	7110	5
<code>\normbskip</code>	7101	7116	7132	3
<code>\normpskip</code>	7101	7116	7134	3

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\normalskip</code>	7101	7116	7133	3
<code>\Ecartouche</code>	7138			1
<code>\nonfillparindent</code>	7154	7164	7194	3
<code>\nonfillstart</code>	7155	7244	7252	7
<code>\hfuzz</code>	7157	7157	11373	3
<code>\nonfillindent</code>	7166	7184	7193	3
<code>\emergencystretch</code>	7168	11162	11164	4
<code>\nonfillindentcheck</code>	7184	7185		2
<code>\nonfillindentgobble</code>	7187	7193		2
<code>\nonfillindentbox</code>	7189	7194		2
<code>\smallword</code>	7201	7205	11336	3
<code>\nosmallword</code>	7202	7215		2
<code>\SETdispensize</code>	7203	7205	7215	4
<code>\setnormaldispenv</code>	7204	7225	7495	3
<code>\setsmalldispenv</code>	7214	7226		2
<code>\makedispensvdef</code>	7224	7233	7234	7
<code>\maketwodispensvdef</code>	7232	7243		2
<code>\flushleft</code>	7265			1
<code>\Eflushleft</code>	7270			1
<code>\flushright</code>	7274			1
<code>\Eflushright</code>	7280			1
<code>\rightskip0pt</code>	7286	7299		2
<code>\xspaceskip</code>	7286	7292	7300	4
<code>\Eraggedright</code>	7288			1
<code>\raggedleft</code>	7290			1
<code>\leftskip0pt</code>	7291	7299		2
<code>\Eraggedleft</code>	7296			1
<code>\raggedcenter</code>	7298			1
<code>\Eraggedcenter</code>	7304			1
<code>\quotationstart</code>	7312	7314		2
<code>\indentedblockstart</code>	7315	7346	7348	3
<code>\quotationlabel</code>	7319	7336		2
<code>\Esmallquotation</code>	7333			1
<code>\Eindentedblock</code>	7363	7367		2
<code>\Esmallindentedblock</code>	7367			1
<code>\dospecials</code>	7380	7392	9330	3



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\uncatcodespecials</code>	7391	7411	7451	4
<code>\tabeightspace</code>	7399	7406		2
<code>\setupverb</code>	7402	7466		2
<code>\tabw</code>	7417	7417	7430	5
<code>\verbbox</code>	7421	7422	7429	11
<code>\starttabbox</code>	7422	7434	7444	5
<code>\tabexpand</code>	7426	7445		2
<code>\multiply</code>	7431	10357		2
<code>\setupverbatim</code>	7440	7495	7507	3
<code>\doverb</code>	7463	7466		2
<code>\doverbatim</code>	7486	7495		2
<code>\verbatim</code>	7494			1
<code>\Everbatim</code>	7497			1
<code>\verbatiminclude</code>	7502			1
<code>\doverbatiminclude</code>	7502	7504		2
<code>\copying</code>	7528			1
<code>\scanargtxt</code>	7528	8075	9611	3
<code>\docopying</code>	7528	7529		2
<code>\copyingtext</code>	7529	7534		2
<code>\insertcopying</code>	7531			1
<code>\scanexp</code>	7534	7996	9564	3
<code>\defbodyindent</code>	7542	7542	7574	10
<code>\defargsindent</code>	7543	7543	7805	4
<code>\deflastargmargin</code>	7544	7544	7786	3
<code>\defunpenalty</code>	7545	7551	7566	5
<code>\printdefunline</code>	7593	7630		2
<code>\penalty2000</code>	7566			1
<code>\dodefuns</code>	7578	7632		2
<code>\penalty3000</code>	7584			1
<code>\gobbledefun</code>	7587	7589		2
<code>\deffnheader</code>	7748	7749	7750	3
<code>\endheader</code>	7596	7686	7704	5
<b><code>\interlinepenalty</code></b>	7598	9246		2
<code>\checkparencounts</code>	7605	7942		2
<code>\Edefun</code>	7609	7615		2
<code>\makedefun</code>	7614	7676	7679	21

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\domakedefun</code>	7616	7626		2
<code>\doingtypefnfalse</code>	7629			1
<code>\activeparens</code>	7630	7872	7885	3
<code>\ifdoingtypefn</code>	7636	7775		2
<code>\ifrettypeownline</code>	7637	7797	7835	3
<code>\deftypefnnewline</code>	7643			1
<code>\dosubind</code>	7664	7687	7705	4
<code>\thirdarg</code>	7665	7666		2
<code>\deffngeneral</code>	7676	7682	7686	3
<code>\defopon</code>	7679	7682	7755	3
<code>\defname</code>	7688	7707	7725	5
<code>\magicamp</code>	7688	7891		2
<code>\defunargs</code>	7688	7707	7725	5
<code>\deftypefngeneral</code>	7694	7700	7704	3
<code>\deftypeopon</code>	7697	7700	7756	3
<code>\doingtypefntrue</code>	7706			1
<code>\deftypecvgeneral</code>	7713	7719	7723	3
<code>\deftypecvof</code>	7716	7719	7737	4
<code>\deftypevrheader</code>	7731	7754		2
<code>\defcvof</code>	7734	7737	7757	3
<code>\deftypefnheader</code>	7751			1
<code>\defvrheader</code>	7752	7753		2
<code>\rettypeownlinefalse</code>	7774			1
<code>\rettypeownlinetrue</code>	7778			1
<code>\maybeshapeline</code>	7799	7801	7808	3
<code>\enskip</code>	7844			1
<code>\boldbrax</code>	7846	7890		2
<code>\lparen</code>	7879	7886		2
<code>\rparen</code>	7879	7886		2
<code>\lbrack</code>	7887			1
<code>\rbrack</code>	7887			1
<code>\opnr</code>	7890	7921		2
<code>\clnr</code>	7890	7926		2
<code>\lbrb</code>	7890	7933		2
<code>\rbrb</code>	7890	7937		2
<code>\amprm</code>	7891	7899		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\parentcount</code>	7895	7905	7914	7
<code>\ifampseen</code>	7898	7902	7913	3
<code>\ampseenttrue</code>	7899			1
<code>\parentfont</code>	7901	7923	7927	3
<code>\infirstlevel</code>	7912	7924	7928	3
<code>\bfafterword</code>	7919	7924		2
<code>\brackcount</code>	7932	7934	7939	5
<code>\badparentcount</code>	7943	7948		2
<code>\badbrackcount</code>	7944	7952		2
<code>\scantokens</code>	7965	7988		2
<code>\macscribble</code>	7964	7967	7968	4
<code>\E</code>	7974	7983	7983	16
<code>\scanmacro</code>	7978	7997	8395	6
<code>\eatleadingcr</code>	7983	8039		2
<code>\xeatspaces</code>	7982	8208	8221	5
<code>\xempty</code>	7985	8209	8221	3
<code>\paramno</code>	8000	8130	8133	15
<code>\macname</code>	8001	8140	8141	29
<code>\ifrecursive</code>	8002	8150		2
<code>\addtomacrolist</code>	8011	8147	8642	3
<code>\addtomacrolistxxx</code>	8011	8012		2
<code>\cslet</code>	8022	8145	8156	4
<code>\trim</code>	8031	8032	8032	6
<code>\unbrace</code>	8034	8035		2
<code>\Q</code>	8044			1
<code>\eatcr</code>	8045	8237	8239	3
<code>\eatcra</code>	8045	8046		2
<code>\eatcrb</code>	8046	8047		2
<code>\scanctxt</code>	8063	8076	8083	5
<code>\macrobodyctxt</code>	8082	8149		2
<code>\usebodybackslash</code>	8089			1
<code>\macroargetxt</code>	8095	8298	8499	4
<code>\macrolineargetxt</code>	8103	8629		2
<code>\realbackslash</code>	8120			1
<code>\margbackslash</code>	8122			1
<code>\macro</code>	8124			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\recursivefalse</code>	8124			1
<code>\macroxxx</code>	8124	8125	8127	3
<code>\macro</code>	8125			1
<code>\recursivetrue</code>	8125			1
<code>\getargs</code>	8128	8182		2
<code>\argl</code>	8129	8132	8185	4
<code>\parseargdef</code>	8132	8204		2
<code>\ifl</code>	8140	8155		2
<code>\parsermacbody</code>	8150	8238		2
<code>\parsemacbody</code>	8151	8236		2
<code>\unmacro</code>	8154			1
<code>\unmacrodo</code>	8161	8172		2
<code>\getargsxxx</code>	8182	8183		2
<code>\getmacname</code>	8183	8184		2
<code>\getmacargs</code>	8183	8185		2
<code>\paramlist</code>	8205	8222	8222	11
<code>\parsemanyargdef</code>	8213	8264	8267	3
<code>\hash</code>	8206	8221	8222	4
<code>\parseargdefxxx</code>	8210	8216	8218	3
<code>\paramno0</code>	8212	8359		2
<code>\macrobody</code>	8237	8239	8479	6
<code>\defmacro</code>	8237	8239	8458	3
<code>\textatcatcode</code>	8242	8521		2
<code>\toks</code>	8275			1
<code>\tempb</code>	8268	8270		2
<code>\tempa</code>	8269	8274		2
<code>\endargs</code>	8280	8323	8326	7
<code>\nil</code>	8281	8282	8283	5
<code>\nilm</code>	8282	8308	8417	3
<code>\nillm</code>	8283	8310	8317	3
<code>\getargvals</code>	8292	8304	8307	5
<code>\macargdeflist</code>	8293	8335	8380	4
<code>\saveparamlist</code>	8294	8362		2
<code>\macroname</code>	8296	8313	8366	5
<code>\argvaluelist</code>	8299	8310	8317	5
<code>\setemptyargvalues</code>	8302	8320	8416	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\macargexpandinbody</code>	8315	8377	8418	3
<code>\pop</code>	8323	8436		2
<code>\longpop</code>	8326	8440		2
<code>\push</code>	8335	8342	8429	3
<code>\macvalstoargs</code>	8352	8383		2
<code>\putargsintokens</code>	8362	8399	8402	3
<code>\norecurse</code>	8523			1
<code>\toksdef</code>	8405			1
<code>\setemptyargvaluesparser</code>	8420	8426		2
<code>\braceorline</code>	8483	8623		2
<code>\passargtomacro</code>	8503	8627		2
<code>\macnamexxx</code>	8623	8630		2
<code>\nchar</code>	8623	8625		2
<code>\braceorlinexxx</code>	8623	8624		2
<code>\alias</code>	8637			1
<code>\aliasxxx</code>	8637	8638		2
<code>\aliasyyy</code>	8638	8639		2
<code>\auxfile</code>	8651	8736	9119	4
<code>\ifhavexrefs</code>	8652	8812	9047	4
<code>\ifwarnedxrefs</code>	8653	9051		2
<code>\inforefzzz</code>	8656	8657		2
<code>\donode</code>	8667	8671		2
<code>\finishnodeparse</code>	8667	8671	8671	4
<code>\dodonode</code>	8671	8672		2
<code>\omittopnode</code>	8672	8678		2
<code>\wordTop</code>	8679	8682		2
<code>\ignorenode</code>	8680	8686		2
<code>\ignorenodebye</code>	8687	8691		2
<code>\ignorenodebyedef</code>	8691	8692		2
<code>\setref</code>	8702	8713	8727	4
<code>\savesfregister</code>	8709	8711	8712	3
<code>\savesf</code>	8711	8713		2
<code>\restoresf</code>	8712	8713		2
<code>\dofloat</code>	9452	9471		2
<code>\requireauxfile</code>	8731	9035	9115	5
<code>\xrdef</code>	9068			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\refx</code>	8814	8908	8945	6
<code>\xrefX</code>	8778	8785		2
<code>\writexrdef</code>	8735	8740	8741	4
<code>\Ynumbered</code>	9009			1
<code>\xrefautomaticsectiontitle</code>	8752			1
<code>\xrefXX</code>	8773	8774	8775	4
<code>\xrefXXarg</code>	8777	8778		2
<code>\tokenafterxref</code>	8777	8958	8959	7
<code>\xrefXXX</code>	8777	8778		2
<code>\toprefbox</code>	8780	8988	8991	3
<code>\printedrefnamebox</code>	8781	8790	8800	4
<code>\infofilenamebox</code>	8782	8793	8933	3
<code>\printedmanualbox</code>	8783	8796	8808	5
<code>\printedrefname</code>	8789	8790	8804	10
<code>\infofilename</code>	8792	8793	8938	3
<code>\printedmanual</code>	8795	8796	8916	4
<code>\Xthisreftitle</code>	8897	8904		2
<code>\iffloat</code>	8904	9087	9642	3
<code>\crossmanualxref</code>	8931	8938	8987	3
<code>\xrefprintnodename</code>	8949	9003		2
<code>\kern7sp</code>	8988	8989		2
<code>\Ynothing</code>	9007			1
<code>\Yomitfromtoc</code>	9008			1
<code>\Yappendix</code>	9020			1
<code>\thisrefX</code>	9040	9043	9059	3
<code>\warnedxrefstrue</code>	9052			1
<code>\safexrefname</code>	9075	9079	9087	4
<code>\iffloattype</code>	9090	9102	9649	3
<code>\floatlist</code>	9089	9093	9097	3
<code>\listoffloats</code>	9655			1
<code>\linkstrue</code>	9111			1
<code>\novalidate</code>	9112			1
<code>\linksfalse</code>	9112			1
<code>\tryauxfile</code>	9117	9126		2
<code>\havexrefstrue</code>	9130			1
<code>\footnoteno</code>	9198	9205	9214	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\footnotestyle</code>	9208			1
<code>\thisfootno</code>	9215	9224	9267	3
<code>\dofootnote</code>	9225	9235		2
<code>\errfootnotenest</code>	9240	9279		2
<code>\interfootnotelinepenalty</code>	9246			1
<code>\floatingpenalty</code>	9249			1
<code>\hang</code>	9266			1
<code>\textindent</code>	9267			1
<code>\footstrut</code>	9272			1
<code>\fo</code>	9275			1
<code>\saveinsert</code>	9303	9312		2
<code>\savetobox</code>	9313	9319		2
<code>\makeSAVEname</code>	9313	9318	9336	3
<code>\checksaveins</code>	9321	9342		2
<code>\placesaveins</code>	9321	9323		2
<code>\gobblesave</code>	9324	9331		2
<code>\newsaveins</code>	9335	9347	9348	3
<code>\newsaveinsX</code>	9336	9339		2
<code>\epsfannounce</code>	9361			1
<code>\ifwarnednoepsf</code>	9367	9374		2
<code>\noepsfhelp</code>	9368	9375		2
<code>\epsfbox</code>	9373	9434		2
<code>\warnednoepsftrue</code>	9377			1
<code>\imagexxx</code>	9380	9391		2
<code>\ifimagevmode</code>	9390	9404	9441	3
<code>\ifvmode</code>	9396			1
<code>\imagevmodetrue</code>	9397	9400		2
<code>\epsfxsize</code>	9431			1
<code>\epsfysize</code>	9433			1
<code>\eatcommaspace</code>	9452	9452	9455	3
<code>\thiscaption</code>	9472	9558	9564	5
<code>\thisshortcaption</code>	9473	9587	9590	4
<code>\floattype</code>	9486	9490	9498	9
<code>\floatlabel</code>	9487	9503	9518	6
<code>\floatloc</code>	9488			1
<code>\safefloattype</code>	9491	9498	9507	8

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\getfloatno</code>	9507	9616		2
<code>\floatno</code>	9508	9551	9625	4
<code>\floatmagic</code>	9517	9636	9650	3
<code>\Efloat</code>	9539			1
<code>\floatident</code>	9540	9543	9548	7
<code>\appendtomacro</code>	9548	9551	9560	5
<code>\captionline</code>	9556	9560	9564	5
<code>\gtemp</code>	9588	9590	9593	4
<code>\caption</code>	9609			1
<code>\docaption</code>	9609	9610	9611	3
<code>\shortcaption</code>	9610			1
<code>\defcaption</code>	9611	9612		2
<code>\Yfloat</code>	9632			1
<code>\doiffloat</code>	9642	9647		2
<code>\listoffloatsdo</code>	9674	9688		2
<code>\listoffloatsdoentry</code>	9688	9689		2
<code>\writeentry</code>	9697	9698		2
<code>\documentlanguage</code>	9711			1
<code>\documentlanguagegettrywithoutunderscore</code>	9717	9729		2
<code>\nolanghelp</code>	9732	9742		2
<code>\language</code>	9765			1
<code>\txisetlanguage</code>	9760			1
<code>\lefthyphenmin</code>	9768			1
<code>\righthyphenmin</code>	9769			1
<code>\iftxinativeunicodecapable</code>	9776	9876	9883	7
<code>\iftxiusebytewiseio</code>	9777			1
<code>\txinativeunicodecapablefalse</code>	9781			1
<code>\txiusebytewiseiotrue</code>	9782	9832		2
<code>\txinativeunicodecapabletrue</code>	9784	9788		2
<code>\txiusebytewiseiofalse</code>	9785	9789		2
<code>\setbytewiseio</code>	9795	9877	9884	4
<code>\XeTeXdefaultencoding</code>	9798			1
<code>\XeTeXinputencoding</code>	9799			1
<code>\setnonasciicharscatcode</code>	9839	9879	9886	6
<code>\setnonasciicharscatcodenonglobal</code>	9847			1
<code>\documentencoding</code>	9858			1



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\documentencodingzzz</code>	9858	9859		2
<code>\ascii</code>	9866	9872	9922	3
<code>\latnine</code>	9867	9889		2
<code>\lattwo</code>	9869	9875		2
<code>\asciichardefs</code>	9873	11126		2
<code>\lattwochardefs</code>	9880	10076		2
<code>\latonechardefs</code>	9887	9956	10063	3
<code>\latninechardefs</code>	9894	10061		2
<code>\nativeunicodechardefs</code>	9899	11106		2
<code>\utfeightchardefs</code>	11068	11135		2
<code>\missingcharmsg</code>	9935	10081	10545	9
<code>\cedilla</code>	9938	9982	9998	30
<code>\gdefchar</code>	9946	9957	9958	201
<code>\ifpassthroughchars</code>	9948	10231	10238	7
<code>\char162</code>	9959	10405		2
<code>\char164</code>	9961	10407		2
<code>\char165</code>	9962	10408		2
<code>\char166</code>	9963	10409		2
<code>\S</code>	9964	10084	10410	3
<code>\lnot</code>	9969	10415		2
<code>\pm</code>	9975	10421		2
<code>\mu</code>	9979	10425	10748	3
<code>\P</code>	9980	10426		2
<code>\cdot</code>	9981	10427	11022	3
<code>\over4</code>	9986	9988	10432	4
<code>\over2</code>	9987	10433		2
<code>\times</code>	10015	10135	10461	3
<code>\div</code>	10049	10169	10495	3
<code>\countUTFx</code>	10186	10216	10217	14
<code>\countUTFy</code>	10187	10221	10228	8
<code>\countUTFz</code>	10188	10304	10331	13
<code>\UTFviiiTwoOctets</code>	10190	10239		2
<code>\UTFviiiDefined</code>	10191	10194	10197	4
<code>\UTFviiiThreeOctets</code>	10193	10247		2
<code>\UTFviiiFourOctets</code>	10196	10255		2
<code>\UTFviiiTmp</code>	10219	10229	10236	8

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\UTFviiiLoop</code>	10215	10222	10232	6
<code>\globallet</code>	10260	10325	11116	3
<code>\UTFviiiTwoOctetsName</code>	10284	10336		2
<code>\UTFviiiThreeOctetsName</code>	10286	10340		2
<code>\UTFviiiFourOctetsName</code>	10288	10345		2
<code>\DeclareUnicodeCharacterUTFviii</code>	10303	11069		2
<code>\parseXMLCharref</code>	10306	10330		2
<code>\parseUTFviiiA</code>	10335	10338	10339	7
<code>\parseUTFviiiB</code>	10336	10340	10345	4
<code>\DeclareUnicodeCharacterNativeOther</code>	10384			1
<code>\unicodechardefs</code>	10402	11070	11108	4
<code>\DeclareUnicodeCharacter</code>	10403	10404	10405	603
<code>\kappa</code>	10564	10746		2
<code>\mit</code>	10701	10702	10706	11
<code>\Gamma</code>	10701			1
<code>\Delta</code>	10702			1
<code>\Theta</code>	10706			1
<code>\Lambda</code>	10709			1
<code>\Xi</code>	10712			1
<code>\Pi</code>	10714			1
<code>\Sigma</code>	10717			1
<code>\Upsilon</code>	10719			1
<code>\Phi</code>	10720			1
<code>\Psi</code>	10722			1
<code>\Omega</code>	10723			1
<code>\iota</code>	10726	10730	10745	4
<code>\alpha</code>	10727	10737		2
<code>\epsilon</code>	10728	10741		2
<code>\eta</code>	10729	10743		2
<code>\upsilon</code>	10731	10757	10765	4
<code>\beta</code>	10738			1
<code>\gamma</code>	10739			1
<code>\delta</code>	10740			1
<code>\zeta</code>	10742			1
<code>\theta</code>	10744			1
<code>\lambda</code>	10747			1

Command	First occurrence	Second occurrence	Third occurrence	number of occurrences
<code>\nu</code>	10749			1
<code>\xi</code>	10750			1
<code>\pi</code>	10752			1
<code>\rho</code>	10753			1
<code>\varsigma</code>	10754			1
<code>\sigma</code>	10755			1
<code>\tau</code>	10756			1
<code>\phi</code>	10758			1
<code>\chi</code>	10759			1
<code>\psi</code>	10760			1
<code>\omega</code>	10761	10768		2
<code>\vartheta</code>	10771			1
<code>\varpi</code>	10772			1
<code>\varrho</code>	10773			1
<code>\dagger</code>	10911			1
<code>\ddagger</code>	10912			1
<code>\forall</code>	10925			1
<code>\exists</code>	10926			1
<code>\in</code>	10927			1
<code>\ast</code>	10929			1
<code>\infty</code>	10930			1
<code>\parallel</code>	10931			1
<code>\wedge</code>	10932			1
<code>\cap</code>	10933			1
<code>\subset</code>	10937			1
<code>\supseteq</code>	10938			1
<code>\Vert</code>	10940			1
<code>\prime</code>	10941			1
<code>\hbar</code>	10942			1
<code>\Im</code>	10943			1
<code>\ell</code>	10944			1
<code>\wp</code>	10945			1
<code>\Re</code>	10946			1
<code>\aleph</code>	10947			1
<code>\leftarrow</code>	10948			1
<code>\uparrow</code>	10949			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\downarrow</code>	10950			1
<code>\leftrightarrow</code>	10951			1
<code>\updownarrow</code>	10952			1
<code>\nwarrow</code>	10953			1
<code>\nearrow</code>	10954			1
<code>\searrow</code>	10955			1
<code>\swarrow</code>	10956			1
<code>\hookleftarrow</code>	10958			1
<code>\hookrightarrow</code>	10959			1
<code>\leftharpoonup</code>	10960			1
<code>\leftharpoondown</code>	10961			1
<code>\rightharpoonup</code>	10962			1
<code>\rightharpoondown</code>	10963			1
<code>\rightleftharpoons</code>	10964			1
<code>\Leftarrow</code>	10965			1
<code>\Uparrow</code>	10966			1
<code>\Downarrow</code>	10967			1
<code>\Leftrightarrow</code>	10968			1
<code>\Updownarrow</code>	10969			1
<code>\partial</code>	10970			1
<code>\emptyset</code>	10971			1
<code>\nabla</code>	10972			1
<code>\notin</code>	10973			1
<code>\owns</code>	10974			1
<code>\prod</code>	10975			1
<code>\coprod</code>	10976			1
<code>\sum</code>	10977			1
<code>\mp</code>	10978			1
<code>\surd</code>	10980			1
<code>\propto</code>	10981			1
<code>\angle</code>	10982			1
<code>\mid</code>	10983			1
<code>\vee</code>	10984			1
<code>\cup</code>	10985			1
<code>\smallint</code>	10986			1
<code>\oint</code>	10987			1

Command	First occurrence	Second occurrence	Third occurrence	number of occurrences
<code>\sim</code>	10988			1
<code>\wr</code>	10989			1
<code>\simeq</code>	10990			1
<code>\cong</code>	10991			1
<code>\approx</code>	10992			1
<code>\asymp</code>	10993			1
<code>\doteq</code>	10994			1
<code>\neq</code>	10995			1
<code>\ll</code>	10996			1
<code>\gg</code>	10997			1
<code>\prec</code>	10998			1
<code>\succ</code>	10999			1
<code>\supseteq</code>	11000			1
<code>\subseteq</code>	11001			1
<code>\uplus</code>	11002			1
<code>\sqsubseteq</code>	11003			1
<code>\sqsupseteq</code>	11004			1
<code>\sqcap</code>	11005			1
<code>\sqcup</code>	11006			1
<code>\oplus</code>	11007			1
<code>\ominus</code>	11008			1
<code>\otimes</code>	11009			1
<code>\oslash</code>	11010			1
<code>\odot</code>	11011			1
<code>\vdash</code>	11012			1
<code>\bot</code>	11015			1
<code>\models</code>	11016			1
<code>\bigwedge</code>	11017			1
<code>\bigvee</code>	11018			1
<code>\bigcap</code>	11019			1
<code>\bigcup</code>	11020			1
<code>\diamond</code>	11021	11036		2
<code>\bowtie</code>	11024			1
<code>\lceil</code>	11025			1
<code>\rceil</code>	11026			1
<code>\lfloor</code>	11027			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\rfloor</code>	11028			1
<code>\frown</code>	11029			1
<code>\smile</code>	11030			1
<code>\triangle</code>	11032			1
<code>\triangleright</code>	11033			1
<code>\bigtriangledown</code>	11034			1
<code>\triangleleft</code>	11035			1
<code>\spadesuit</code>	11037			1
<code>\heartsuit</code>	11038			1
<code>\diamondsuit</code>	11039			1
<code>\clubsuit</code>	11040			1
<code>\flat</code>	11041			1
<code>\natural</code>	11042			1
<code>\sharp</code>	11043			1
<code>\bigcirc</code>	11044			1
<code>\perp</code>	11046			1
<code>\longleftarrow</code>	11048			1
<code>\longrightarrow</code>	11049			1
<code>\longleftarrow</code>	11050			1
<code>\longmapsto</code>	11051			1
<code>\setminus</code>	11052			1
<code>\bigodot</code>	11053			1
<code>\bigoplus</code>	11054			1
<code>\bigotimes</code>	11055			1
<code>\biguplus</code>	11056			1
<code>\bigsqcup</code>	11057			1
<code>\amalg</code>	11058			1
<code>\preceq</code>	11059			1
<code>\succeq</code>	11060			1
<code>\mathchardef</code>	11062			1
<code>\checkmark</code>	11062	11063		2
<code>\DeclareUnicodeCharacterNative</code>	11083	11107		2
<code>\dodeclareunicodecharacternative</code>	11085	11100		2
<code>\UTFNativeTmp</code>	11099	11100		2
<code>\DeclareUnicodeCharacterNativeAtU</code>	11114	11121		2
<code>\UTFAtUTmp</code>	11115	11116		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\nativeunicodechardefsatu</code>	11120	11133		2
<code>\widowpenalty</code>	11153			1
<code>\clubpenalty</code>	11154			1
<code>\setemergencystretch</code>	11161	11216		2
<code>\internalpagesizes</code>	11177	11225	11236	10
<code>\voffset</code>	11178	11226	11280	7
<code>\letterpaper</code>	11220	11370		2
<code>\smallbook</code>	11232			1
<code>\smallerbook</code>	11249			1
<code>\afourpaper</code>	11265	11310	11322	4
<code>\afivepaper</code>	11292			1
<code>\afourlatex</code>	11309			1
<code>\afourwide</code>	11321			1
<code>\bsixpaper</code>	11330			1
<code>\pagesizes</code>	11346			1
<code>\pagesizesyyy</code>	11346	11347		2
<code>\normaldoublequote</code>	11384			1
<code>\normaldollar</code>	11385	11436		2
<code>\normalgreater</code>	11388			1
<code>\normalverticalbar</code>	11391			1
<code>\fontdimen1</code>	11409			1
<code>\activedoublequote</code>	11418	11419		2
<code>\char34</code>	11418			1
<code>\activetilde</code>	11420	11420	11445	3
<code>\char126</code>	11420			1
<code>\hatchar</code>	11421	11422		2
<code>\activehat</code>	11422	11422	11446	3
<code>\char124</code>	11429			1
<code>\activeless</code>	11432	11432	11443	3
<code>\activegrtr</code>	11434	11434	11444	3
<code>\backslashcurfont</code>	11464			1

## 3.2 Commands in alphabetical order

This second table reveals the T<sub>E</sub>X commands in the file `texinfo.tex` from version 6.8 of Texinfo in alphabetical order.

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\aa</code>	4834	5063	10476	3
<code>\AA</code>	4827	5056	10442	3
<code>\abbr</code>	3234	4950		2
<code>\aboveenvbreak</code>	4137	4164	7039	5
<code>\abssecllevel</code>	6048	6074	6075	14
<code>\accent</code>	3633			1
<code>\accent23</code>	3418			1
<code>\acronym</code>	3221	4951		2
<code>\active</code>	65	65	106	81
<code>\activecatcodes</code>	6715	6731		2
<code>\activedoublequote</code>	11418	11419		2
<code>\activegrtr</code>	11434	11434	11444	3
<code>\activehat</code>	11422	11422	11446	3
<code>\activeless</code>	11432	11432	11443	3
<code>\activeparens</code>	7630	7872	7885	3
<code>\activetilde</code>	11420	11420	11445	3
<code>\acute</code>	3276	10726	10727	11
<code>\addgroupbox</code>	685	690	7147	3
<code>\addtokens</code>	1522	1562	1563	12
<code>\addtoks</code>	1562	1562	1811	4
<code>\addtomacrolist</code>	8011	8147	8642	3
<code>\addtomacrolistxxx</code>	8011	8012		2
<code>\adn</code>	1563	1812		2
<code>\adn0</code>	1567	1816		2
<code>\adn1</code>	1568	1817		2
<code>\adn2</code>	1568	1817		2
<code>\adn3</code>	1568	1817		2
<code>\adn4</code>	1569	1818		2
<code>\adn5</code>	1569	1818		2
<code>\adn6</code>	1569	1818		2
<code>\adn7</code>	1570	1819		2
<code>\adn8</code>	1570	1819		2



Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\adn9</code>	1570	1819		2
<code>\advance</code>	349	350	692	114
<code>\advancenumber</code>	1411	1445	1450	4
<code>\advancepageno</code>	393	1180	1181	3
<code>\ae</code>	4835	5064	10031	6
<code>\AE</code>	4828	5057	9997	6
<code>\afivepaper</code>	11292			1
<code>\afourlatex</code>	11309			1
<code>\afourpaper</code>	11265	11310	11322	4
<code>\afourwide</code>	11321			1
<code>\afterassignment</code>	5626	9314		2
<code>\afterenvbreak</code>	4151	7057	7227	10
<code>\aftergroup</code>	2836	5635		2
<code>\aftersmartic</code>	2798	2808	2810	5
<code>\aleph</code>	10947			1
<code>\alias</code>	8637			1
<code>\aliasxxx</code>	8637	8638		2
<code>\aliasyyy</code>	8638	8639		2
<code>\allowbreak</code>	609			1
<code>\allowcodebreaks</code>	2967			1
<code>\allowcodebreaksfalse</code>	2972			1
<code>\allowcodebreakstrue</code>	2962	2970		2
<code>\alpha</code>	10727	10737		2
<code>\amalg</code>	11058			1
<code>\ampchar</code>	4861	7893		2
<code>\amprm</code>	7891	7899		2
<code>\ampseentru</code>	7899			1
<code>\anchor</code>	4952	8713		2
<code>\angle</code>	10982			1
<code>\angleleft</code>	2664	9045		2
<code>\angleright</code>	2665	9045		2
<code>\aogonek</code>	3628	3640		2
<code>\Aogonek</code>	3627	3639		2
<code>\appendix</code>	6170			1
<code>\appendixbox</code>	6889	6894		2
<code>\appendixletter</code>	6003	6175	6180	8

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\appendixno</code>	5996	5996	6004	34
<code>\appendixsec</code>	6184	6244		2
<code>\appendixsection</code>	6239	6244		2
<code>\appendixsectionzzz</code>	6118	6240		2
<code>\appendixsubsec</code>	6185	6263		2
<code>\appendixsubseczzz</code>	6119	6264		2
<code>\appendixsubsubsec</code>	6186	6289		2
<code>\appendixsubsubseczzz</code>	6120	6290		2
<code>\appendixzzz</code>	6117	6172		2
<code>\appendtomacro</code>	9548	9551	9560	5
<code>\appentry</code>	1462	1739	6792	4
<code>\apphead</code>	6136			1
<code>\apphead0</code>	6170			1
<code>\apphead1</code>	6239			1
<code>\apphead2</code>	6263			1
<code>\apphead3</code>	6289			1
<code>\approx</code>	10992			1
<code>\appsecentry</code>	1463	1740	6802	4
<code>\appsubsecentry</code>	1464	1741	6805	4
<code>\appsubsubsecentry</code>	1465	1742	6808	4
<code>\arabic</code>	1154	1167	1169	3
<code>\arabiccount</code>	1154	1161	1163	9
<code>\argcheckspaces</code>	455	464	472	3
<code>\argcheckspacesX</code>	464	465		2
<code>\argcheckspacesY</code>	465	466		2
<code>\argl</code>	8129	8132	8185	4
<code>\argremovec</code>	454	455		2
<code>\argremovecomment</code>	448	454		2
<code>\ArgTerm</code>	448	454	454	8
<code>\argtorun</code>	437	488		2
<code>\argvaluelist</code>	8299	8310	8317	5
<code>\arrow</code>	3210	3517	4863	4
<code>\ascii</code>	9866	9872	9922	3
<code>\asciichardefs</code>	9873	11126		2
<code>\asis</code>	3246	3474	5033	3
<code>\asisword</code>	930	935	952	3

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\assignfonts</code>	2606	2625	2633	4
<code>\ast</code>	10929			1
<code>\asymp</code>	10993			1
<code>\atchar</code>	3403	4862	5082	4
<code>\atdummies</code>	374	4785	5306	6
<code>\author</code>	3813			1
<code>\auxfile</code>	8651	8736	9119	4
<code>\b</code>	78	2826	2827	7
<code>\backslash</code>	3266	5544	5549	3
<code>\backslashchar</code>	4864	5250	5251	4
<code>\backslashcurfont</code>	11464			1
<code>\backslashdisappear</code>	5005			1
<code>\badbrackcount</code>	7944	7952		2
<code>\badenverr</code>	557	562		2
<code>\badparencount</code>	7943	7948		2
<code>\balancecolumns</code>	5878	5908		2
<code>\balancedcolumns</code>	5890	5903	5904	5
<code>\bar</code>	3277			1
<code>\baselinefactor</code>	1906	1911		2
<code>\baselineskip</code>	790	911	1915	28
<code>\baselineskip24pt</code>	1254	1646		2
<code>\begindoublecolumns</code>	5516	5521	5766	3
<code>\begingroup</code>	197	222	438	63
<code>\beta</code>	10738			1
<code>\bf</code>	2247	2395	2560	13
<code>\bfafterword</code>	7919	7924		2
<code>\bffam</code>	2560	2578	2585	3
<code>\bffont</code>	2246	2394	2578	6
<code>\bfshape</code>	2209	2231	2242	14
<code>\bfstylename</code>	2560	3588	3663	3
<code>\bgroup</code>	665	1875	4414	32
<code>\bigbreak</code>	232			1
<code>\bigcap</code>	11019			1
<code>\bigcirc</code>	11044			1
<code>\bigcup</code>	11020			1
<code>\bigodot</code>	11053			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\bigoplus</code>	11054			1
<code>\bigotimes</code>	11055			1
<code>\bigskip</code>	233	6321	6490	3
<code>\bigskipamount</code>	232			1
<code>\bigsqcup</code>	11057			1
<code>\bigtriangledown</code>	11034			1
<code>\biguplus</code>	11056			1
<code>\bigvee</code>	11018			1
<code>\bigwedge</code>	11017			1
<code>\bindingoffset</code>	305	349	350	12
<code>\boldbrax</code>	7846	7890		2
<code>\bot</code>	11015			1
<code>\botmark</code>	293			1
<code>\bowtie</code>	11024			1
<code>\box</code>	405	702	5890	6
<code>\box0</code>	3539	5841	5940	4
<code>\box2</code>	5841			1
<code>\boxA</code>	1035	1561	1810	10
<code>\boxB</code>	1036	5650	5651	4
<code>\boxmaxdepth</code>	400			1
<code>\br</code>	759			1
<code>\bracedtext</code>	5213	5234	5234	4
<code>\braceorline</code>	8483	8623		2
<code>\braceorlinexxx</code>	8623	8624		2
<code>\brackcount</code>	7932	7934	7939	5
<code>\break</code>	606	773	773	7
<code>\breve</code>	3280			1
<code>\bsixpaper</code>	11330			1
<code>\bullet</code>	79	3477	4182	7
<code>\bxshape</code>	2210			1
<code>\bye</code>	1021	8690	8691	4
<code>\c</code>	80	454	455	8
<code>\cap</code>	10933			1
<code>\caption</code>	9609			1
<code>\captionline</code>	9556	9560	9564	5
<code>\cartbot</code>	7088	7145		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\cartinner</code>	7100	7110	7110	5
<code>\cartouche</code>	7104			1
<code>\cartouchefontdefs</code>	7095	7105		2
<code>\cartouter</code>	7085	7088	7100	5
<code>\carttop</code>	7085	7125		2
<code>\catcode</code>	65	65	106	258
<code>\catcode13</code>	166			1
<code>\cbl</code>	7083	7089		2
<code>\cbr</code>	7084	7089		2
<code>\cdot</code>	9981	10427	11022	3
<code>\cedilla</code>	9938	9982	9998	30
<code>\center</code>	880			1
<code>\centerchap</code>	6221			1
<code>\centerH</code>	882	889		2
<code>\centerline</code>	3732	3859	3865	5
<code>\centerparameters</code>	6222	6496		2
<code>\centerparametersmaybe</code>	6222	6224	6487	4
<code>\centerpenalty</code>	897	903	904	5
<code>\centersub</code>	882	884	886	7
<code>\centerV</code>	884	898	9398	5
<code>\chapbf</code>	2313	2461	5557	4
<code>\chapbreak</code>	6314	6318	6344	4
<code>\chapecsize</code>	2317	2465		2
<code>\chapentryfonts</code>	6929	6959		2
<code>\chapfonts</code>	6320	6449		2
<code>\chapheading</code>	6318			1
<code>\chapheadingskip</code>	5456	6314	6341	5
<code>\chapheadingzzz</code>	6315	6318	6319	3
<code>\chapheadtype</code>	6066	6093	6095	3
<code>\chapi</code>	2315	2463		2
<code>\chapit</code>	2308	2456		2
<code>\chaplevelprefix</code>	6144	6154	6175	6
<code>\chapmacro</code>	5979	6162	6182	6
<code>\chapno</code>	5990	6151	6154	13
<code>\chapnominalsize</code>	2306	2454		2
<code>\chapoddpape</code>	3973	5968	5980	6

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\chappager</code>	1021	3954	3984	10
<code>\CHAPPAGodd</code>	6376			1
<code>\CHAPPAGoff</code>	6366			1
<code>\CHAPPAGon</code>	6371	6381		2
<code>\chaprm</code>	2307	2313	2455	5
<code>\chapsc</code>	2314	2462		2
<code>\chapsf</code>	2312	2460		2
<code>\chapsl</code>	2309	2457		2
<code>\chapsy</code>	2316	2464		2
<code>\chapter</code>	6146			1
<code>\chapterpagefalse</code>	422			1
<code>\chapterpagetrue</code>	424			1
<code>\chapterzzz</code>	6124	6147		2
<code>\chaptt</code>	2310	2458		2
<code>\chapttsl</code>	2311	2459		2
<code>\char</code>	2713	2714	2731	33
<code>\char123</code>	3406			1
<code>\char124</code>	11429			1
<code>\char125</code>	3407			1
<code>\char126</code>	11420			1
<code>\char162</code>	9959	10405		2
<code>\char164</code>	9961	10407		2
<code>\char165</code>	9962	10408		2
<code>\char166</code>	9963	10409		2
<code>\char34</code>	11418			1
<code>\char64</code>	3402			1
<code>\chardef</code>	71	168	169	17
<code>\check</code>	3281			1
<code>\checkchapterpage</code>	352	413		2
<code>\checkenv</code>	553	581	3798	13
<code>\checkinserts</code>	687	4396	7148	8
<code>\checkmark</code>	11062	11063		2
<code>\checkparencounts</code>	7605	7942		2
<code>\checksaveins</code>	9321	9342		2
<code>\chi</code>	10759			1
<code>\cindex</code>	5445			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\circ</code>	3686	10979		2
<code>\circle</code>	7081	7082	7083	6
<code>\circthick</code>	7086	7089	7097	4
<code>\cite</code>	2806	4953	8916	4
<code>\cleaders</code>	5742			1
<code>\clear</code>	4580			1
<code>\click</code>	3209	3210		2
<code>\clicksequence</code>	3206			1
<code>\clickstyle</code>	3209			1
<code>\clnr</code>	7890	7926		2
<code>\closein</code>	1307	1870	5486	9
<code>\closeout</code>	6745	7969		2
<code>\clubpenalty</code>	11154			1
<code>\clubsuit</code>	11040			1
<code>\cmap</code>	2196			1
<code>\code</code>	2906	2981	2982	21
<code>\codedash</code>	2910	2918	2923	5
<code>\codedashfinish</code>	2923	2924		2
<code>\codedashprev</code>	2918	2933	2938	3
<code>\codequotebacktick</code>	2754			1
<code>\codequoteleft</code>	2698	2724		2
<code>\codequoteright</code>	2698	2708		2
<code>\codequoteundirected</code>	2740			1
<code>\codeunder</code>	2911	2945		2
<code>\codex</code>	2920	2943	3068	3
<code>\colcount</code>	4319	4320	4324	10
<code>\columnfractions</code>	4311	4312		2
<code>\comma</code>	2795	3412	4866	4
<code>\command</code>	2981	4955		2
<code>\comment</code>	448	454	672	9
<code>\comondummiesnofonts</code>	4821	4914	5038	3
<code>\comondummyaccent</code>	4820	4917	4918	10
<code>\comondummyletter</code>	4819	4916	4919	8
<code>\comondummyword</code>	4818	4929	4930	53
<code>\commonheadfootline</code>	361	364	366	3
<code>\cong</code>	10991			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\contents</code>	6770			1
<code>\contentsalignmacro</code>	3954	3973	3984	10
<code>\contentsendroman</code>	6783	6818	6823	3
<code>\contentsrightmargin</code>	6735	6735	6754	7
<code>\coprod</code>	10976			1
<code>\copy</code>	3544			1
<code>\copy0</code>	5926			1
<code>\copying</code>	7528			1
<code>\copyingtext</code>	7529	7534		2
<code>\copyright</code>	4867	5086	9966	4
<code>\count255</code>	3459	3459	9840	10
<code>\countA</code>	1037	1563	1572	7
<code>\countUTFx</code>	10186	10216	10217	14
<code>\countUTFy</code>	10187	10221	10228	8
<code>\countUTFz</code>	10188	10304	10331	13
<code>\cpindex</code>	5445			1
<code>\cr</code>	4434			1
<code>\crrr</code>	3634	3680	4360	5
<code>\crossmanualxref</code>	8931	8938	8987	3
<code>\cslet</code>	8022	8145	8156	4
<code>\csname</code>	4	177	498	167
<code>\ctl</code>	7081	7086		2
<code>\ctr</code>	7082	7086		2
<code>\cup</code>	10985			1
<code>\curchaptername</code>	419	421		2
<code>\curfontsize</code>	2642	3586	3657	4
<code>\curfontstyle</code>	2553	2629	2637	5
<code>\currentchapterdefs</code>	269	297	6399	8
<code>\currentcolordefs</code>	273	302	1243	6
<code>\currentsection</code>	299	6455	6601	7
<code>\currentsectiondefs</code>	270	298	6400	10
<code>\cxxx</code>	920	921		2
<code>\d</code>	3421			1
<code>\D</code>	1519	1520	1775	4
<code>\dagger</code>	10911			1
<code>\dashChar</code>	168	2908		2



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\dashv</code>	3520	11013		2
<code>\day</code>	4005			1
<code>\ddagger</code>	10912			1
<code>\ddot</code>	3275	10726	10731	5
<code>\declareencoding</code>	1335	1339	1358	12
<code>\DeclareUnicodeCharacter</code>	10403	10404	10405	603
<code>\DeclareUnicodeCharacterNative</code>	11083	11107		2
<code>\DeclareUnicodeCharacterNativeAtU</code>	11114	11121		2
<code>\DeclareUnicodeCharacterNativeOther</code>	10384			1
<code>\DeclareUnicodeCharacterUTFviii</code>	10303	11069		2
<code>\def</code>	6	69	118	1181
<code>\defargsindent</code>	7543	7543	7805	4
<code>\defaultoutput</code>	312	313	314	4
<code>\defaultparindent</code>	938	940	943	7
<code>\defbf</code>	2242	2246	2390	4
<code>\defbodyindent</code>	7542	7542	7574	10
<code>\defcaption</code>	9611	9612		2
<code>\defcodeindex</code>	4733			1
<code>\defcvof</code>	7734	7737	7757	3
<code>\deffngeneral</code>	7676	7682	7686	3
<code>\deffnheader</code>	7748	7749	7750	3
<code>\defindex</code>	4729			1
<code>\definedummies</code>	4793	4816		2
<code>\definedummyaccent</code>	4812	4820		2
<code>\definedummyletter</code>	4786	4787	4788	10
<code>\definedummyword</code>	4810	4818	4827	71
<code>\definefontsetatsize</code>	2640	2650	2651	9
<code>\definetextfontsize</code>	2373	2538		2
<code>\definetextfontsizexi</code>	2225	2539	2684	3
<code>\definfoenclose</code>	4703			1
<code>\deflastargmargin</code>	7544	7544	7786	3
<code>\defmacro</code>	8237	8239	8458	3
<code>\defname</code>	7688	7707	7725	5
<code>\defopon</code>	7679	7682	7755	3
<code>\defsl</code>	2244	2247	2392	4
<code>\deftt</code>	2243	2246	2391	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\defttsl</code>	2245	2247	2393	4
<code>\deftypecvgeneral</code>	7713	7719	7723	3
<code>\deftypecvof</code>	7716	7719	7737	4
<code>\deftypefngeneral</code>	7694	7700	7704	3
<code>\deftypefnheader</code>	7751			1
<code>\deftypefnnewline</code>	7643			1
<code>\deftypeopon</code>	7697	7700	7756	3
<code>\deftypevrheader</code>	7731	7754		2
<code>\defunargs</code>	7688	7707	7725	5
<code>\defunpenalty</code>	7545	7551	7566	5
<code>\defvrheader</code>	7752	7753		2
<code>\delta</code>	10740			1
<code>\Delta</code>	10702			1
<code>\df</code>	2246	2394	7831	4
<code>\dfn</code>	2817	4956		2
<code>\dh</code>	3604	4836	5065	7
<code>\DH</code>	3603	4829	5058	7
<code>\diamond</code>	11021	11036		2
<code>\diamondsuit</code>	11039			1
<code>\dimen</code>	397	406	408	43
<code>\dimen0</code>	692	692	697	25
<code>\dimen1</code>	683	686		2
<code>\dimen2</code>	694	694	697	18
<code>\dircategory</code>	4700			1
<code>\directlua</code>	1055	1080	1083	5
<code>\direntry</code>	4464			1
<code>\discretionary</code>	2934	2953		2
<code>\displaymath</code>	3329	3331		2
<code>\displaymathend</code>	3332	3336		2
<code>\div</code>	10049	10169	10495	3
<code>\divide</code>	2509	5803	5824	6
<code>\dmn</code>	3215	4957		2
<code>\do</code>	5076	5078	5079	62
<code>\doabbr</code>	3234	3235		2
<code>\doacronym</code>	3221	3222		2
<code>\dobreak</code>	5456	6338	6344	5

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
\docaption	9609	9610	9611	3
\docbook	4466			1
\dochapentry	6867	6878	6894	5
\docind	4779	5151		2
\docindwrite	5159	5301		2
\docodeindex	4738	4757	4778	3
\docodeindexxxx	4778	4779		2
\docopying	7528	7529		2
\documentdescription	4465			1
\documentencoding	9858			1
\documentencodingzzz	9858	9859		2
\documentlanguage	9711			1
\documentlanguagetrywithoutunderscore	9717	9729		2
\dodeclareunicodecharacteralternative	11085	11100		2
\dodefuns	7578	7632		2
\dodoignore	4497	4503		2
\dodonode	8671	8672		2
\doemail	3139	3140		2
\doentry	5626	5630		2
\doerrormsg	222	223		2
\dofloat	9452	9471		2
\dofootnote	9225	9235		2
\doifcmddefined	4675	4677	4691	3
\doiffloat	9642	9647		2
\doifset	4645	4646	4666	3
\doignore	4119	4464	4465	19
\doignorecount	4481	4494	4525	5
\doignoretext	4507	4516	4539	3
\doignoretextyyy	4508	4513	4526	3
\doignoretextzzz	4523	4534		2
\doignoreyyy	4513	4520		2
\doind	4107	4111	4775	7
\doindex	4724	4756	4774	3
\doindexsegment	5217	5221	5273	3
\doindexxxx	4774	4775		2
\doindwrite	5145	5300		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\doindwritex</code>	5300	5301	5303	3
<code>\doingtypefnfalse</code>	7629			1
<code>\doingtypefntrue</code>	7706			1
<code>\doinlinefmt</code>	3350	3351		2
<code>\doinlinefmtifelse</code>	3358	3359		2
<code>\doinlineifclear</code>	3391	3392		2
<code>\doinlineifset</code>	3382	3383		2
<code>\doinlineraw</code>	3372	3373		2
<code>\doinlinerawtwo</code>	3373	3374		2
<code>\doinmargin</code>	786	802	803	3
<code>\doitemize</code>	4161	4163	4301	3
<code>\domakedefun</code>	7616	7626		2
<code>\domark</code>	268	1244	1636	7
<code>\domultitable</code>	4404	4406		2
<code>\done</code>	1573	1585	1822	4
<code>\donode</code>	8667	8671		2
<code>\donoderef</code>	6483	6623	8700	3
<code>\dopageno</code>	6930	6937	6942	5
<code>\doparseargdef</code>	498	500		2
<code>\dopdfimage</code>	1277	9425		2
<code>\dopdfoutline</code>	1421	1482	1484	12
<code>\dosecentry</code>	6901	6903	6935	3
<code>\doshortpageno</code>	6883	6898	6957	3
<code>\dosmartslant</code>	2779	2785	2786	3
<code>\dospecials</code>	7380	7392	9330	3
<code>\dosubind</code>	7664	7687	7705	4
<code>\dosubsecentry</code>	6906	6908	6940	3
<code>\dosubsubsecentry</code>	6911	6913	6945	3
<code>\dosupereject</code>	394			1
<code>\dosuppressfirstparagraphindent</code>	972	978	993	3
<code>\dosynindex</code>	4756	4757	4761	3
<code>\dot</code>	3283			1
<code>\dotaccent</code>	3283	3417	4932	45
<code>\doteq</code>	10994			1
<code>\dotless</code>	3433	4938	10037	20
<code>\dots</code>	83	3488	3507	7

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\doublecolumnhsize</code>	5764	5801	5802	6
<code>\doublecolumnout</code>	5783	5819	5941	3
<code>\dourefbreak</code>	3006	3009		2
<code>\doverb</code>	7463	7466		2
<code>\doverbatim</code>	7486	7495		2
<code>\doverbatimininclude</code>	7502	7504		2
<code>\downarrow</code>	10950			1
<code>\Downarrow</code>	10967			1
<code>\doxeteximage</code>	1841	9437		2
<code>\dp</code>	406	692	726	5
<code>\dummybox</code>	5257	5277	8686	3
<code>\dummyvalue</code>	4620	4905		2
<code>\E</code>	7974	7983	7983	16
<code>\eatcommaspace</code>	9452	9452	9455	3
<code>\eatcr</code>	8045	8237	8239	3
<code>\eatcra</code>	8045	8046		2
<code>\eatcrb</code>	8046	8047		2
<code>\eatleadingcr</code>	7983	8039		2
<code>\eatspaces</code>	5229	5261	7983	6
<code>\Ecartouche</code>	7138			1
<code>\ecfont</code>	3548	3603	3604	19
<code>\ecsize</code>	3657	3661	3665	4
<code>\edef</code>	839	1120	1121	56
<code>\Edefun</code>	7609	7615		2
<code>\Edisplaymath</code>	3338			1
<code>\Eenumerate</code>	4155			1
<code>\Efloat</code>	9539			1
<code>\Eflushleft</code>	7270			1
<code>\Eflushright</code>	7280			1
<code>\Eftable</code>	4152			1
<code>\egroup</code>	684	1889	4438	32
<code>\Egroup</code>	679			1
<code>\Eindentedblock</code>	7363	7367		2
<code>\Eitemize</code>	4154			1
<code>\eject</code>	5768	5780	5880	5
<code>\ell</code>	10944			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\else</code>	117	207	277	406
<code>\email</code>	3139	3148	4958	3
<code>\emergencystretch</code>	7168	11162	11164	4
<code>\emph</code>	2818	4959		2
<code>\empty</code>	116	291	442	65
<code>\emptyset</code>	10971			1
<code>\EMsimple</code>	563	587	630	18
<code>\Emultitable</code>	4436			1
<code>\end</code>	84	577	3332	6
<code>\endargs</code>	8280	8323	8326	7
<code>\endcsname</code>	4	177	498	167
<code>\enddoignore</code>	4536	4549		2
<code>\enddots</code>	3506	4870	5088	4
<code>\enddoublecolumns</code>	5518	5529	5846	4
<code>\endenumeratey</code>	4223	4224		2
<code>\endgraf</code>	682	3001	3001	14
<code>\endgroup</code>	197	447	583	68
<code>\endheader</code>	7596	7686	7704	5
<code>\endldots</code>	7013	7014	7014	3
<code>\endlineissspace</code>	166	8474		2
<code>\endlink</code>	1405	1584	1590	9
<code>\endmark</code>	4217	4234		2
<code>\endofsentencespacefactor</code>	612	615	618	7
<code>\endsetuptable</code>	4309	4310	4408	3
<code>\endsetyyy</code>	4562	4563		2
<code>\endsetzzz</code>	4571	4576		2
<code>\endtablez</code>	4134	4136		2
<code>\enskip</code>	7844			1
<code>\enspace</code>	6466	6469	6609	4
<code>\ensuredmath</code>	3474	3475		2
<code>\ensuremath</code>	3406	3407	3474	199
<code>\entry</code>	5329	5609	5754	5
<code>\entrybreak</code>	4871	5623	5629	3
<code>\entryrightmargin</code>	5602	5603	5681	7
<code>\enumerate</code>	4223			1
<code>\enumeratey</code>	4223	4224		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\env</code>	2982	4960		2
<code>\envdef</code>	549	658	3329	20
<code>\envparseargdef</code>	550	4223	9452	3
<code>\envskipamount</code>	7032	7032	7043	8
<code>\eogonek</code>	3630	3642		2
<code>\Eogonek</code>	3629	3641		2
<code>\epsfannounce</code>	9361			1
<code>\epsfbox</code>	9373	9434		2
<code>\epsfxsize</code>	9431			1
<code>\epsfysize</code>	9433			1
<code>\epsilon</code>	10728	10741		2
<code>\equiv</code>	85	3521	4872	6
<code>\Equotation</code>	7325	7333		2
<code>\Eraggedcenter</code>	7304			1
<code>\Eraggedleft</code>	7296			1
<code>\Eraggedright</code>	7288			1
<code>\errfootnoteheading</code>	6450	6538	9285	3
<code>\errfootnotenest</code>	9240	9279		2
<code>\errhelp</code>	563	630	660	21
<code>\errmessage</code>	223	564	631	36
<code>\error</code>	3544	4873	5090	3
<code>\errorbox</code>	3526	3533	3544	3
<code>\errorcontextlines16</code>	215			1
<code>\errormsg</code>	222			1
<code>\errthisfilestackempty</code>	871	872		2
<code>\escapechar</code>	5285			1
<code>\escapeisbackslash</code>	5285	5309		2
<code>\Esmallindentedblock</code>	7367			1
<code>\Esmallquotation</code>	7333			1
<code>\eta</code>	10729	10743		2
<code>\Etable</code>	4151	4152	4153	5
<code>\etcfont</code>	3649	3650	3652	3
<code>\eTeXversion</code>	207	7963	8134	3
<code>\Etitlepage</code>	3757			1
<code>\euro</code>	3573	4874	5091	5
<code>\eurofont</code>	3573	3574		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\eurosize</code>	3586	3590	3593	3
<code>\evenchapheadline</code>	3831	3839	3860	7
<code>\evenfooting</code>	3870			1
<code>\evenfootingmarks</code>	3905			1
<code>\evenfootingxxx</code>	3870	3871	3886	3
<code>\evenfootingyyy</code>	3871	3872		2
<code>\evenfootline</code>	3833	3845	3873	7
<code>\evenheading</code>	3856			1
<code>\evenheadingmarks</code>	3903			1
<code>\evenheadingxxx</code>	3856	3857	3868	3
<code>\evenheadingyyy</code>	3857	3858		2
<code>\evenheadline</code>	3829	3841	3859	9
<code>\Everbati</code>	7497			1
<code>\everycr</code>	4390			1
<code>\everyfooting</code>	3886			1
<code>\everyfootingmarks</code>	3909	3918		2
<code>\everyheading</code>	3868			1
<code>\everyheadingmarks</code>	3907	3917		2
<code>\everyjob</code>	64			1
<code>\everypar</code>	996	1002	1007	7
<code>\everytab</code>	4362	4363	4369	5
<code>\Ehtable</code>	4153			1
<code>\exampleindent</code>	950			1
<code>\exclamdown</code>	3426	4837	5066	5
<code>\exdent</code>	773	7175		2
<code>\exdentamount</code>	770	773	776	9
<code>\exists</code>	10926			1
<code>\expandablevalue</code>	4589	4594	4604	3
<code>\expandafter</code>	4	177	269	285
<code>\expansion</code>	3519	4875	5092	4
<code>\expnumber</code>	1409	1411	1482	6
<code>\fam</code>	2557	2558	2559	10
<code>\fi</code>	4	119	122	572
<code>\file</code>	2983	4961	8658	3
<code>\filename</code>	1028	1522	1778	5
<code>\filenamecatcodes</code>	830	847	7502	4



Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
\filenamelength	1029	1523	1527	7
\finalhyphendemerits	5722			1
\finalout	242			1
\findex	5443			1
\finish	809	810	3009	44
\finishedtitlepagefalse	3801			1
\finishedtitlepagetrue	3742	3776		2
\finishentry	5635	5641		2
\finishmath	3286	3288		2
\finishnodeparse	8667	8671	8671	4
\finishparsearg	470	488		2
\finishsub	3315	3316		2
\finishtub	3318	3319		2
\finishtitlepage	3749	3759	3773	3
\first	1564	1573	1576	7
\first0	1567	1816		2
\first1	1568	1817		2
\first2	1568	1817		2
\first3	1568	1817		2
\first4	1569	1818		2
\first5	1569	1818		2
\first6	1569	1818		2
\first7	1570	1819		2
\first8	1570	1819		2
\first9	1570	1819		2
\firstarg	4326	4327	4330	3
\firstmark	291			1
\firstparagraphindent	975			1
\flat	11041			1
\float	9452	9611		2
\floatident	9540	9543	9548	7
\floatingpenalty	9249			1
\floatlabel	9487	9503	9518	6
\floatlist	9089	9093	9097	3
\floatloc	9488			1
\floatmagic	9517	9636	9650	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\floatno</code>	9508	9551	9625	4
<code>\floatype</code>	9486	9490	9498	9
<code>\flushcr</code>	524	4211	4301	3
<code>\flushleft</code>	7265			1
<code>\flushright</code>	7274			1
<code>\fnindex</code>	5443			1
<code>\fo</code>	9275			1
<code>\folio</code>	3827	3969	3970	14
<code>\font</code>	2192	2237	2238	53
<code>\fontdepth</code>	2772	2772		2
<code>\fontdimen1</code>	11409			1
<code>\fontdimen2</code>	2875	5725		2
<code>\fontdimen3</code>	2692	11403		2
<code>\fontdimen4</code>	5725			1
<code>\fontdimen8</code>	7097			1
<code>\fontprefix</code>	2192	2203	2204	3
<code>\fonttextsize</code>	2530			1
<code>\footins</code>	407	407	407	5
<code>\footline</code>	1255	1647	3844	3
<code>\footlinebox</code>	317	366	382	4
<code>\footnote</code>	87	6450	6538	5
<code>\footnoteno</code>	9198	9205	9214	4
<code>\footnoterule</code>	407			1
<code>\footnotestyle</code>	9208			1
<code>\footstrut</code>	9272			1
<code>\forall</code>	10925			1
<code>\frac</code>	3322			1
<code>\frenchspacing</code>	625	7011		2
<code>\frown</code>	11029			1
<code>\ftable</code>	4106			1
<code>\fullindexsortkey</code>	5212	5267	5268	4
<code>\futurelet</code>	2782	2806	2923	8
<code>\gamma</code>	10739			1
<code>\Gamma</code>	10701			1
<code>\gdef</code>	122	123	124	174
<code>\gdefchar</code>	9946	9957	9958	201

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\ge</code>	3478			1
<code>\genhead</code>	6072	6135	6136	4
<code>\geq</code>	3478	4876	5093	4
<code>\getargs</code>	8128	8182		2
<code>\getargsxxx</code>	8182	8183		2
<code>\getargvals</code>	8292	8304	8307	5
<code>\getbottomheadingmarks</code>	293			1
<code>\getcolormarks</code>	294	1264	1656	3
<code>\getevenfootingmarks</code>	365			1
<code>\getevenheadingmarks</code>	363	418		2
<code>\getfilename</code>	1526	1782	8832	4
<code>\getfloatno</code>	9507	9616		2
<code>\getmacargs</code>	8183	8185		2
<code>\getmacname</code>	8183	8184		2
<code>\getoddfootingmarks</code>	365			1
<code>\getoddheadingmarks</code>	363	418		2
<code>\gettopheadingmarks</code>	289			1
<code>\gg</code>	10997			1
<code>\global</code>	106	336	337	183
<code>\globaldefs</code>	197	2537	3328	19
<code>\globallet</code>	10260	10325	11116	3
<code>\gloggingall</code>	197			1
<code>\go</code>	4328	4334	4342	6
<code>\gobble</code>	174	1588	1589	19
<code>\gobbledefun</code>	7587	7589		2
<code>\gobblesave</code>	9324	9331		2
<code>\grave</code>	3279			1
<code>\group</code>	658			1
<code>\groupbox</code>	655	665	692	6
<code>\groupinvalidhelp</code>	660	709		2
<code>\gtemp</code>	9588	9590	9593	4
<code>\gtr</code>	4849	5563	11433	4
<code>\guillemetleft</code>	3608	3609	4877	6
<code>\guillemetright</code>	3610	3611	4878	6
<code>\guillemotleft</code>	3609			1
<code>\guillemotright</code>	3611			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\guilsinglleft</code>	3612	4879	5096	4
<code>\guilsinglright</code>	3613	4880	5097	4
<code>\H</code>	4931	10107	10133	10
<code>\halign</code>	4414			1
<code>\hang</code>	9266			1
<code>\hangindent</code>	6487	6635		2
<code>\hash</code>	8206	8221	8222	4
<code>\hat</code>	3278	4850		2
<code>\hatchar</code>	11421	11422		2
<code>\havexrefstrue</code>	9130			1
<code>\hbadness</code>	4384	7293	7301	5
<code>\hbar</code>	10942			1
<code>\hbox</code>	606	638	773	76
<code>\heading</code>	6326			1
<code>\headingmarks</code>	3903	3904	3905	9
<code>\headings</code>	3930			1
<code>\HEADINGSafter</code>	3964	3965		2
<code>\HEADINGSdouble</code>	3950	3962	6379	3
<code>\HEADINGSdoubleafter</code>	3965			1
<code>\HEADINGSdoublex</code>	3952	3964	3966	3
<code>\HEADINGShook</code>	3845	3846	3964	4
<code>\headingsoff</code>	3932	3937	5975	4
<code>\HEADINGSoff</code>	3937	3938		2
<code>\HEADINGSon</code>	3770	3962	6369	5
<code>\HEADINGSsingle</code>	3958	6374		2
<code>\HEADINGSsingleafter</code>	3976			1
<code>\HEADINGSsinglechapoff</code>	3988	6369		2
<code>\HEADINGSsinglex</code>	3960	3976	3977	3
<code>\headitem</code>	4358			1
<code>\headitemcrhook</code>	4361	4367	4399	4
<code>\headitemfont</code>	4357			1
<code>\headline</code>	1266	1658	3837	3
<code>\headlinebox</code>	316	364	380	3
<code>\headtype</code>	6085	6086	6093	7
<code>\heartsuit</code>	11038			1
<code>\hfil</code>	606	773	773	54

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\hfill</code>	5652			1
<code>\hfuzz</code>	7157	7157	11373	3
<code>\hidewidth</code>	3634	3634		2
<code>\hoffset</code>	347	349	350	5
<code>\hookleftarrow</code>	10958			1
<code>\hookrightarrow</code>	10959			1
<code>\hrule</code>	3537	3541	3774	8
<code>\hsize</code>	361	405	797	41
<code>\hskip</code>	777	795	797	24
<code>\hskip1em</code>	6954			1
<code>\hss</code>	4203	6848	6892	4
<code>\ht</code>	382	692	725	6
<code>\ht0</code>	3455	3633	5910	3
<code>\ht1</code>	5928	5937	5944	7
<code>\ht3</code>	5928	5944		2
<code>\html</code>	4467			1
<code>\hyphenation</code>	180			1
<code>\hyphenchar</code>	2836	2837	7858	4
<code>\hyphenpenalty</code>	3786	5728	6634	4
<code>\i</code>	90	2815	4942	7
<code>\if</code>	578	5495	6086	13
<code>\if1</code>	8140	8155		2
<code>\ifallowcodebreaks</code>	2909	2962		2
<code>\ifampseen</code>	7898	7902	7913	3
<code>\ifcase</code>	1131	4006	6108	6
<code>\ifcase0</code>	290	291		2
<code>\ifcase1</code>	293	415		2
<code>\ifcase2</code>	294			1
<code>\ifchapterpage</code>	412	3838		2
<code>\ifclear</code>	4666			1
<code>\ifclearfail</code>	4666	4667		2
<code>\ifcmddefinedfail</code>	4675	4686		2
<code>\ifcmdnotdefinedfail</code>	4691	4692		2
<code>\ifcommanddefined</code>	4675			1
<code>\ifcommandnotdefined</code>	4690			1
<code>\ifdim</code>	228	230	232	48

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\ifdim2</code>	5937			1
<code>\ifdim4</code>	5944			1
<code>\ifdocbook</code>	4468			1
<code>\ifdoingtypefn</code>	7636	7775		2
<code>\ifeof</code>	1287	1288	1289	21
<code>\iffinishedtitlepage</code>	3718	3748	3758	3
<code>\iffloat</code>	8904	9087	9642	3
<code>\iffloattype</code>	9090	9102	9649	3
<code>\ifhavexrefs</code>	8652	8812	9047	4
<code>\ifhmode</code>	881	5380	7106	7
<code>\ifhtml</code>	4469			1
<code>\ifimagevmode</code>	9390	9404	9441	3
<code>\ifincodeindex</code>	5230	5299		2
<code>\ifinfo</code>	4470			1
<code>\ifinner</code>	4205			1
<code>\ifitemxneedsnegativevskip</code>	4038	4040		2
<code>\iflinks</code>	5138	5152	6690	7
<code>\ifmmode</code>	2950	3269	3315	8
<code>\ifmonospace</code>	2692	2709	2725	10
<code>\ifnottex</code>	4471			1
<code>\ifnum</code>	228	230	232	98
<code>\ifnum0</code>	1572	1821		2
<code>\ifodd</code>	349	363	365	9
<code>\ifont</code>	2577	2614		2
<code>\ifpassthroughchars</code>	9948	10231	10238	7
<code>\ifpdf</code>	1038	1140	1150	10
<code>\ifpdfmakepagedest</code>	378	1039		2
<code>\ifpdforxetex</code>	1138	3138	5657	4
<code>\ifplaintext</code>	4472			1
<code>\ifr</code>	408			1
<code>\ifrecursive</code>	8002	8150		2
<code>\ifrettypeownline</code>	7637	7797	7835	3
<code>\ifrmisbold</code>	2619	2626	2634	3
<code>\ifseenauthor</code>	3717	3819		2
<code>\ifset</code>	4645			1
<code>\ifsetfail</code>	4645	4656		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\ifsetpercent</code>	4313	4333	4428	3
<code>\iftocfileopened</code>	6679	6685		2
<code>\iftopmarksaved</code>	332	335		2
<code>\iftxinativeunicodetoccapable</code>	9776	9876	9883	7
<code>\iftxiusebytewiseio</code>	9777			1
<code>\iftxiuseunicodetocdestname</code>	1045	1334	1678	3
<code>\ifurefurlonlylink</code>	2993	3021	3034	3
<code>\ifusingit</code>	3590	3593	3665	6
<code>\ifusingtt</code>	2780	2950	11403	4
<code>\ifvmode</code>	9396			1
<code>\ifvoid</code>	402	404	407	4
<code>\ifwarnednoepsf</code>	9367	9374		2
<code>\ifwarnedxrefs</code>	8653	9051		2
<code>\ifx</code>	4	115	122	277
<code>\ifxml</code>	4473			1
<code>\ignore</code>	4474			1
<code>\ignorenode</code>	8680	8686		2
<code>\ignorenodebye</code>	8687	8691		2
<code>\ignorenodebyedef</code>	8691	8692		2
<code>\ignorespaces</code>	606	795	797	38
<code>\ii</code>	2823			1
<code>\Im</code>	10943			1
<code>\imacro</code>	3431	3435		2
<code>\image</code>	4962	9372		2
<code>\imageindent</code>	1006	9420		2
<code>\imagevmodetrue</code>	9397	9400		2
<code>\imagexxx</code>	9380	9391		2
<code>\imath</code>	3435			1
<code>\immediate</code>	69	1313	1315	16
<code>\in</code>	10927			1
<code>\include</code>	830			1
<code>\includezzz</code>	830	831		2
<code>\incodeindexfalse</code>	5300			1
<code>\incodeindextrue</code>	5301			1
<code>\indent</code>	91	994	994	7
<code>\indentedblockstart</code>	7315	7346	7348	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\indententry</code>	5748	5749	5751	3
<code>\indexatchar</code>	4985	5248	5543	3
<code>\indexbackslash</code>	4986	5250	5544	3
<code>\indexdotfill</code>	5655	5742		2
<code>\indexisfl</code>	5171	5179	5464	3
<code>\indexlbrace</code>	4983	5244	5541	3
<code>\indexname</code>	4774	4775	4778	12
<code>\indexnofonts</code>	222	837	1331	17
<code>\indexnofontsdef</code>	5076	5131		2
<code>\indexnofontsvalue</code>	4630	5126		2
<code>\indexnonalnumdisappear</code>	4997	5259		2
<code>\indexnonalnumreappear</code>	5019	5186		2
<code>\indexrbrace</code>	4984	5245	5542	3
<code>\indexsortkey</code>	5189	5253	5258	7
<code>\indextext</code>	5144	5158	5319	4
<code>\indexwriteseecalso</code>	5192	5240		2
<code>\indexwriteseentry</code>	5195	5241		2
<code>\indexwritsortas</code>	5184	5239		2
<code>\indexwritsortasxxx</code>	5187	5188		2
<code>\indicateurl</code>	2867	4963		2
<code>\inenvironment</code>	564	565	567	4
<code>\infirstlevel</code>	7912	7924	7928	3
<code>\infofilename</code>	8792	8793	8938	3
<code>\infofilenamebox</code>	8782	8793	8933	3
<code>\inforef</code>	4964	8656		2
<code>\inforefzzz</code>	8656	8657		2
<code>\infty</code>	10930			1
<code>\initial</code>	5567			1
<code>\initialglyphs</code>	5539	5569		2
<code>\initialx</code>	5570	5573		2
<code>\inleftmargin</code>	802	823		2
<code>\inlinfmt</code>	3350			1
<code>\inlinfmtifelse</code>	3358			1
<code>\inlinfmtname</code>	3352	3353	3360	4
<code>\inlinefclear</code>	3391			1
<code>\inlineifset</code>	3382			1



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\inlineraw</code>	3372			1
<code>\inlinerawname</code>	3375	3376		2
<code>\inlinevarname</code>	3384	3385	3393	4
<code>\inmargin</code>	809			1
<code>\inmarginspacing</code>	783	783	795	4
<code>\input</code>	4	839	1510	13
<code>\inputlineno</code>	115	118		2
<code>\inrightmargin</code>	803	821		2
<code>\insert</code>	92	5339	9236	5
<code>\insertcopying</code>	7531			1
<code>\insertword</code>	973	979		2
<code>\interfootnotelinepenalty</code>	9246			1
<code>\interlinepenalty</code>	7598	9246		2
<code>\internalBitem</code>	4042	4148		2
<code>\internalBitemx</code>	4043	4149		2
<code>\internalpagesizes</code>	11177	11225	11236	10
<code>\iota</code>	10726	10730	10745	4
<code>\isfinish</code>	5223	5276		2
<code>\it</code>	2558	2786	2823	18
<code>\itbshape</code>	2215	2294	2308	9
<code>\item</code>	4098	4148	4184	4
<code>\itemcontents</code>	4178	4179	4182	5
<code>\itemindent</code>	4026	4026	4165	5
<code>\itemindex</code>	4049	4103	4107	4
<code>\itemindicate</code>	4048	4126		2
<code>\itemize</code>	4161			1
<code>\itemizeitem</code>	4184	4189		2
<code>\itemmargin</code>	4028	4028	4090	6
<code>\itemmax</code>	4031	4057	4090	7
<code>\itemno</code>	4159	4190	4265	11
<code>\itemx</code>	4099	4149		2
<code>\itemxneedsnegativevskipfalse</code>	4081			1
<code>\itemxneedsnegativevskiptrue</code>	4094			1
<code>\itemxpar</code>	4040	4043		2
<code>\itemzzz</code>	4042	4043	4045	3
<code>\itfam</code>	2558	2578	2584	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\itfont</code>	2578	2608		2
<code>\itshape</code>	2214	2232	2254	11
<code>\j</code>	3436			1
<code>\jmacro</code>	3432	3436		2
<code>\jmath</code>	3436			1
<code>\jobname</code>	5173	5177	5467	17
<code>\kappa</code>	10564	10746		2
<code>\kbd</code>	3176	4965		2
<code>\kbdexamplefont</code>	3157	3159	3161	4
<code>\kbdfont</code>	3157	3159	3161	6
<code>\kbdinputstyle</code>	3154	3172		2
<code>\kbdsub</code>	3176	3179		2
<code>\kern</code>	405	408	750	27
<code>\kern1pt</code>	405			1
<code>\kern2</code>	3539	3539		2
<code>\kern3pt</code>	3538	3540	7128	6
<code>\kern7sp</code>	8988	8989		2
<code>\key</code>	3178	3181	3200	4
<code>\keywordfalse</code>	2965	2971		2
<code>\keywordtrue</code>	2964	2969		2
<code>\kindex</code>	5444			1
<code>\kyindex</code>	5444			1
<code>\l</code>	4838	5067	10097	4
<code>\L</code>	4830	5059	10080	4
<code>\labelspace</code>	6867	6878	6883	7
<code>\lambda</code>	10747			1
<code>\Lambda</code>	10709			1
<code>\langle</code>	2664	11047		2
<code>\language</code>	9765			1
<code>\lastnegativepageno</code>	6737	6737	6757	4
<code>\lastnode</code>	5973	6693	8672	8
<code>\lastpenalty</code>	228	230	232	17
<code>\lastsavedimageresourceindex</code>	1111			1
<code>\lastskip</code>	228	230	232	8
<code>\lastskipmacro</code>	5385	5393	5400	3
<code>\LaTeX</code>	3452	4857	5078	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\latnine</code>	9867	9889		2
<code>\latninechardefs</code>	9894	10061		2
<code>\latone</code>	1335	1358	9868	4
<code>\latonechardefs</code>	9887	9956	10063	3
<code>\lattwo</code>	9869	9875		2
<code>\lattwochardefs</code>	9880	10076		2
<code>\lbrace</code>	3406			1
<code>\lbracechar</code>	3406	3408	4881	8
<code>\lbracecharliteral</code>	1507	1515	1756	4
<code>\lbrack</code>	7887			1
<code>\lbrb</code>	7890	7933		2
<code>\lccode</code>	4245	4249	4278	3
<code>\lceil</code>	11025			1
<code>\ldots</code>	7013	7013	7013	4
<code>\le</code>	3479			1
<code>\leaders</code>	7086	7089		2
<code>\leavevmode</code>	599	638	1554	23
<code>\leftarrow</code>	10948			1
<code>\Leftarrow</code>	10965			1
<code>\leftharpoondown</code>	10961			1
<code>\leftharpoonup</code>	10960			1
<code>\leftthypenmin</code>	9768			1
<code>\leftline</code>	777	3820	5592	4
<code>\leftrightarrow</code>	10951			1
<code>\Leftrightarrow</code>	10968			1
<code>\leftskip</code>	776	777	891	33
<code>\leftskipOpt</code>	7291	7299		2
<code>\lefttext</code>	813	816	823	3
<code>\leq</code>	3479	4882	5098	4
<code>\less</code>	4851	5562	11431	4
<code>\let</code>	75	78	79	466
<code>\letterpaper</code>	11220	11370		2
<code>\lfloor</code>	11027			1
<code>\line</code>	893	906	1255	21
<code>\linenumber</code>	116	118	9049	5
<code>\linepenalty</code>	5727			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\lineskip</code>	7116	7124	7133	3
<code>\lineskipfactor</code>	1901	1912		2
<code>\linkcolor</code>	1404	1584	1704	6
<code>\linksfalse</code>	9112			1
<code>\linkstrue</code>	9111			1
<code>\lispnarrowing</code>	955	957	7024	13
<code>\lisppar</code>	524	7029	7159	3
<code>\listoffloats</code>	9655			1
<code>\listoffloatsdo</code>	9674	9688		2
<code>\listoffloatsdoentry</code>	9688	9689		2
<code>\ll</code>	10996			1
<code>\llap</code>	795			1
<code>\llsize</code>	2625	2643		2
<code>\lnkcount</code>	1027			1
<code>\lnot</code>	9969	10415		2
<code>\loggingall</code>	197	198		2
<code>\long</code>	549	3350	3351	20
<code>\longleftarrow</code>	11048			1
<code>\longleftrightarrow</code>	11050			1
<code>\longmapsto</code>	11051			1
<code>\longpop</code>	8326	8440		2
<code>\longrightarrow</code>	11049			1
<code>\look</code>	3176	3176	3182	4
<code>\loop</code>	5925	9841	9849	3
<code>\lower</code>	3520	3544		2
<code>\lowercaseenumerate</code>	4250	4270		2
<code>\lowersections</code>	6055			1
<code>\lparen</code>	7879	7886		2
<code>\lq</code>	2699	2769	2864	4
<code>\lsize</code>	2633	2643		2
<code>\lskip</code>	7085	7088	7092	6
<code>\luaescapestring</code>	1080	1101		2
<code>\luatexversion</code>	1048	1102	1369	5
<code>\macargdeflist</code>	8293	8335	8380	4
<code>\macargexpandinbody</code>	8315	8377	8418	3
<code>\macname</code>	8001	8140	8141	29

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\macnamexxx</code>	8623	8630		2
<code>\macro</code>	8124			1
<code>\macroargtxt</code>	8095	8298	8499	4
<code>\macrobody</code>	8237	8239	8479	6
<code>\macrobodytxt</code>	8082	8149		2
<code>\macrochara</code>	3628	3640		2
<code>\macrocharA</code>	3627	3639		2
<code>\macrochare</code>	3630	3642		2
<code>\macrocharE</code>	3629	3641		2
<code>\macrolineargtxt</code>	8103	8629		2
<code>\macrolist</code>	4904	5125	8008	7
<code>\macroname</code>	8296	8313	8366	5
<code>\macroxxx</code>	8124	8125	8127	3
<code>\macscribble</code>	7964	7967	7968	4
<code>\macvalstoargs</code>	8352	8383		2
<code>\magicamp</code>	7688	7891		2
<code>\magstep1</code>	2242	2243	2244	21
<code>\magstep2</code>	2307	2310	2315	13
<code>\magstep3</code>	2293	2296	2301	11
<code>\magstep4</code>	2294	2295	2297	10
<code>\magstephalf</code>	2228	2336	2339	9
<code>\maincolor</code>	1248	1249	1250	13
<code>\mainmagstep</code>	2228	2229	2230	22
<code>\majorheading</code>	6313			1
<code>\makecond</code>	4451	4455	4456	11
<code>\makecsname</code>	177	4567	4711	9
<code>\makedefun</code>	7614	7676	7679	21
<code>\makedispenvdef</code>	7224	7233	7234	7
<code>\makefootline</code>	366	1253	1645	3
<code>\makeheadline</code>	364	1258	1650	3
<code>\makelink</code>	1572	1580	1821	4
<code>\makeSAVEname</code>	9313	9318	9336	3
<code>\maketoks</code>	1561	1563	1565	8
<code>\maketwodispenvdef</code>	7232	7243		2
<code>\makevalueexpandable</code>	835	1332	1356	17
<code>\mapsto</code>	3519	10957		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\margbackslash</code>	8122			1
<code>\margin</code>	397	397	404	6
<code>\mark</code>	274			1
<code>\math</code>	3268	4967	5544	4
<code>\mathactive</code>	3273	3300	6988	3
<code>\mathbackslash</code>	3266	3272		2
<code>\mathchar</code>	2951	3266		2
<code>\mathchardef</code>	11062			1
<code>\mathhexbox20D</code>	3693			1
<code>\mathinner</code>	7013			1
<code>\mathop</code>	3285	4883		2
<code>\mathsurround</code>	5743	7014		2
<code>\mathunderscore</code>	3256	3271		2
<code>\maxdepth</code>	400	5822		2
<code>\maxdimen</code>	206	206	397	3
<code>\maxsecllevel</code>	6058	6062		2
<code>\maybemarginindex</code>	5304	5337		2
<code>\maybeshapeline</code>	7799	7801	7808	3
<code>\medbreak</code>	230	7550	7609	3
<code>\medskip</code>	231	7570	9405	4
<code>\medskipamount</code>	230			1
<code>\menu</code>	4475			1
<code>\message</code>	59	64	1024	36
<code>\mid</code>	10983			1
<code>\mil</code>	716	716	724	8
<code>\minus</code>	3480	4884	5100	4
<code>\missingcharmsg</code>	9935	10081	10545	9
<code>\mit</code>	10701	10702	10706	11
<code>\mkern1</code>	5743	5743		2
<code>\models</code>	11016			1
<code>\month</code>	4006			1
<code>\mp</code>	10978			1
<code>\mu</code>	9979	10425	10748	3
<code>\multiply</code>	7431	10357		2
<code>\multitable</code>	4359	4369	4373	3
<code>\nabla</code>	10972			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\nativeunicodechardefs</code>	9899	11106		2
<code>\nativeunicodechardefsatu</code>	11120	11133		2
<code>\natural</code>	11042			1
<code>\nchar</code>	8623	8625		2
<code>\narrow</code>	10954			1
<code>\need</code>	718			1
<code>\neq</code>	10995			1
<code>\newbox</code>	316	317	655	14
<code>\newcodeindex</code>	4733	4735	4743	7
<code>\newcount</code>	897	1026	1027	33
<code>\newdimen</code>	244	244	245	22
<code>\newfam</code>	2565			1
<code>\newhelp</code>	587	709	1220	5
<code>\newif</code>	332	412	1038	27
<code>\newindex</code>	4721	4729	4742	3
<code>\newinsert</code>	397			1
<code>\newlinechar</code>	110	7979		2
<code>\newsaveins</code>	9335	9347	9348	3
<code>\newsaveinsX</code>	9336	9339		2
<code>\newskip</code>	770	783	3713	20
<code>\newtoks</code>	312	331	1028	15
<code>\newwrite</code>	95	4711	5167	6
<code>\next</code>	524	524	524	71
<code>\nextsp</code>	1520	1521	1525	6
<code>\nil</code>	8281	8282	8283	5
<code>\nillm</code>	8283	8310	8317	3
<code>\nilm</code>	8282	8308	8417	3
<code>\noalign</code>	4391			1
<code>\nobreak</code>	753	787	3101	32
<code>\node</code>	8667	8686	8686	3
<code>\noepsfhelp</code>	9368	9375		2
<code>\noexpand</code>	177	276	277	80
<code>\nofillexdent</code>	776	7175		2
<code>\nohyphenation</code>	2836	2884	3201	3
<code>\noindent</code>	96	995	995	13
<code>\nointerlineskip</code>	1270	1662		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\nolanghelp</code>	9732	9742		2
<code>\noligaturesquoteleft</code>	2769			1
<code>\nominalsize</code>	3658	3661	3665	4
<code>\nonarrowing</code>	7075	7169	7173	10
<code>\noneword</code>	931	937	954	4
<code>\nonfillindent</code>	7166	7184	7193	3
<code>\nonfillindentbox</code>	7189	7194		2
<code>\nonfillindentcheck</code>	7184	7185		2
<code>\nonfillindentgobble</code>	7187	7193		2
<code>\nonfillparindent</code>	7154	7164	7194	3
<code>\nonfillstart</code>	7155	7244	7252	7
<code>\nopdfimagehelp</code>	1220	1293		2
<code>\nopretolerance</code>	2999	3006		2
<code>\norecurse</code>	8523			1
<code>\normalamp</code>	3072			1
<code>\normalbaselines</code>	1913	3795		2
<code>\normalbaselineskip</code>	1911	1912	3795	3
<code>\normalcaret</code>	5557	11389		2
<code>\normaldash</code>	2913	2925	2941	8
<code>\normaldollar</code>	11385	11436		2
<code>\normaldot</code>	3073			1
<code>\normaldoublequote</code>	11384			1
<code>\normalgreater</code>	11388			1
<code>\normalhash</code>	3074			1
<code>\normalless</code>	5021	11387		2
<code>\normallineskip</code>	1912			1
<code>\normaloffset</code>	306	347	11193	4
<code>\normalplus</code>	5564	11386		2
<code>\normalquest</code>	3075			1
<code>\normalslash</code>	3076	5555		2
<code>\normaltilde</code>	5558	11392		2
<code>\normalturnoffactive</code>	1546	1797	4907	5
<code>\normalunderscore</code>	2952	4600	5047	6
<code>\normalverticalbar</code>	11391			1
<code>\normbskip</code>	7101	7116	7132	3
<code>\normlskip</code>	7101	7116	7133	3



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\normpskip</code>	7101	7116	7134	3
<code>\nosmallword</code>	7202	7215		2
<code>\notin</code>	10973			1
<code>\novalidate</code>	9112			1
<code>\nu</code>	10749			1
<code>\null</code>	799	2811	2860	14
<code>\number</code>	4005	4011		2
<code>\numberedsec</code>	6165	6232	6307	3
<code>\numberedsubsec</code>	6166	6256	6308	3
<code>\numberedsubseczzz</code>	6126	6257		2
<code>\numberedsubsubsec</code>	6167	6281	6309	3
<code>\numberedsubsubseczzz</code>	6127	6282		2
<code>\numchapentry</code>	1439	1462	1466	8
<code>\numeralbox</code>	6859	6867	6874	3
<code>\numericenumerate</code>	4246	4257	4264	3
<code>\numexpr</code>	1108	1117		2
<code>\numhead</code>	6135			1
<code>\numhead0</code>	6146			1
<code>\numhead1</code>	6232			1
<code>\numhead2</code>	6256			1
<code>\numhead3</code>	6281			1
<code>\numsecentry</code>	1444	1463	1467	18
<code>\numsubsecentry</code>	1449	1464	1468	10
<code>\numsubsubsecentry</code>	1453	1465	1469	10
<code>\nwarrow</code>	10953			1
<code>\o</code>	4839	5071	10050	5
<code>\O</code>	4831	5061	10016	5
<code>\obeyedspace</code>	508	8641		2
<code>\obeylines</code>	439	445	3327	10
<code>\obeyspaces</code>	507	515	7179	4
<code>\oddchapheadline</code>	3832	3839	3866	7
<code>\oddfooting</code>	3875			1
<code>\oddfootingmarks</code>	3906			1
<code>\oddfootingxxx</code>	3875	3876	3886	3
<code>\oddfootingyyy</code>	3876	3877		2
<code>\oddfootline</code>	3834	3844	3878	7

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\oddheading</code>	3862			1
<code>\oddheadingmarks</code>	3904			1
<code>\oddheadingxxx</code>	3862	3863	3868	3
<code>\oddheadingyyy</code>	3863	3864		2
<code>\oddheadline</code>	3830	3841	3865	9
<code>\odot</code>	11011			1
<code>\oe</code>	4840	5068	10071	4
<code>\OE</code>	4832	5060	10070	4
<code>\offword</code>	623	628	2745	6
<code>\ogonek</code>	3625	4885	4933	17
<code>\oint</code>	10987			1
<code>\oldpage</code>	3746	3751	3765	3
<code>\omega</code>	10761	10768		2
<code>\Omega</code>	10723			1
<code>\ominus</code>	11008			1
<code>\omitkeyword</code>	6680	6684		2
<code>\omittopnode</code>	8672	8678		2
<code>\one</code>	3180	3181		2
<code>\onpageout</code>	313	346	5829	3
<code>\onword</code>	622	627	2742	6
<code>\oalign</code>	3634	3679		2
<code>\openin</code>	1287	1288	1289	19
<code>\openout</code>	5173	6686	7967	4
<code>\oplus</code>	11007			1
<code>\opnr</code>	7890	7921		2
<code>\option</code>	2984	4968		2
<code>\or</code>	276	4007	4007	23
<code>\Orb</code>	3680	3692	3693	3
<code>\ordf</code>	3427	4841	5069	5
<code>\ordm</code>	3428	4842	5070	5
<code>\oslash</code>	11010			1
<code>\other</code>	71	848	849	109
<code>\otherbackslash</code>	1509	1758	4794	4
<code>\otimes</code>	11009			1
<code>\outer</code>	1021	5966	6146	15
<code>\outerhsize</code>	244	11189	11190	3

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\outervsize</code>	244	11184	11185	3
<code>\outfmtnametex</code>	3348	3353	3361	4
<code>\output</code>	314	5771	5783	5
<code>\outputmode</code>	1105			1
<code>\outputpenalty</code>	394	5831		2
<code>\over</code>	3322			1
<code>\over2</code>	9987	10433		2
<code>\over4</code>	9986	9988	10432	4
<code>\overfullrule</code>	242	4387		2
<code>\owns</code>	10974			1
<code>\P</code>	9980	10426		2
<code>\page</code>	699	763	3733	8
<code>\PAGE</code>	311	313	5776	8
<code>\pagebody</code>	381	400		2
<code>\pagecontents</code>	313	402		2
<code>\pagecount</code>	1176	1176	1182	6
<code>\pagegoal</code>	5896			1
<code>\pageheight</code>	1119			1
<code>\pagelabels</code>	1021	1151	1173	3
<code>\pageno</code>	349	363	365	16
<code>\pagenumbertext</code>	5193	5196	5254	5
<code>\pageone</code>	3941	3951	3959	4
<code>\pagesizes</code>	11346			1
<code>\pagesizesyyy</code>	11346	11347		2
<code>\pagesofar</code>	5829	5836	5914	4
<code>\pagetotal</code>	694	698	5768	4
<code>\pagewidth</code>	1118			1
<code>\par</code>	228	230	232	38
<code>\paragraphindent</code>	933			1
<code>\parallel</code>	10931			1
<code>\paramlist</code>	8205	8222	8222	11
<code>\paramno</code>	8000	8130	8133	15
<code>\paramno0</code>	8212	8359		2
<code>\parencount</code>	7895	7905	7914	7
<code>\parenfont</code>	7901	7923	7927	3
<code>\parfillskip</code>	5679	5690	6499	5

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\parindent</code>	943	996	3738	19
<code>\parsearg</code>	435	501	3856	27
<code>\parseargdef</code>	497	550	577	56
<code>\parseargline</code>	442	446		2
<code>\parseargusing</code>	435	436	830	7
<code>\parseinmargin</code>	809	810		2
<code>\parsemacbody</code>	8151	8236		2
<code>\parsemargdef</code>	8132	8204		2
<code>\parsemargdefxxx</code>	8210	8216	8218	3
<code>\parsemmanyargdef</code>	8213	8264	8267	3
<code>\parsermacbody</code>	8150	8238		2
<code>\parseUTFviiiA</code>	10335	10338	10339	7
<code>\parseUTFviiiB</code>	10336	10340	10345	4
<code>\parseXMLCharref</code>	10306	10330		2
<code>\parshape</code>	5709	7808		2
<code>\parskip</code>	904	2509	4040	37
<code>\part</code>	5966			1
<code>\partentry</code>	1438	1729	6790	4
<code>\partial</code>	10970			1
<code>\partialpage</code>	5763	5774	5809	5
<code>\partzzz</code>	5966	5967		2
<code>\passargtomacro</code>	8503	8627		2
<code>\passthroughcharsfalse</code>	1343	1348	1374	6
<code>\passthroughcharstrue</code>	1362	1379	8072	3
<code>\pchapsepmacro</code>	5978	6368	6373	5
<code>\pdfannotlink</code>	1534			1
<code>\pdfcatalog</code>	1107	1167	1169	4
<code>\pdfdest</code>	378	1104	1396	5
<code>\pdfdestname</code>	1350	1351	1396	20
<code>\pdfendlink</code>	1112	1405	1705	3
<code>\pdfescapestring</code>	1101	1201	1208	3
<code>\pdfescapestrutsixteen</code>	1080	1212	1216	3
<code>\pdfextension</code>	1104	1106	1107	8
<code>\pdffeedback</code>	1108	1117		2
<code>\pdffontattr</code>	1115	1930	2013	5
<code>\pdfgettoks</code>	1561	1810	5658	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\pdfhorigin</code>	1120	11201		2
<code>\pdfimage</code>	1313			1
<code>\pdfimageheight</code>	1279	1318		2
<code>\pdfimagewidth</code>	1278	1317		2
<code>\pdfimgext</code>	1285	1295	1297	9
<code>\pdflastobj</code>	1117	2013	2101	4
<code>\pdflastximage</code>	1111	1325		2
<code>\pdflink</code>	1581	1582	1830	4
<code>\pdfliteral</code>	1106	1238		2
<code>\pdfmakeoutlines</code>	1435	1593	1718	4
<code>\pdfmakepagedesttrue</code>	6706			1
<code>\pdfmkdest</code>	1394	1588	1697	4
<code>\pdfmkpgn</code>	1400	1432	1583	4
<code>\pdfobj</code>	1116	1933	2019	4
<code>\pdforxetexfalse</code>	1139			1
<code>\pdforxetextrue</code>	1141	1144		2
<code>\pdfoutline</code>	1113	1432		2
<code>\pdfoutlinetext</code>	1366	1375	1380	9
<code>\pdfoutput</code>	1105	1127	1129	4
<code>\pdfpageheight</code>	1119	11197	11207	3
<code>\pdfpagewidth</code>	1118	11198	11208	3
<code>\pdfrefximage</code>	1110	1325		2
<code>\pdfsetcolor</code>	1238	1245	1249	13
<code>\pdfstartlink</code>	1114	1536		2
<code>\pdfTEXversion</code>	1108	1312	1319	5
<code>\pdftrue</code>	1133			1
<code>\pdfurl</code>	1539	1589	1790	5
<code>\pdfvariable</code>	1120	1121		2
<code>\pdfvorigin</code>	1121	11202		2
<code>\pdfximage</code>	1109	1315		2
<code>\penalty</code>	229	231	233	19
<code>\penalty0</code>	3122	5873		2
<code>\penalty100</code>	7050			1
<code>\penalty1000</code>	3124			1
<code>\penalty2000</code>	7566			1
<code>\penalty3000</code>	7584			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\penalty9999</code>	747			1
<code>\perp</code>	11046			1
<code>\pgindex</code>	5448			1
<code>\pgn</code>	1030			1
<code>\phi</code>	10758			1
<code>\Phi</code>	10720			1
<code>\pi</code>	10752			1
<code>\Pi</code>	10714			1
<code>\pickupwholefraction</code>	4318	4334	4342	4
<code>\pindex</code>	5448			1
<code>\placesaveins</code>	9321	9323		2
<code>\plainfrenchspacing</code>	627	2844	2859	7
<code>\plainnonfrenchspacing</code>	628	2849		2
<code>\pm</code>	9975	10421		2
<code>\point</code>	3516	4887	5101	3
<code>\pop</code>	8323	8436		2
<code>\popthisfilestack</code>	845	862	868	5
<code>\poptoks</code>	1564	1566	1813	4
<code>\pounds</code>	3548	4886	5102	5
<code>\PP</code>	1519	1520	1522	6
<code>\prec</code>	10998			1
<code>\preceq</code>	11059			1
<code>\pretolerance</code>	3000	3001		2
<code>\prevchapterdefs</code>	271	300	6399	4
<code>\prevchaptername</code>	416	421		2
<code>\prevdepth</code>	683	686		2
<code>\prevsectiondefs</code>	272	301	6400	6
<code>\primary</code>	5746			1
<code>\prime</code>	10941			1
<code>\print</code>	3520	4888	5103	3
<code>\printdefunline</code>	7593	7630		2
<code>\printedmanual</code>	8795	8796	8916	4
<code>\printedmanualbox</code>	8783	8796	8808	5
<code>\printedrefname</code>	8789	8790	8804	10
<code>\printedrefnamebox</code>	8781	8790	8800	4
<code>\printindex</code>	5455			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\printindexzz</code>	5483	5493		2
<code>\prod</code>	10975			1
<code>\propto</code>	10981			1
<code>\psi</code>	10760			1
<code>\Psi</code>	10722			1
<code>\ptexb</code>	78	3420	6991	3
<code>\ptexbullet</code>	79	3477	6992	3
<code>\ptexc</code>	80	3416	6993	4
<code>\ptexcomma</code>	81	6994		2
<code>\ptexdot</code>	82	3417	6995	3
<code>\ptexdots</code>	83	6996		2
<code>\ptexend</code>	84	1021		2
<code>\ptexequiv</code>	85	3521	6997	3
<code>\ptexexclam</code>	86	6998		2
<code>\ptexfootnote</code>	87			1
<code>\ptexgrtr</code>	88	3303		2
<code>\ptexhat</code>	89	3301		2
<code>\ptexi</code>	90	3435	6999	3
<code>\ptexindent</code>	91	1000	7000	3
<code>\ptexinsert</code>	92	9302	9324	3
<code>\ptexlbrace</code>	93	7002		2
<code>\ptexless</code>	94	3302		2
<code>\ptexnewwrite</code>	95			1
<code>\ptexnoindent</code>	96	1001	1009	4
<code>\ptexplus</code>	97	3304		2
<code>\ptexquoteright</code>	106	3305		2
<code>\ptexraggedright</code>	98	3789	6634	3
<code>\ptexrbrace</code>	99	7004		2
<code>\ptexslash</code>	100	2796	7005	4
<code>\ptexsp</code>	101	3318	3319	4
<code>\ptexstar</code>	102	7007		2
<code>\ptexsup</code>	103			1
<code>\ptext</code>	104	3419	7009	3
<code>\ptextop</code>	105	7010	11014	3
<code>\ptxadvancepageno</code>	1180	1182		2
<code>\push</code>	8335	8342	8429	3

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
\pushthisfilestack	832	861		2
\pushthisfilestackX	862	864		2
\pushthisfilestackY	865	867		2
\putargsintokens	8362	8399	8402	3
\putwordAppendix	122	122	6179	8
\putwordChapter	123	123	6158	5
\putwordDeffunc	160	160	7748	4
\putwordDefmac	156	156	7749	3
\putwordDefopt	159	159	7753	3
\putwordDefspec	157	157	7750	3
\putwordDefvar	158	158	7752	4
\putworderror	124	124	3531	3
\putwordfile	125	125	8658	3
\putwordin	126	126	8916	4
\putwordIndexIsEmpty	127	127	5481	3
\putwordIndexNonexistent	128	128	5473	3
\putwordInfo	129	129	8658	3
\putwordInstanceVariableof	130	130	7757	4
\putwordMApr	146	146	4007	3
\putwordMAug	150	150	4008	3
\putwordMDec	154	154	4009	3
\putwordMethodon	131	131	7755	4
\putwordMFeb	144	144	4007	3
\putwordMJan	143	143	4007	3
\putwordMJul	149	149	4008	3
\putwordMJun	148	148	4008	3
\putwordMMar	145	145	4007	3
\putwordMMay	147	147	4008	3
\putwordMNov	153	153	4009	3
\putwordMOct	152	152	4009	3
\putwordMSep	151	151	4009	3
\putwordNoTitle	132	132	4016	3
\putwordof	133	133	7716	5
\putwordon	134	134	7679	6
\putwordpage	135	135	8956	3
\putwordsection	136	136		2



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\putwordSection</code>	137	137	6560	11
<code>\putwordsee</code>	138	138	8773	3
<code>\putwordSee</code>	139	139	5203	5
<code>\putwordSeeAlso</code>	5201	5202		2
<code>\putwordShortTOC</code>	140	140	6788	3
<code>\putwordTOC</code>	141	141	6771	3
<code>\pxref</code>	4969	8773		2
<code>\Q</code>	8044			1
<code>\questiondown</code>	3425	4843	5072	5
<code>\quotation</code>	3814			1
<code>\quotationauthor</code>	3816	7327	7329	3
<code>\quotationlabel</code>	7319	7336		2
<code>\quotationstart</code>	7312	7314		2
<code>\quotedblbase</code>	3614	4889	5104	4
<code>\quotedblleft</code>	3702	4890	5105	4
<code>\quotedblright</code>	3706	4891	5106	4
<code>\quoteleft</code>	3697	4892	5107	4
<code>\quoteright</code>	3698	4893	5108	4
<code>\quotesinglbase</code>	3615	4894	5109	4
<code>\r</code>	2821	4943		2
<code>\raggedbottom</code>	6753			1
<code>\raggedcenter</code>	7298			1
<code>\raggedleft</code>	7290			1
<code>\raggedright</code>	98	7285		2
<code>\raggedtitlesettings</code>	3784	3799	6320	4
<code>\raise</code>	3517	3518	3679	3
<code>\raiselex</code>	3427	3428		2
<code>\raisesections</code>	6052			1
<code>\rangle</code>	2665	11045		2
<code>\rbrace</code>	3407			1
<code>\rbracechar</code>	3407	3409	4895	8
<code>\rbracecharliteral</code>	1508	1516	1757	4
<code>\rbrack</code>	7887			1
<code>\rbrb</code>	7890	7937		2
<code>\rceil</code>	11026			1
<code>\Re</code>	10946			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\read</code>	5479			1
<code>\readdatafile</code>	1470	9129	9188	3
<code>\readtocfile</code>	6729	6774	6812	3
<code>\realbackslash</code>	8120			1
<code>\realunder</code>	2914	11427		2
<code>\recursivefalse</code>	8124			1
<code>\recursivetrue</code>	8125			1
<code>\reducedbf</code>	2352	2499		2
<code>\reducedecsize</code>	2360	2507		2
<code>\reducedi</code>	2358	2505		2
<code>\reducedit</code>	2353	2500		2
<code>\reducednominalsize</code>	2349	2496		2
<code>\reducedrm</code>	2350	2497		2
<code>\reducedsc</code>	2356	2503		2
<code>\reducedsf</code>	2355	2502	3531	3
<code>\reducedsl</code>	2354	2501		2
<code>\reducedsy</code>	2359	2506		2
<code>\reducedtt</code>	2351	2498		2
<code>\reducedttsl</code>	2357	2504		2
<code>\ref</code>	4970	8775		2
<code>\refill</code>	1015			1
<code>\refx</code>	8814	8908	8945	6
<code>\registeredsymbol</code>	3678	4868	5111	5
<code>\relax</code>	4	75	163	172
<code>\removelastskip</code>	229	231	233	7
<code>\repeat</code>	5930	9844	9852	3
<code>\requireauxfile</code>	8731	9035	9115	5
<code>\requireopenindexfile</code>	4762	5141	5155	4
<code>\resetallfloatnos</code>	6155	6176	6197	6
<code>\resetmathfonts</code>	2576	2646		2
<code>\rest</code>	4217	4235		2
<code>\restorefirstparagraphindent</code>	994	995	996	5
<code>\restorehyphenation</code>	2836	2837		2
<code>\restoresf</code>	8712	8713		2
<code>\result</code>	3518	4896	5112	4
<code>\rettypeowlinefalse</code>	7774			1

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\rettypeownlinetrue</code>	7778			1
<code>\rfloor</code>	11028			1
<code>\rgbBlack</code>	1234	1248	1403	8
<code>\rgbDarkRed</code>	1233	1627		2
<code>\rho</code>	10753			1
<code>\rightarrow</code>	3517			1
<code>\Rightarrow</code>	3518			1
<code>\rightharpoondown</code>	10963			1
<code>\rightharpoonup</code>	10962			1
<code>\rightthyphenmin</code>	9769			1
<code>\rightleftharpoons</code>	10964			1
<code>\rightline</code>	3807			1
<code>\rightskip</code>	892	906	4046	19
<code>\rightskip0pt</code>	7286	7299		2
<code>\righttext</code>	814	817	821	3
<code>\ringaccent</code>	3418	4934	9996	11
<code>\rlap</code>	405	797	3859	6
<code>\rm</code>	773	777	2364	26
<code>\rmacro</code>	8125			1
<code>\rmbshape</code>	2208	2293	2307	9
<code>\rmfont</code>	2577	2607	2627	5
<code>\rmshape</code>	2207	2229	2251	13
<code>\roman</code>	1153	1160	1163	5
<code>\romancount</code>	1153	1160	1163	9
<code>\rparen</code>	7879	7886		2
<code>\rq</code>	2699	2864	2904	3
<code>\rskip</code>	7087	7090	7092	6
<code>\S</code>	9964	10084	10410	3
<code>\safefloattype</code>	9491	9498	9507	8
<code>\safewhatsit</code>	1396	1699	5145	8
<code>\safexrefname</code>	9075	9079	9087	4
<code>\samp</code>	2864	2867	4971	4
<code>\sansserif</code>	2830	4944		2
<code>\saveaftersmartic</code>	2810	2811		2
<code>\savedtopmark</code>	290	294	331	5
<code>\saveimageresource</code>	1109			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\saveinsert</code>	9303	9312		2
<code>\savepageno</code>	6736	6751	6825	3
<code>\saveparamlist</code>	8294	8362		2
<code>\savesf</code>	8711	8713		2
<code>\savesfregister</code>	8709	8711	8712	3
<code>\savetobox</code>	9313	9319		2
<code>\savetopmark</code>	313	334	5772	5
<code>\sb</code>	3258	3315	3316	3
<code>\sc</code>	2822	4945		2
<code>\scanargtxt</code>	7528	8075	9611	3
<code>\scanctxt</code>	8063	8076	8083	5
<code>\scanexp</code>	7534	7996	9564	3
<code>\scanmacro</code>	7978	7997	8395	6
<code>\scantokens</code>	7965	7988		2
<code>\scbshape</code>	2221	2300	2314	9
<code>\scriptfont</code>	2584	2584	2585	5
<code>\scriptfont0</code>	2583			1
<code>\scriptfont1</code>	2583			1
<code>\scriptfont2</code>	2583			1
<code>\scriptstyle</code>	3459			1
<code>\scshape</code>	2220	2235	2257	11
<code>\searrow</code>	10955			1
<code>\secbase</code>	6049	6049	6052	5
<code>\secbf</code>	2328	2475	5592	3
<code>\sececsz</code>	2332	2479		2
<code>\secentryfonts</code>	6936	6960		2
<code>\secfonts</code>	3820	5592	6795	4
<code>\secheadingbreak</code>	6507			1
<code>\secheadingkip</code>	6506	6507	11143	3
<code>\seci</code>	2330	2477		2
<code>\secit</code>	2323	2470		2
<code>\seckeyword</code>	6525	6546	6553	4
<code>\secno</code>	5991	5991	6150	25
<code>\secnominalsize</code>	2320	2468		2
<code>\secondary</code>	5748			1
<code>\secrm</code>	2321	2328	2469	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\secrmnotbold</code>	2322	5555		2
<code>\secsc</code>	2329	2476		2
<code>\secsf</code>	2327	2474		2
<code>\seosl</code>	2324	2471		2
<code>\secsy</code>	2331	2478		2
<code>\section</code>	6165	6184	6215	4
<code>\sectionheading</code>	6235	6242	6250	13
<code>\sectionlevel</code>	6529	6546	6553	6
<code>\sectt</code>	2325	2472		2
<code>\secttsl</code>	2326	2473		2
<code>\seczzz</code>	6125	6233		2
<code>\seealso</code>	5193	5201	5215	4
<code>\seeentry</code>	5196	5203	5216	4
<code>\seenauthortrue</code>	3819			1
<code>\segment</code>	5222	5223	5228	5
<code>\sep</code>	5214	5268	5271	3
<code>\sepspaces</code>	515	7158	7411	4
<code>\set</code>	4562	4696	5294	3
<code>\setbox</code>	364	366	665	24
<code>\setbox0</code>	811	1278	1842	32
<code>\setbox1</code>	5927			1
<code>\setbox2</code>	1279	1843	5827	8
<code>\setbox3</code>	5926			1
<code>\setbytewiseio</code>	9795	9877	9884	4
<code>\setchapternewpage</code>	6364			1
<code>\setcodequotes</code>	2698	2864	2907	9
<code>\setcolor</code>	1242	1405	1554	12
<code>\setcontentsaftertitlepage</code>	3722			1
<code>\SETdispensize</code>	7203	7205	7215	4
<code>\setemergencystretch</code>	11161	11216		2
<code>\setemptyargvalues</code>	8302	8320	8416	4
<code>\setemptyargvaluesparser</code>	8420	8426		2
<code>\setfilename</code>	1018			1
<code>\setfont</code>	2191	2229	2230	150
<code>\setfontstyle</code>	2552	2557	2558	8
<code>\setleading</code>	1909	2647	11213	4

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
\SETmarginindex	5338	5342		2
\setminusminus	11052			1
\setnonasciicharscatcode	9839	9879	9886	6
\setnonasciicharscatcodenonglobal	9847			1
\setnormaldispenv	7204	7225	7495	3
\setpdfdestname	1328	1395	1427	8
\setpdfoutlinetext	1354	1426	1688	4
\setpercentfalse	4439			1
\setpercenttrue	4331			1
\setref	8702	8713	8727	4
\setregularquotes	2699	3200	6973	5
\setshortcontentsaftertitlepage	3726			1
\setsmalldispenv	7214	7226		2
\settitle	4017			1
\setupdatafile	1504	1753	6730	5
\setuptable	4321	4325	4347	4
\setupverb	7402	7466		2
\setupverbatim	7440	7495	7507	3
\setyyy	4562	4563		2
\setzzz	4571	4576		2
\sevenbf	2281	2429	2585	3
\sevenecsize	2289	2437		2
\seveni	2287	2435	2583	3
\sevenit	2282	2430	2584	3
\sevennominalsize	2278	2426		2
\sevenrm	2279	2427	2583	3
\sevenesc	2285	2433		2
\sevenssf	2284	2432	2586	3
\sevenssl	2283	2431	2584	3
\sevensty	2288	2436	2583	3
\seventt	2280	2428	2585	3
\seventtsl	2286	2434		2
\sf	2566	2830	4852	4
\sfbshape	2219	2298	2312	9
\sfcode	2845	2845	2845	12
\sffam	2565	2566	2579	4

Command	First occurrence	Second occurrence	Third occurrence	number of occurrences
<code>\sffont</code>	2579	2613		2
<code>\sfshape</code>	2218	2234	2256	11
<code>\sharp</code>	11043			1
<code>\shipout</code>	376			1
<code>\shortcaption</code>	9610			1
<code>\shortchapentry</code>	6791	6792	6874	4
<code>\shortchaplabel</code>	6836	6883		2
<code>\shortcontbf</code>	2517	6796		2
<code>\shortcontents</code>	6820			1
<code>\shortcontrm</code>	2516	6796		2
<code>\shortcontsl</code>	2518	6797		2
<code>\shortconttt</code>	2519	6797		2
<code>\shortpartentry</code>	6790	6871		2
<code>\shorttitlepage</code>	3731			1
<code>\shortunncchapentry</code>	6793	6898		2
<code>\showboxbreadth</code>	206			1
<code>\showboxdepth</code>	206			1
<code>\sigma</code>	10755			1
<code>\Sigma</code>	10717			1
<code>\sim</code>	10988			1
<code>\simeq</code>	10990			1
<code>\skip</code>	407	5659	5661	4
<code>\skipspaces</code>	1519	1521	1531	6
<code>\sl</code>	2559	2785	2806	10
<code>\slanted</code>	2816	4946		2
<code>\slashChar</code>	169	3087		2
<code>\slbshape</code>	2217	2295	2309	9
<code>\slfam</code>	2559	2578	2584	4
<code>\slfont</code>	2247	2395	2578	4
<code>\slshape</code>	2216	2233	2244	14
<code>\smallbf</code>	2253	2401		2
<code>\smallbook</code>	11232			1
<code>\smallbreak</code>	228	4042	4191	3
<code>\smallcaps</code>	2612	2822		2
<code>\smallecsize</code>	2261	2409		2
<code>\smallerbf</code>	2267	2415		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\smallerbook</code>	11249			1
<code>\smallerecsize</code>	2275	2423		2
<code>\smalleri</code>	2273	2421		2
<code>\smallerit</code>	2268	2416		2
<code>\smallernominalsize</code>	2264	2412		2
<code>\smallerm</code>	2265	2413		2
<code>\smallersc</code>	2271	2419		2
<code>\smallersf</code>	2270	2418		2
<code>\smallersl</code>	2269	2417		2
<code>\smallersy</code>	2274	2422		2
<code>\smallertt</code>	2266	2414		2
<code>\smallerttsl</code>	2272	2420		2
<code>\smallexamplefonts</code>	2668	7211	7218	3
<code>\smallfonts</code>	2668	5458	9256	3
<code>\smalli</code>	2259	2407		2
<code>\smallint</code>	10986			1
<code>\smallit</code>	2254	2402		2
<code>\smallnominalsize</code>	2250	2398		2
<code>\smallrm</code>	2251	2399		2
<code>\smallsc</code>	2257	2405		2
<code>\smallsf</code>	2256	2404		2
<code>\smallskip</code>	229			1
<code>\smallskipamount</code>	228	4146	4170	3
<code>\smallsl</code>	2255	2403		2
<code>\smallsy</code>	2260	2408		2
<code>\smalltt</code>	2252	2400		2
<code>\smallttsl</code>	2258	2406		2
<code>\smallword</code>	7201	7205	11336	3
<code>\smartitalic</code>	2786	2815	2818	4
<code>\smartitaliccorrection</code>	2782	2790	2806	3
<code>\smartslanted</code>	2785	2812	2816	4
<code>\smile</code>	11030			1
<code>\sortas</code>	5200	5239		2
<code>\sp</code>	101	911	7006	3
<code>\space</code>	118	520	612	37
<code>\spacefactor</code>	603	612	615	10



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\spaceisspace</code>	163	440	4491	4
<code>\spaceskip</code>	2875	2881	5725	7
<code>\spadesuit</code>	11037			1
<code>\special</code>	1609	1630	1669	11
<code>\splitindexentry</code>	5211	5319		2
<code>\splitmaxdepth</code>	5822	9248		2
<code>\splitoff</code>	4217	4234		2
<code>\splittopskip</code>	5822	5921	9247	4
<code>\sqcap</code>	11005			1
<code>\sqcup</code>	11006			1
<code>\sqsubseteq</code>	11003			1
<code>\sqsupseteq</code>	11004			1
<code>\ss</code>	4844	5073	10023	5
<code>\ssecbf</code>	2342	2489		2
<code>\ssececsz</code>	2346	2493		2
<code>\ssecfont</code>	2660	2661		2
<code>\sseci</code>	2344	2491		2
<code>\ssecit</code>	2337	2484		2
<code>\ssecnominalsize</code>	2335	2482		2
<code>\ssecrm</code>	2336	2342	2483	4
<code>\ssecsc</code>	2343	2490		2
<code>\ssecsf</code>	2341	2488		2
<code>\ssecsl</code>	2338	2485		2
<code>\ssecsy</code>	2345	2492		2
<code>\ssectt</code>	2339	2486		2
<code>\ssecttsl</code>	2340	2487		2
<code>\st</code>	1585	1585	1835	4
<code>\StackTerm</code>	862	865	867	4
<code>\star</code>	3516	11023		2
<code>\startcontents</code>	6741	6771	6788	3
<code>\startdefun</code>	7548	7589	7628	3
<code>\startenumeration</code>	4266	4272	4285	4
<code>\startenvironment</code>	544	549	550	3
<code>\startlink</code>	1534	1536	1555	5
<code>\startsavinginserts</code>	663	4375	7107	5
<code>\starttabbox</code>	7422	7434	7444	5

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\strcmp</code>	1604			1
<code>\string</code>	498	571	4622	28
<code>\strong</code>	2827	4972	11448	3
<code>\strut</code>	732	786	4416	4
<code>\strutbox</code>	725	726	784	6
<code>\strutdepth</code>	784	788	789	4
<code>\strutdepthpercent</code>	1903	1916		2
<code>\strutheightpercent</code>	1902	1915		2
<code>\sub</code>	3315	4897		2
<code>\subentry</code>	4901	5217	5217	6
<code>\subheading</code>	6328			1
<code>\subsecentryfonts</code>	6941	6961		2
<code>\subsecfonts</code>	2660			1
<code>\subsecheadingbreak</code>	6511	6515		2
<code>\subsecheadingskip</code>	6510	6511	6514	4
<code>\subsecno</code>	5992	5992	6150	23
<code>\subsection</code>	6166	6185	6216	4
<code>\subset</code>	10937			1
<code>\subsetq</code>	11001			1
<code>\subsubheading</code>	6330			1
<code>\subsubsecentryfonts</code>	6946	6962		2
<code>\subsubsecfonts</code>	2661			1
<code>\subsubsecheadingbreak</code>	6515			1
<code>\subsubsecheadingskip</code>	6514			1
<code>\subsubsecno</code>	5993	5993	6150	21
<code>\subsubsection</code>	6167	6186	6217	4
<code>\subtitle</code>	3805			1
<code>\subtitlefont</code>	3795	3807		2
<code>\subtitlrm</code>	3794	3795		2
<code>\succ</code>	10999			1
<code>\succeq</code>	11060			1
<code>\suffix</code>	5168	5171	5171	5
<code>\sum</code>	10977			1
<code>\summarycontents</code>	6787	6820		2
<code>\sup</code>	103	3285	3318	4
<code>\supereject</code>	763	6347	9205	3

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\suppressfirstparagraphindent</code>	972	978	980	8
<code>\supset</code>	11000			1
<code>\supseteq</code>	10938			1
<code>\surd</code>	10980			1
<code>\swarrow</code>	10956			1
<code>\switchtolllsize</code>	2624	3316	3319	7
<code>\switchtolsize</code>	2632	3223		2
<code>\syfont</code>	2577	2615		2
<code>\syncodeindex</code>	4757			1
<code>\synindex</code>	4756			1
<code>\t</code>	104	2858	4947	4
<code>\tab</code>	4369			1
<code>\tabalign</code>	7003			1
<code>\tabeightspaces</code>	7399	7406		2
<code>\tabexpand</code>	7426	7445		2
<code>\table</code>	4102			1
<code>\tablecheck</code>	4104	4108	4112	4
<code>\tableindent</code>	4024	4024	4047	11
<code>\tablex</code>	4121	4125		2
<code>\tabley</code>	4127	4129		2
<code>\tablez</code>	4132	4136		2
<code>\tabw</code>	7417	7417	7430	5
<code>\tau</code>	10756			1
<code>\tcfont</code>	3650	9959	9961	9
<code>\tclose</code>	2864	2872	2943	7
<code>\temp</code>	467	468	470	93
<code>\tempa</code>	8269	8274		2
<code>\tempb</code>	8268	8270		2
<code>\tempnum</code>	1026	1411	1412	7
<code>\temptype</code>	6404	6405	6408	15
<code>\tertiary</code>	5749			1
<code>\tex</code>	3270	3330	3339	6
<code>\TeX</code>	3444	3444	3468	5
<code>\textiatcatcode</code>	8242	8521		2
<code>\texinfochars</code>	361	11442		2
<code>\texinfoversion</code>	6	59	64	4

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\textbf</code>	2231	2379		2
<code>\textdegree</code>	3686	4899	5113	5
<code>\textecsize</code>	2239	2387		2
<code>\textfont</code>	2578	2578	2578	5
<code>\textfont0</code>	2577			1
<code>\textfont1</code>	2577			1
<code>\textfont2</code>	2577			1
<code>\textfonts</code>	2363	2511	3738	8
<code>\texti</code>	2237	2385		2
<code>\textindent</code>	9267			1
<code>\textit</code>	2232	2380		2
<code>\textleading</code>	1908	2362	2510	11
<code>\textnominalsize</code>	2227	2375	3456	3
<code>\textrm</code>	2229	2377		2
<code>\textsc</code>	2235	2383		2
<code>\textsf</code>	2234	2382		2
<code>\textsizearg</code>	2531	2538	2539	4
<code>\textsl</code>	2233	2381		2
<code>\textsy</code>	2238	2386		2
<code>\texttt</code>	2230	2378		2
<code>\textttsl</code>	2236	2384		2
<code>\th</code>	3606	4845	5074	5
<code>\TH</code>	3605	4833	5062	5
<code>\the</code>	118	275	275	152
<code>\thearg</code>	4226	4227	4227	10
<code>\theta</code>	10744			1
<code>\Theta</code>	10706			1
<code>\thinshrinkable</code>	5659	5661	5736	4
<code>\thinspace</code>	3215	10914		2
<code>\thirdarg</code>	7665	7666		2
<code>\thiscaption</code>	9472	9558	9564	5
<code>\thischapnum</code>	1440	1445	1456	3
<code>\thischapter</code>	291	3970	3980	11
<code>\thischaptername</code>	416	419	6043	10
<code>\thischapternum</code>	6042	6406	6409	7
<code>\thiscolor</code>	1243	1250	1266	6

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\thisecfont</code>	3661	3665	3668	4
<code>\thisenv</code>	544	546	555	9
<code>\thiseurofont</code>	3590	3593	3595	3
<code>\thisfile</code>	833	865	868	4
<code>\thisfootno</code>	9215	9224	9267	3
<code>\thisisundefined</code>	115	207	1048	27
<code>\thisline</code>	5479	5483		2
<code>\thispage</code>	3827			1
<code>\thisrefX</code>	9040	9043	9059	3
<code>\thissecnum</code>	1441	1446	1450	4
<code>\thissection</code>	6044	6402	6548	5
<code>\thissectionname</code>	6046	6401	6547	8
<code>\thissectionnum</code>	6045	6401	6547	7
<code>\thisshortcaption</code>	9473	9587	9590	4
<code>\thissubsecnum</code>	1442	1447	1451	5
<code>\thistitle</code>	3969	4016	4017	4
<code>\three</code>	3180	3181		2
<code>\threex</code>	3180	3181		2
<code>\tie</code>	515	599	4973	10
<code>\tieaccent</code>	3419	4935		2
<code>\tiepenalty</code>	598	599		2
<code>\tilde</code>	3282			1
<code>\times</code>	10015	10135	10461	3
<code>\tindex</code>	5447			1
<code>\title</code>	1152	1161	1167	5
<code>\titlebf</code>	2299	2447		2
<code>\titleccsize</code>	2303	2451		2
<code>\titlefont</code>	2659			1
<code>\titlefonts</code>	2659	3799	5972	3
<code>\titlei</code>	2301	2449		2
<code>\titleit</code>	2294	2442		2
<code>\titlenominalsize</code>	2292	2440		2
<code>\titlepage</code>	3735	3798	3806	5
<code>\titlepagebottomglue</code>	3714	3714	3775	3
<code>\titlepagetopglue</code>	3713	3713	3740	3
<code>\titlrm</code>	2293	2299	2441	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\titlesc</code>	2300	2448		2
<code>\titlesf</code>	2298	2446		2
<code>\titlesl</code>	2295	2443		2
<code>\titlesy</code>	2302	2450		2
<code>\titlett</code>	2296	2444		2
<code>\titlettl</code>	2297	2445		2
<code>\tmp</code>	5267	5269	7511	4
<code>\tocentry</code>	6883	6898	6930	7
<code>\tocfile</code>	6663	6686	6693	4
<code>\tocfileopenedtrue</code>	6687			1
<code>\tocindent</code>	6917	6917	6936	6
<code>\tocreadfilename</code>	1510	1759	6732	6
<code>\toctype</code>	6461	6464	6467	10
<code>\today</code>	4003	4004		2
<code>\tokenafterxref</code>	8777	8958	8959	7
<code>\toks</code>	8275			1
<code>\toks0</code>	269	275	1007	30
<code>\toks2</code>	270	275		2
<code>\toks4</code>	271	276		2
<code>\toks6</code>	272	276		2
<code>\toks8</code>	273	277		2
<code>\toksA</code>	1031	1561	1564	12
<code>\toksB</code>	1032	1561	1575	11
<code>\toksC</code>	1033	1563	1581	7
<code>\toksD</code>	1034	1564	1575	5
<code>\toksdef</code>	8405			1
<code>\tolerance</code>	3788	4383	5459	9
<code>\top</code>	105	6228		2
<code>\topandbottommargin</code>	245	245	11185	3
<code>\topins</code>	402	402		2
<code>\topmark</code>	336			1
<code>\topmarksavedfalse</code>	392			1
<code>\topmarksavedtrue</code>	333	337		2
<code>\toprefbox</code>	8780	8988	8991	3
<code>\topskip</code>	5777	5822	5917	7
<code>\tpindex</code>	5447			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\tracingassigns1</code>	212			1
<code>\tracingcommands3</code>	214			1
<code>\tracinggroups1</code>	210			1
<code>\tracingifs1</code>	209			1
<code>\tracinglostchars2</code>	201			1
<code>\tracingmacros2</code>	204			1
<code>\tracingnesting2</code>	211			1
<code>\tracingoutput1</code>	203			1
<code>\tracingpages1</code>	200			1
<code>\tracingparagraphs1</code>	202			1
<code>\tracingrestores1</code>	205			1
<code>\tracingscantokens1</code>	208			1
<code>\tracingstats</code>	1021			1
<code>\tracingstats2</code>	199			1
<code>\triangle</code>	11032			1
<code>\triangleleft</code>	11035			1
<code>\triangleright</code>	11033			1
<code>\trim</code>	8031	8032	8032	6
<code>\trimmed</code>	5228	5229	5229	10
<code>\tryauxfile</code>	9117	9126		2
<code>\tt</code>	2561	2859	2878	21
<code>\ttbshape</code>	2212	2296	2310	9
<code>\ttfam</code>	2561	2579	2585	4
<code>\ttfont</code>	2246	2394	2579	5
<code>\ttshape</code>	2211	2230	2243	14
<code>\ttsl</code>	2569	2781	2802	6
<code>\ttslanted</code>	2802	7865		2
<code>\ttslfont</code>	2247	2395	2616	3
<code>\ttslshape</code>	2213	2236	2245	21
<code>\ttstylename</code>	2561			1
<code>\turnoffactive</code>	375	836	1333	15
<code>\txiarg</code>	2968	2969	2971	14
<code>\txiescapepdf</code>	1200	1214	1351	5
<code>\txiescapepdfutfsixteen</code>	1211	1391		2
<code>\txinativeunicodecapablefalse</code>	9781			1
<code>\txinativeunicodecapabletrue</code>	9784	9788		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\txipageheight</code>	307	400	694	8
<code>\txipagewidth</code>	307	361	5841	5
<code>\txisetlanguage</code>	9760			1
<code>\txiusebytewiseiofalse</code>	9785	9789		2
<code>\txiusebytewiseiotrue</code>	9782	9832		2
<code>\txiuseunicodedestnamefalse</code>	1046	1622		2
<code>\txiuseunicodedestnametrue</code>	1051	1612		2
<code>\typeout</code>	69	5177	5474	3
<code>\u</code>	3280	4929	10079	17
<code>\U</code>	4974	10263	10571	4
<code>\ubaraccent</code>	3420	4936	10779	19
<code>\uccode</code>	4291	5050	5051	14
<code>\udotaccent</code>	3421	4937	10777	39
<code>\unbrace</code>	8034	8035		2
<code>\uncatcodespecials</code>	7391	7411	7451	4
<code>\undefined</code>	122	123	124	37
<code>\underbar</code>	3427	3428		2
<code>\underChar</code>	170	2908		2
<code>\unhbox</code>	5645	5666	5719	3
<code>\unhbox0</code>	3015	3023	3027	12
<code>\unicodechardefs</code>	10402	11070	11108	4
<code>\unmacro</code>	8154			1
<code>\unmacrodo</code>	8161	8172		2
<code>\unnchapentry</code>	1466	1483	1743	5
<code>\unnlevel</code>	6062	6087	6088	5
<code>\unnmhead</code>	6137			1
<code>\unnmhead0</code>	6190	6223		2
<code>\unnmhead1</code>	6247			1
<code>\unnmhead2</code>	6271			1
<code>\unnmhead3</code>	6297			1
<code>\unnsecentry</code>	1467	1745	6803	4
<code>\unnsubsecentry</code>	1468	1746	6806	4
<code>\unnsubsubsecentry</code>	1469	1747	6809	4
<code>\unnumbered</code>	6190	6228		2
<code>\unnumberedno</code>	5989	5989	6193	7
<code>\unnumberedsec</code>	6215	6247		2



<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\unnumberedseczzz</code>	6110	6248		2
<code>\unnumberedsubsec</code>	6216	6271		2
<code>\unnumberedsubseczzz</code>	6111	6272		2
<code>\unnumberedsubsubsec</code>	6217	6297		2
<code>\unnumberedsubsubseczzz</code>	6112	6298		2
<code>\unnumberedzzz</code>	6109	6191		2
<code>\unsepspaces</code>	520	3011	3141	6
<code>\unskip</code>	606	886	3226	21
<code>\unvbox</code>	380	387	402	10
<code>\unvbox1</code>	5948	5952		2
<code>\unvbox3</code>	5947	5951		2
<code>\uparrow</code>	10949			1
<code>\Uparrow</code>	10966			1
<code>\updownarrow</code>	10952			1
<code>\Updownarrow</code>	10969			1
<code>\uplus</code>	11002			1
<code>\uppercase</code>	5050	5051	5251	12
<code>\uppercaseenumerate</code>	4252	4283		2
<code>\upsilon</code>	10731	10757	10765	4
<code>\Upsilon</code>	10719			1
<code>\uref</code>	3007	3132	3148	4
<code>\urefallowbreak</code>	3103	3105	3121	3
<code>\urefbreak</code>	3006	3007		2
<code>\urefbreakfinish</code>	3009	3010		2
<code>\urefbreakstyle</code>	3098	3128		2
<code>\urefcatscodes</code>	3006	3052	3058	4
<code>\urefcode</code>	3027	3031	3040	5
<code>\urefcodeamp</code>	3063	3079		2
<code>\urefcodedot</code>	3064	3080		2
<code>\urefcodehash</code>	3065	3081		2
<code>\urefcodequest</code>	3066	3082		2
<code>\urefcodeslash</code>	3067	3083		2
<code>\urefcodeslashfinish</code>	3083	3086		2
<code>\urefpostbreak</code>	3079	3080	3081	8
<code>\urefprebreak</code>	3079	3080	3081	8
<code>\url</code>	3132	4976		2

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\urlcolor</code>	1403	1554	1703	4
<code>\useimageresource</code>	1110			1
<code>\usebodybackslash</code>	8089			1
<code>\UTFAtUTmp</code>	11115	11116		2
<code>\utfeight</code>	1339	1368	9870	5
<code>\utfeightchardefs</code>	11068	11135		2
<code>\UTFNativeTmp</code>	11099	11100		2
<code>\UTFviiiDefined</code>	10191	10194	10197	4
<code>\UTFviiiFourOctets</code>	10196	10255		2
<code>\UTFviiiFourOctetsName</code>	10288	10345		2
<code>\UTFviiiLoop</code>	10215	10222	10232	6
<code>\UTFviiiThreeOctets</code>	10193	10247		2
<code>\UTFviiiThreeOctetsName</code>	10286	10340		2
<code>\UTFviiiTmp</code>	10219	10229	10236	8
<code>\UTFviiiTwoOctets</code>	10190	10239		2
<code>\UTFviiiTwoOctetsName</code>	10284	10336		2
<code>\v</code>	3281	4930	10066	58
<code>\vadjust</code>	786	4206	7837	3
<code>\value</code>	4588	4594	4622	9
<code>\valuexxx</code>	4588	4589		2
<code>\var</code>	1552	1803	2809	5
<code>\varpi</code>	10772			1
<code>\varrho</code>	10773			1
<code>\varsigma</code>	10754			1
<code>\vartheta</code>	10771			1
<code>\vbadness</code>	5924	11147		2
<code>\vbox</code>	364	366	376	32
<code>\vdash</code>	11012			1
<code>\vee</code>	10984			1
<code>\verb</code>	4978	7466		2
<code>\verbatim</code>	7494			1
<code>\verbatiminclude</code>	7502			1
<code>\verbbox</code>	7421	7422	7429	11
<code>\vert</code>	5561			1
<code>\Vert</code>	10940			1
<code>\vfil</code>	408	732		2

Command	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\vfill</code>	763	5768	5947	7
<code>\vfilllimit</code>	656	698		2
<code>\vglue</code>	3740			1
<code>\vindex</code>	5446			1
<code>\voffset</code>	11178	11226	11280	7
<code>\vrindex</code>	5446			1
<code>\vrule</code>	1915	3538	3540	6
<code>\vsize</code>	3883	5768	5809	14
<code>\vskip</code>	386	407	904	34
<code>\vskip1</code>	6925			1
<code>\vskip4pt</code>	3774	3802	3802	3
<code>\vsplit</code>	5827	5827		2
<code>\vsplit3</code>	5927			1
<code>\vss</code>	405	791	1268	5
<code>\vtable</code>	4110			1
<code>\vtop</code>	665	732	789	6
<code>\w</code>	638	4979		2
<code>\warnednoepsftrue</code>	9377			1
<code>\warnedxrefstrue</code>	9052			1
<code>\wd</code>	5643	5651	5665	13
<code>\wd0</code>	812	1317	1887	21
<code>\wd2</code>	1318	1888	5840	6
<code>\wedge</code>	10932			1
<code>\whatsitpenalty</code>	5376	5386	5411	4
<code>\whatsitskip</code>	5375	5384	5395	4
<code>\widowpenalty</code>	11153			1
<code>\wlog</code>	838	7510		2
<code>\wordafter</code>	3104	3111		2
<code>\wordbefore</code>	3102	3112		2
<code>\wordcode</code>	3160	3169		2
<code>\worddistinct</code>	3156	3167		2
<code>\wordexample</code>	3158	3168		2
<code>\wordnone</code>	3100	3113		2
<code>\wordTop</code>	8679	8682		2
<code>\wp</code>	10945			1
<code>\wr</code>	10989			1

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\write</code>	5328	6693	7968	5
<code>\write17</code>	69			1
<code>\writeentry</code>	9697	9698		2
<code>\writeto</code>	5142	5156	5328	3
<code>\writetocentry</code>	5974	6476	6619	4
<code>\writetoctype</code>	6683	6684		2
<code>\writexrdef</code>	8735	8740	8741	4
<code>\xcolumnfractions</code>	4312	4330		2
<code>\xdef</code>	1204	1208	1216	41
<code>\xeatspaces</code>	7982	8208	8221	5
<code>\xempty</code>	7985	8209	8221	3
<code>\xendsetuptable</code>	4310	4327		2
<code>\XeTeXdefaultencoding</code>	9798			1
<code>\xeteximageheight</code>	1843	1888		2
<code>\xeteximagewidth</code>	1842	1887		2
<code>\xeteximgext</code>	1849	1858	1860	12
<code>\XeTeXinputencoding</code>	9799			1
<code>\xetexpdfext</code>	1876	1877	1880	4
<code>\XeTeXpdffile</code>	1878	1882		2
<code>\XeTeXpicfile</code>	1884			1
<code>\XeTeXrevision</code>	1143	1599	1604	10
<code>\XeTeXversion</code>	1604			1
<code>\xi</code>	10750			1
<code>\Xi</code>	10712			1
<code>\xiword</code>	2526	2539		2
<code>\xkey</code>	3178	3181		2
<code>\xml</code>	4476			1
<code>\xrdef</code>	9068			1
<code>\xref</code>	4980	8774		2
<code>\xrefautomaticsectiontitle</code>	8752			1
<code>\xrefprintnodename</code>	8949	9003		2
<code>\xrefX</code>	8778	8785		2
<code>\xrefXX</code>	8773	8774	8775	4
<code>\xrefXXarg</code>	8777	8778		2
<code>\xrefXXX</code>	8777	8778		2
<code>\xspaceskip</code>	7286	7292	7300	4

<b>Command</b>	<i>First occurrence</i>	<i>Second occurrence</i>	<i>Third occurrence</i>	<i>number of occurrences</i>
<code>\Xthisreftitle</code>	8897	8904		2
<code>\xword</code>	2527	2538		2
<code>\xwordpt</code>	2528	3456		2
<code>\Yappendix</code>	9020			1
<code>\Yappendixkeyword</code>	6391	6411	6465	5
<code>\year</code>	4011			1
<code>\Yfloat</code>	9632			1
<code>\Ynothing</code>	9007			1
<code>\Ynothingkeyword</code>	6390	6405	6459	5
<code>\Ynumbered</code>	9009			1
<code>\Yomitfromtoc</code>	9008			1
<code>\Yomitfromtockeyword</code>	6392	6408	6462	6
<code>\z</code>	405	9250	9251	5
<code>\zeroskipmacro</code>	5373	5393	5400	3
<code>\zeta</code>	10742			1